

## **CERTIFICATE OF ANALYSIS**

Product: Walnut Oil
Batch Number: 4540509
Best Before End: April 2026

**Description**: A light golden yellow oil, with virtually no odour or flavour

TEST	SPECIFICATION	ANALYSIS
Free Fatty Acid Value	0.5 maximum	0.1
Peroxide Value	10.0 maximum	1.2
Specific Gravity @ 20°C	0.910 - 0.930	0.914
Refractive Index @ 20°C	1.465 – 1.473	1.468
Colour Lovibond 5.25" cell	2.0 Red maximum	1.0
	20.0 Yellow maximum	9.0
Iodine Value	147 - 160	155
Unsaponifiable Matter	1.5 maximum	0.8

FATTY ACID COMPOSITON (%)		
C16:0 Palmitic	6.0 – 8.0	7.7
C18:0 Stearic	2.0 – 3.0	2.8
C18:1 Oleic	15.1 – 19.6	17.8
C18:2 Linoleic	58.0 – 62.0	58.2
C18:3 Alpha Linolenic	11.0 – 13.5	12.2



# ALLERGEN STATEMENT Walnut Oil

We hereby state and certify that the Walnut Oil RBDW that we supply as a highly refined oil, is **Gluten and protein free** and doesn't contain other Tree nuts or Peanuts, nor other **allergens** listed in EU Directive 2007/68/EC. Our approved suppliers to the business segregate the known allergens during processing and during storage, but customers are advised to carry out additional testing if appropriate




Document Date: June 2019

#### **STATEMENT**

We hereby certify that **Walnut Oil Refined**, is free of genetically modified materials and components. No ingredients, additives or processing aids of GM origin are used in the processing and purifying of the oil.

Product Name	Walnut Oil
Date	29.11.2017





01. IDENTIFICATION OF THE SUBSTANCE/PREPARATION & THE COMPANY/UNDERTAKING			
1.1	PRODUCT IDENTIFIER	₹	
	PRODUCT NAME	Walnut Oil Refined	
	INCI NAME	Juglans Regia Seed O	il
	CAS	8024-09-7 84012-43-1	
	EC	281-688-1	
	REACH REGISTRATION NO. (if applicable)	Exempt	
1.2	RELEVANT IDENTIFIE	VANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE, AND USES ADVISED AGAINST	
	Raw material for cosmetic and pharmaceutical products (emollient)		
1.3	DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET		
	COMPANY ADDRESS Madar Corporation Limited 19 - 20 Sandleheath Industrial Estate, Fordingbridge, SP6 1PA		
EMAIL ADDRESS technical@madarcorporation.co.uk		technical@madarcorporation.co.uk	
1.4	1.4 EMERGENCY TELEPHONE NUMBER		+ 44 (0) 1425 655 555
	Available during office hours.		

02. HAZ	02. HAZARDS IDENTIFICATION		
2.1	CLASSIFICATION OF THE SUBSTANCE OR MIXTURE		
	CLASSIFICATION (EC 1272/2008)		
	Not classified as hazardous.		
2.2	LABEL ELEMENTS		
	LABEL IN ACCORDANCE WITH (EC) NO 127	72/2008	
	None		
	SIGNAL WORD None		
	HAZARD STATEMENTS		
	None		
	PRECAUTIONARY STATEMENTS AND/OR SUPPLEMENTARY STATEMENTS		
	None		
	SUPPLEMENTARY STATEMENTS		
	None		
2.3	OTHER HAZARDS		
	ADVERSE EFFECTS ON HUMAN HEALTH No additional data		
	ADVERSE PHYSIO-CHEMICAL PROPERTIES No additional data		



03. CON	03. COMPOSITION/INFORMATION ON INGREDIENTS				
3.1/3.2	SUBSTANCES/MIXTURES				
	PERCENTAGE	NAME	CAS	REACH REGISTRATION NO. (if applicable)	HAZARD CLASSIFICATION
	100.0	Juglans Regia Seed Oil	8024-09-7	-	Not classified as hazardous.

04. FIRS	04. FIRST AID MEASURES		
4.1	DESCRIPTION OF FI	RST AID MEASURES	
	INHALATION Remove to fresh air and remain in a position which is comfortable for breathing. Seek medical attention.		
	INGESTION Do NOT induce vomiting. Ingestion may cause nausea and vomiting. Immediately rinse mouth and provide fresh air. Seek medical attention.		
	SKIN CONTACT  Remove contaminated clothing and wash before reuse. Wash skin thoroughly with soap and water. If discomfort occurs/continues, seek medical attention.		
	EYE CONTACT  Rinse eyes with clean water for a minimum of fifteen minutes. If safe to do so, remov contact lenses and continue to rinse. Seek medical attention.		
4.2	MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED		
	No additional data		
4.3	INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED		
	Treat symptomatically.		

<u>05. FIRE</u>	05. FIREFIGHTING MEASURES		
5.1	EXTINGUISHING METHODS		
	- Carbon Dioxide - Alcohol Resistant Foam - Dry Chemical Powder		
	Do NOT use water.		
5.2	HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE		
	In the event of fire this product can generate oxides of carbon and other toxic gases. A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health. Do not breathe in smoke.		
5.3	ADVICE FOR FIREFIGHTERS		
	Wear self-contained respiratory equipment and appropriate protective clothing at all times. Do not inhale any gases or fumes which may be generated. Containers in close proximity to fire should be removed to a safe distance and the exterior of the container cooled with water.		

#### **06. ACCIDENTAL RELEASE MEASURES**



6.1	PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	
	Wear protective clothing as recommended at all times. Handle the product using protective gloves resistant to the chemicals exposed. Avoid contact with skin and inhalation of its vapours. Maintain adequate ventilation in the working area after spilling.	
6.2	ENVIROMENTAL PRECAUTIONS	
	Do not allow the product to enter drains or sewers, water course or the ground. Do not allow the product to enter the environment.	
6.3	METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP THIS PRODUCT	
	Small spills and residues may be absorbed with material such as cloth or sawdust, washed away with water and cleaned with sodic products. Larger spillage may be pumped.	
6.4	REFERENCE TO OTHER SECTIONS	
	Sections 8 & 13	

07. EXP	07. EXPOSURE CONTROLS AND/OR PERSONAL PROTECTION		
7.1	PRECAUTIONS FOR SAFE HANDLING		
	Adhere to all good health, safety and hygiene practices. If handling large/heavy packages or drums, ensure the use of suitable mechanical equipment at all times. Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wear personal protective equipment. Do not breathe vapours or spray mist. Use only in area provided with adequate ventilation. Do not eat, drink or smoke whilst handling this product. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge.		
7.2	CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES		
	Store in a cool, dry, well-ventilated area. Protect from freezing, heat and light including sunlight. Protect from all potential sources of ignition. Keep all containers tightly sealed when not in use. Use only non-sparking tools. Take precautionary measures against static discharge.		
7.3	SPECIFIC END USE(S)		

08. EXP	08. EXPOSURE CONTROLS		
8.1	CONTROL PARAMETERS		
	No additional data		
8.2	EXPOSURE CONTROLS		
	PROTECTIVE EQUIPMENT		
	Use all equipment as required and/or recommended for safe handling.		
	PROCESS CONDITIONS No additional data		
	ENGINEERING MEASURES	Install sufficient ventilation across all areas. Install readily available eyewash stations and safety showers.	



RESPIRATORY EQUIPMENT	In the event of ventilation failure or insufficient ventilation, ensure the use of appropriate respiratory equipment/protection.
HAND PROTECTION	Wear appropriate protective chemically resistant gloves which comply with EN374.
EYE PROTECTION	Wear appropriate protective safety goggles which comply with EN166.
HYGIENE MEASURES	Good hygiene practices are always recommended, especially when handling oils, chemicals or any other similar type of material.
SKIN PROTECTION	Wear appropriate protective chemically resistant clothing at all times to prevent any potential skin contact with this product.
ENVIRONMENTAL EXPOSURE	Do not allow the product to enter drains or sewers, water course or the ground.
CONTROLS	Prevent enviromental contamination.
OTHER AND/OR PERSONAL PROTECTIVE MEASURES	No additional data

09. PHYSICAL AND CHEMICAL PROPERTIES		
7.1 INFORMATION ON BASIC PHYSICAL & CHEMICAL PROPERTIES		
APPEARANCE (E.G. LIQUID)	Liquid	
COLOUR	Light Yellow	
ODOUR	Characteristic	
SPECIFIC GRAVITY	0.910 - 0.930	
REFRACTIVE INDEX	No additional data	
FLASH POINT (°C)	>280.0	
AUTO-IGNITION TEMPERATURE (°C)	>310.0	
MELTING POINT (°C)	No additional data	
BOILING POINT (°C)	>100.0	
FLAMMABILITY	Ignitable above flash point.	
EXPLOSION LIMITS	No additional data	
DECOMPOSITION TEMPERATURE (°C)	No additional data	
SOLUBILITY	Insoluble in water. Soluble in vegetable oils.	
рН	No additional data	
VISCOSITY	No additional data	
PARTITION COEFFICIENT N- OCTANOL/WATER (log value)	No additional data	
VAPOUR PRESSURE	2.16 kPa	
VAPOUR DENSITY	No additional data	
9.2 ADDITIONAL INFORMATION	No additional data	

#### **10. STABILITY & REACTIVITY**



10.1	REACTIVITY
	Presents no significant reactivity hazard, by itself or in contact with water.
10.2	CHEMICAL STABILITY
	Stable under normal circumstances. Avoid high temperature in warehousing, avoid heating at more than 60°C (for cosmetic use).
10.3	POSSIBLE HAZARDOUS REACTIONS
	No additional data
10.4	CONDITIONS TO AVOID
	Extremes of temperature. All potential sources of ignition. Heating above the flash point.
10.5	INCOMPATIBLE MATERIALS
	Acids, Alkalis, Oxidizing Agents
10.6	HAZARDOUS DECOMPOSITION PRODUCTS
	In the event of fire this product may generate oxides of carbon and other toxic gases.

11. TO	COLOGICAL INFORMATION
11.1	ACUTE TOXICITY
	Not expected in normal use.
11.2	SKIN CORROSION/IRRITATION
	Not expected in normal use.
11.3	SERIOUS EYE DAMAGE/IRRITATION
	Not expected in normal use. Mildly irritating to eyes.
11.4	RESPIRATORY/SKIN SENSITIZATION
	Not expected in normal use.
11.5	GERM CELL MUTAGENICITY/CARCINOGENICITY/REPRODUCTIVE TOXICITY
	Not expected in normal use.
11.6	STOT – SINGLE EXPOSURE
	Not expected in normal use.
11.7	STOT – REPEATED EXPOSURE
	Not expected in normal use.
11.8	ASPIRATION HAZARD
	Not expected in normal use.
11.9	GENERAL AND/OR ADDITIONAL DATA; E.G. PHOTOTOXICITY
	No additional data

12. ECC	DLOGICAL AFFECTS
12.1	TOXICITY



	Low
12.2	PERSISTENCE & DEGRADABILITY
	>90% (OECD)
12.3	BIOACCUMULATIVE POTENTIAL
	None
12.4	MOBILITY IN SOIL AND/OR WATER
	Low. Insoluble in water.
12.5	RESULTS OF A PBT/vPvB ASSESSMENT
	No additional data
12.6	OTHER ADVERSE EFFECTS
	No additional data

#### 13. DISPOSAL CONSIDERATIONS

#### 13.1 WASTE TREATMENT METHODS

Always dispose of this product in accordance with local and national regulations. Do not allow entry into drains or waterways. Do not contaminate the ground or water with waste. Do not dispose of waste into the environment. Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals. Recycling is always preferable to disposal. When containers have been fully emptied, ensure the labelling remains.

14. TRAI	NSPORT INFORMATION		
14.1	UN NUMBER	Not restricted	
	UN MODEL REGULATIONS	Not applicable	
14.2	IMDG	Not applicable	
14.2	ADR, RID, AND	Not applicable	
	ICAO TI	Not applicable	
14.3	TRANSPORT HAZARD CLASS(ES)	Not applicable	
14.4	PACKING GROUP	Not applicable	
14.5	ENVIRONMENTAL HAZARDS	Not applicable	
14.6	SPECIAL PRECAUTIONS FOR USER	Details throughout document: 6, 7, 8	
14.7	TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 AND THE IBC CODE	No additional data	

#### **15. REGULATORY INFORMATION**



15.1	SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE
	This Safety Data Sheet was prepared in accordance with EC Regulation (EC) 1907/2006 (REACH), 1272/2008 (CLP), EC 453/2010&830/2015.
15.2	CHEMICAL SAFETY ASSESSMENT
	No additional data

<u>16. OTH</u>	16. OTHER INFORMATION				
16.1	HAZARD STATEMENTS	None			
16.2	CONCENTRATION PERCENTAGE LIMITS	No additional data			
16.3	TOTAL FRACTIONAL VALUES	No additional data			
16.4	KEY - ABBREVIATIONS				
16.5	REVISION DATE	06/02/2023			
16.6	REVISION NUMBER	6			
16.7	REVISION REASON	Document review, new format.			



## **Product Specification**

PRODUCT	Walnut Oil Refined											
CODE	DATE 23/05/2023 REVISION 7											
Oil obtained by expeller pressing the ripe seed of 'Juglans regia' chemica refined, bleached, deodorized and winterized							chemically					

Juglans Regia Oil

8024-09-7

**INCI NAME** 

**CAS NUMBER** 

<u>CHARACTERISTICS</u>				
APPEARANCE AT ROOM TEMPERATURE Liquid				
COLOUR	Clear – Light Yellow			
ODOUR Odourless				

**EC NUMBER** 

617-023-2

<u>ANALYSIS</u>				
COLOUR (Lovibond 5%)	<20Y, 2.0R			
SPECIFIC GRAVITY	0.910 - 0.930 @ 20°C			
REFRACTIVE INDEX	1.465 - 1.473 @ 20°C			
UNSAPONIFIABLE MATTER (%)	≤1.5 %			
FFA (% Oleic Acid)	≤0.5 %			
PEROXIDE VALUE (meq O <sub>2</sub> /kg)	≤10.0			
IODINE VALUE (gr I <sub>2</sub> /100g)	147.0 – 160.0			

FATTY ACID PROFILE (%)				
C16:0	PALMITIC ACID	6.0 – 8.0		
C16:1	PALMITOLEIC ACID	≤0.4		
C18:0	STEARIC ACID	2.0 – 3.0		
C18:1	OLEIC ACID	15.1 – 19.6		
C18:2	LINOLEIC ACID	58.0 – 62.0		
C18:3	LINOLENIC ACID	11.0 – 13.5		



**Document Date: June 2019** 

#### **STATEMENT**

We hereby certify that Walnut Oil Refined is suitable for Vegan and Vegetarians.