

CERTIFICATE OF ANALYSIS

PRODUCT IDENTIFICATION AND COMPOSITION

Product Name: Batch Number: Best Before End: Country of Manufacture: Sports – Essential Oil Blend 4371909 September 2022 United Kingdom

| PHYSICAL AND CHEMICAL PROPERTIES | | | | |
|----------------------------------|----------------------------|-----------|--|--|
| TEST | SPECIFICATION | RESULT | | |
| Appearance: | Clear, mobile brown liquid | Conforms | | |
| Odour: | Characteristic aroma | Conforms | | |
| | Characteristic aronna | Contornia | | |

STORAGE CONDITIONS

Stored at temperature <30°C in closed containers and protected from direct sunlight.

ADDITIONAL INFORMATION

DISCLAIMER

The information contained in this Certificate of Analysis is obtained from current and reliable sources. MADAR Corporation Ltd provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. As the ordinary or otherwise use(s) of this product is outside the control of MADAR Corporation Ltd., no representation or warranty, expressed or implied, is made as to the effect(s) of such use(s), (including damage or injury), or the results obtained. MADAR Corporation Ltd expressly disclaims responsibility as to the ordinary or otherwise use(s). Furthermore, nothing contained herein should be considered as a recommendation by MADAR Corporation Ltd as to the fitness for any use. The liability of MADAR Corporation Ltd is limited to the value of the goods and does not include any consequential loss. MADAR Corporation Ltd shall not be liable for any errors or delays in the content, or for any actions taken in reliance thereon. MADAR Corporation Ltd shall not be responsible for any damages resulting from use of or reliance upon this information. The user of the product is solely responsible for compliance with all laws and regulations applying to the use of the products, including intellectual property rights of third parties.



In accordance with REACH Regulation EC No.1907/2006

| Product: | SPORTS EOBSPOR |
|--------------------|---|
| Version: | 1 |
| | Section 1. Identification of the substance or the mixture and of the supplier |
| 1.1 Product Ide | entifier |
| Product identifi | er: SPORTS ESSENTIAL OIL BLEND(Contains:dalphaPinene, d-Camphor, delta-3- Carene, dl-Limonene (racemic)) |
| Other identifier | |
| 1.2 Relevant id | entified uses of the substance of mixture and uses advised against |
| Product uses: | Fragrances |
| 1.3 Details of the | ne supplier of the safety data sheet |
| Company name | e: MADAR Corporation Limited |
| Company addr | ess: 19-20 Sandleheath Industrial Estate Fordingbridge, Hampshire. SP6 1PA |
| Contact: | Approved sellers: Mystic Moments, New Directions, World of Moulds MADAR Corporation Limited |
| Company phor | e: +44 (0) 1425 655555 |
| 1.4 Emergency | r telephone number |
| Emergency pho | bne: +44 (0) 1425 655555 |
| | |

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

| Class and category of danger: | Flammable Liquid, Hazard Category 3 Acute Toxicity - Oral Category 4 Acute Toxicity - Inhalation Category 4 Skin Corrosion / Irritation Category 2 Sensitization - Skin Category 1 Specific Target Organ Toxicity (Single Exposure) Category 2 Aspiration Hazard Category 1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 H226, Flammable liquid and vapour. H302, Harmful if swallowed. H304, May be fatal if swallowed and enters airways. H315, Causes skin irritation. H317, May cause an allergic skin reaction. H332, Harmful if inhaled. |
|-------------------------------|---|
| | H332, Harmful II Innalea. |



| | In accordance with REACH Regulation EC No.1907/2006 |
|----------------------------------|---|
| Product: SPORT | SEOBSPOR |
| Version: 1 | |
| Class and category of danger: | H371, May cause damage to organs (organs, exposure route). H410, Very toxic to aquatic life with long lasting effects. |
| | Classification under Directive 1999/45/EC |
| Hazard symbols: | N, Dangerous for the environment. Xn, Harmful. |
| Risk phrases: | R10, Flammable. |
| | R20/22, Harmful by inhalation and if swallowed. |
| | R38, Irritating to the skin. |
| | R43, May cause sensitisation by skin contact. |
| | R50/53, Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| | R65, Harmful : May cause lung damage if swallowed. |
| | R68/22, Harmful: possible risk of irreversible effects if swallowed. |
| 2.2 Label elements | |
| Signal word: | Danger |
| Hazard statements: | H226, Flammable liquid and vapour. |
| | H302, Harmful if swallowed. |
| | H304, May be fatal if swallowed and enters airways. |
| | H315, Causes skin irritation. |
| | H317, May cause an allergic skin reaction. |
| | H332, Harmful if inhaled. |
| | H371, May cause damage to organs (organs, exposure route). |
| | H410, Very toxic to aquatic life with long lasting effects. |
| Supplemental Information: | EUH208, Contains Eucalyptol, Longifolene. May produce an allergic reaction. |
| Precautionary | P210, Keep away from heat, sparks, open flames and hot surfaces No smoking. |
| statements: | P233, Keep container tightly closed. |
| | P240, Ground/bond container and receiving equipment. |
| | P241, Use explosion-proof electrical, ventilating and lighting equipment. |
| | P242, Use only non-sparking tools. |
| | P243, Take precautionary measures against static discharge. |
| | P260, Do not breathe vapour or dust. |
| | P264, Wash hands and other contacted skin thoroughly after handling. |
| | P270, Do not eat, drink or smoke when using this product. |
| | P271, Use only outdoors or in a well-ventilated area. |
| | P272, Contaminated work clothing should not be allowed out of the workplace. P273, Avoid release to the environment. |
| | P273, Avoid release to the environment. P280, Wear protective gloves/eye protection/face protection. |
| | |



In accordance with REACH Regulation EC No.1907/2006

Product: SPORTS EOBSPOR

1

Version:

P301/310, IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P303/361/353, IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P304/340, IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P309/311, IF exposed or if you feel unwell: Call a POISON CENTRE or doctor/physician. P312, Call a POISON CENTRE or doctor/physician if you feel unwell. P330. Rinse mouth. P331, Do not induce vomiting. P333/313, If skin irritation or rash occurs: Get medical advice/attention. P362, Take off contaminated clothing and wash before reuse. P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391, Collect spillage. P403/235, Store in a well-ventilated place. Keep cool. P405, Store locked up. P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.



Other hazards:

Pictograms:

None

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

| Name | CAS | EC | REACH Registration No. | % | Classification for (DSD) 67/548/EEC | Classification for (CLP) 1272/2008 |
|-----------------------|------------|-----------|---------------------------|---------|--|---|
| d-Camphor | 464-49-3 | 207-355-2 | | 50-100% | F-Xn ; R11-R20/22-R68/22 | FS 2-ATO 4-ATI 4-STO-SE 2;H228-H302-H332-H371,- |
| Methyl salicylate | 119-36-8 | 204-317-7 | | 20-<50% | Xn ; R22 | ATO 4;H302,- |
| dalphaPinene | 7785-70-8 | 232-087-8 | | 10-<20% | Xn-N ; R10-R38-R43-R65- R50/53 | FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226-H304- H315-H317-H410,- |
| delta-3-Carene | 13466-78-9 | 236-719-3 | | 1-<5% | Xn-Xi ; R10-R38-R43-R65 | FL 3-SCI 2-SS 1B-AH 1; H226-H304-H315-H317,- |
| dl-Limonene (racemic) | 138-86-3 | 205-341-0 | | 1-<5% | Xn-N ; R10-R38-R43-R65- R50/53 | FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226-H304- H315-H317-H410,- |
| Camphene | 79-92-5 | 201-234-8 | | 1-<5% | F-Xi-N ; R11-R36-R50/53 | FS 2-EDI 2-EH A1-EH C1; H228-H319-H410,- |
| Bornyl acetate | 76-49-3 | 200-964-4 | | 0.1-<1% | Xi-N ; R38-R51/53 | -;-,- |



In accordance with REACH Regulation EC No.1907/2006

Product: SPORTS EOBSPOR

1

Version:

| Longifolene | 475-20-7 | 207-491-2 | 0.1-<1% | Xn-N ; R43-R65-R50/53 | SS 1B-AH 1-EH A1-EH C1; H304-H317-H410,- |
|--------------------|----------|-----------|---------|-----------------------|---|
| beta-Caryophyllene | 87-44-5 | 201-746-1 | 0.1-<1% | Xn ; R65 | AH 1;H304,- |
| Eucalyptol | 470-82-6 | 207-431-5 | 0.1-<1% | Xi ; R10-R43 | FL 3-SS 1B;H226-H317,- |

Substances with Community workplace exposure limits, not listed above:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF exposed or if you feel unwell: Call a POISON CENTRE or doctor/physician.

Call a POISON CENTRE or doctor/physician if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Harmful if inhaled. May cause damage to organs (organs, exposure route).

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.



In accordance with REACH Regulation EC No.1907/2006

Product: SPORTS EOBSPOR

1

Version:

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce



In accordance with REACH Regulation EC No.1907/2006

Product: SPORTS EOBSPOR

1

Version:

possible worker exposures. d) Use closed systems for transferring and processing this material. Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Appearance: | Not determined |
|--------------------------------|----------------|
| Odour: | Not determined |
| pH: | Not determined |
| Initial boiling point / range: | Not determined |
| Flash point: | > 44 °C |
| Vapour pressure: | Not determined |
| Relative density: | Not determined |
| Solubility(ies): | Not determined |
| 9.2 Other information: | None available |

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Harmful if swallowed.



In accordance with REACH Regulation EC No.1907/2006

Product: SPORTS EOBSPOR

1

Version:

May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause an allergic skin reaction.

Harmful if inhaled.

May cause damage to organs (organs, exposure route).

Assumed Toxicity Value (LD50 or ATE) for Acute Oral Toxicity: Assumed Toxicity Value (LD50 or ATE) for Acute Dermal Toxicity: Assumed Toxicity Value (LC50 or ATE) for Acute Inhalation Toxicity: Inhalation Route: 1528 Not Applicable 3.00 Dust/mist

Information about hazardous ingredients in the mixture

| Ingredient | CAS | EC | LD50/ATE Oral | LD50/ATE Dermal | LC50/ATE Inhalation | LC50 Route |
|-------------------|----------|-----------|---------------|--------------------|------------------------|---------------|
| Methyl salicylate | 119-36-8 | 204-317-7 | 890 | Not available | Not available | Not available |
| d-Camphor | 464-49-3 | 207-355-2 | 1500 | Not available | 1.5 | Dust/mist |

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Very toxic to aquatic life with long lasting effects.

- 12.2 Persistence and degradability: Not available
- **12.3 Bioaccumulative potential:** Not available

12.4 Mobility in soil: Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects:

Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

| 14.1 UN number: | UN1169 |
|-------------------------------|----------------------------|
| 14.2 UN Proper Shipping Name: | EXTRACTS, AROMATIC, LIQUID |

MADAR Corp Ltd, 19-20 Sandleheath Industrial Est., Fordingbridge Hampshire SP6 1PA



In accordance with REACH Regulation EC No.1907/2006

| Product: | SPORTS EOBSPOR | |
|------------------|-------------------------------|---|
| Version: | 1 | |
| 14.3 Transport | hazard class(es): | 3 |
| | Sub Risk: | - |
| 14.4. Packing G | Foup: | III |
| 14.5 Environme | ental hazards: | This is an environmentally hazardous substance. |
| 14.6 Special pro | ecautions for user: | None additional |
| 14.7 Transport | in bulk according to Annex II | of MARPOL73/78 and the IBC Code: |
| Not applicable | | |

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

 Concentration % Limits:
 EH A1=95.24% EH C1=95.24% EH C2=9.52% EH C3=0.95238095% EH C4=0.11109260% SCI 2=50.00% SS 1=6.67% STO-SE 2=19.99% AH 1=43.96%

 Total Fractional Values:
 EH A1=1.05 EH C1=1.05 EH C2=10.50 EH C3=105.00 EH C4=900.15 SCI 2=2.00 SS 1=15.00 STO-SE 2=5.00 AH 1=2.28

 Key to revisions:
 Key to revisions:

Not applicable

Key to abbreviations:

| Abbreviation | Meaning | |
|--------------|--|--|
| AH 1 | Aspiration Hazard Category 1 | |
| ATI 4 | Acute Toxicity - Inhalation Category 4 | |
| ATO 4 | Acute Toxicity - Oral Category 4 | |
| EDI 2 | Eye Damage / Irritation Category 2 | |
| EH A1 | Hazardous to the Aquatic Environment - Acute Hazard Category 1 | |
| EH C1 | Hazardous to the Aquatic Environment - Long-term Hazard Category 1 | |
| FL 3 | Flammable Liquid, Hazard Category 3 | |
| FS 2 | Flammable Solid, Hazard Category 2 | |
| H226 | Flammable liquid and vapour. | |
| H228 | Flammable solid. | |
| H302 | Harmful if swallowed. | |
| H304 | May be fatal if swallowed and enters airways. | |
| H315 | Causes skin irritation. | |
| H317 | May cause an allergic skin reaction. | |
| H319 | Causes serious eye irritation. | |



In accordance with REACH Regulation EC No.1907/2006

Product: SPORTS EOBSPOR

1

Version:

H332 Harmful if inhaled H371 May cause damage to organs (organs, exposure route). H410 Very toxic to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces. - No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P301/312 IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell. P302/352 IF ON SKIN: Wash with plenty of soap and water. IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with P303/361/353 water/shower P304/340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy P305/351/338 to do. Continue rinsing P309/311 IF exposed or if you feel unwell: Call a POISON CENTRE or doctor/physician. P312 Call a POISON CENTRE or doctor/physician if you feel unwell. P330 Rinse mouth P331 Do not induce vomiting. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P337/313 If eye irritation persists: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. P363 Wash contaminated clothing before reuse. P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391 Collect spillage. P403/235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. SCI 2 Skin Corrosion / Irritation Category 2 SS 1B Sensitization - Skin Category 1B STO-SE 2 Specific Target Organ Toxicity (Single Exposure) Category 2

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.



Date: 23/11/2018

Re: Vegan Suitability

We can confirm that the all of the Essential Oil Blends supplied by the MADAR Corporation are not produced with vegan friendly essential oils.