


# **Certificate of Analysis**

PRODUCT DETAILS				
Product Name	CATNIP OIL Ct Cineol	CATNIP OIL Ct Cineol		
Product Code	OECATN	OECATN		
Synonyms	Nepeta catraia oil, Catmint Oil	Nepeta catraia oil, Catmint Oil		
Batch Number	4444019	4444019		
Best Before End	September 2024	September 2024		
Identification	CAS No: 84929-35-1	EINECS No: 284-520-5		
PHYSICAL AND CHEMIC		EMESS NO. 20 1 920 9		
	SPECIFICATION RANGE	RESULTS		
Appearance	Liquid	Conforms		
Colour	Pale Yellow to Brown Yellow	Conforms		
Odour	Fresh, Minty-Herbaceous with a	Fresh. Minty-Herbaceous with a		
	sweet, woody/spicy undertone	Conforms		
Relative Density @ 20°c	0.881 - 0.918	0.907		
Refractive Index @ 20°c	1.431 - 1.487	1.468		
Flash Point	56°	Conforms		
Angular Rotation (°)	-15 to +15'	-5.16		
STORAGE AND SHELF LI	FE			
Storage	Store in tightly closed container with minimum headspace in a cool, dark and dry			
_	place.	•		
	ľ			

DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the Company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitability of such information for his own particular use. Where MADAR Corporation make a declaration that allergenic material are not present in any product, this statement is made assuming reasonable levels of detection. It is impossible to guarantee the "absolute absence" of any material. It is the ultimate responsibility of the customer to ensure the safety of the intended final product containing this material, by carrying out additional tests if necessary.

# MYSTIC M@MENTS

### FLOW CHART - CATNIP OIL



# MYSTIC M@MENTS

# SAFETY DATA SHEET CATNIP OIL (CINEOLE TYPE)

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name CATNIP OIL (CINEOLE TYPE)

Product number OECATN

Synonyms; trade names Nepeta cataria oil, Catmint oil

**CAS number** 84929-35-1

**EC number** 284-520-5

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Industrial, only for professional use

#### 1.3. Details of the supplier of the safety data sheet

Supplier Madar Corporation Limited

19 - 20 Sandleheath Industrial Esate

Fordingbridge SP6 1PA

Tel. +44 1425 655555

e-mail technical@madarcorporation.co.uk

#### 1.4. Emergency telephone number

#### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Flam. Liq. 3 - H226

**Health hazards** Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Asp. Tox. 1 - H304

Environmental hazards Aquatic Chronic 2 - H411

Human health May be fatal if swallowed and enters airways. Causes serious eye irritation Causes skin

irritation. May cause an allergic skin reaction.

**Environmental** Toxic to aquatic life with long lasting effects.

Physicochemical Flammable liquid and vapour

## **CATNIP OIL (CINEOLE TYPE)**

#### 2.2. Label elements

**EC number** 284-520-5

#### Hazard pictograms









#### Signal word

#### Danger

#### Hazard statements

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

#### Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P261 Avoid breathing vapour/ spray. P273 Avoid release to the environment.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/ container in accordance with national regulations.

#### **Contains**

1, 8 cineole, Beta Pinene, 7-methyl-3-methyleneocta-1,6-diene, Sabinene, Alpha Pinene, Beta

Caryophyllene

## Supplementary precautionary

#### statements

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof electrical equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P264 Wash contaminated skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P321 Specific treatment (see medical advice on this label).

P331 Do NOT induce vomiting.

P332+P313 If skin irritation occurs: Get medical advice/ attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.

P337+P313 If eye irritation persists: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

P391 Collect spillage.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

#### 2.3. Other hazards

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

1, 8 cineole 45 - 55%

CAS number: 470-82-6 EC number: 207-431-5

Classification

Flam. Liq. 3 - H226 Skin Sens. 1B - H317

Beta Pinene 5-10%

CAS number: 127-91-3 EC number: 242-060-2

M factor (Acute) = 1 M factor (Chronic) = 1

Classification

Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

Terpinene-1-ol-4 5-10%

CAS number: 562-74-3 EC number: 209-235-5

Classification

Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 STOT SE 3 - H336

p-menth-1-en-8-ol 5-10%

CAS number: 98-55-5 EC number: 202-680-6

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319

## **CATNIP OIL (CINEOLE TYPE)**

7-methyl-3-methyleneocta-1,6-diene 5-10%

CAS number: 123-35-3 EC number: 204-622-5 M factor (Acute) = 1 M factor (Chronic) = 1

Classification

Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

Sabinene 1-5%

CAS number: 3387-41-5 EC number: 222-212-4

Classification

Acute Tox. 4 - H302

Alpha Pinene 1-5%

CAS number: 80-56-8 EC number: 201-291-9

M factor (Acute) = 1 M factor (Chronic) = 1

Classification

Flam. Liq. 3 - H226 Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

Beta Caryophyllene 1-5%

CAS number: 87-44-5 EC number: 201-746-1

Classification

Skin Sens. 1B - H317 Asp. Tox. 1 - H304

Camphene 1-5%

CAS number: 79-92-5 EC number: 201-234-8

M factor (Acute) = 1 M factor (Chronic) = 1

Classification

Flam. Sol. 1 - H228 Eye Irrit. 2 - H319 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

Linalool		1-5%
CAS number: 78-70-6	EC number: 201-134-4	
Classification		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
Skin Sens. 1 - H317		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## **CATNIP OIL (CINEOLE TYPE)**

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Inhalation Remove person to fresh air and keep comfortable for breathing. Get medical attention.

Ingestion Rinse mouth thoroughly with water. Do not induce vomiting. Get medical attention

immediately.

Skin contact Remove contaminated clothing. Wash skin thoroughly with soap and water. Continue to rinse

for at least 15 minutes. Get medical attention.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes. Get medical attention immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

#### 4.3. Indication of any immediate medical attention and special treatment needed

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media Use as appropriate carbon dixoide (CO2), dry chemical or foam

Unsuitable extinguishing

media

For safety reasons do not use full water jet.

### 5.2. Special hazards arising from the substance or mixture

#### 5.3. Advice for firefighters

Protective actions during

firefighting

Do not inhale explosion and/or combustion gases. Use self contained breathing apparatus.

Special protective equipment Wear full protective clothing

for firefighters

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation of the working area, evacuate personnel to safe area, wear

> suitable protective equipment. No smoking, sparks, flames or other sources of ignition near spillage. Avoid contact with skin and eyes. Avoid inhalation of vapours. If ventilation is

inadequate, suitable respiratory protection must be worn.

#### 6.2. Environmental precautions

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb spillage with sand or other inert absorbent. Collect spillage. Wash spill site after

material pick up is complete.

#### 6.4. Reference to other sections

## **CATNIP OIL (CINEOLE TYPE)**

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Usage precautions

Apply good manufacturing practice and industrial hygiene practices. Keep containers sealed when not in use. Avoid contact with skin and eyes. Do not breathe vapours. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use only in well-ventilated areas. Do not eat, drink or smoke when using this product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

#### 7.3. Specific end use(s)

#### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

#### 1, 8 cineole (CAS: 470-82-6)

**DNEL** Workers - Inhalation; Long term systemic effects: 7.05 mg/m<sup>3</sup>

Workers - Dermal; Long term systemic effects: 2 bw/day, mg/kg

General population - Inhalation; Long term systemic effects: 1.74 mg/m<sup>3</sup> General population - Dermal; Long term systemic effects: 1 bw/day, mg/kg General population - Oral; Long term systemic effects: 600 mg/kg, bw/day

**PNEC** - Fresh water; Short term 5.7 mg/l

- Intermittent release, Fresh water; 0.57 mg/l

- marine water; Short term 5.7 mg/l

- STP; Short term 10 mg/l

- Sediment (Freshwater); Short term 1.425 mg/kg - Sediment (Marinewater); Short term 0.142 mg/kg

- Soil; Short term 0.25 mg/kg

#### Beta Pinene (CAS: 127-91-3)

**DNEL** Workers - Inhalation; Long term systemic effects: 5.69 mg/m<sup>3</sup>

> Workers - Dermal; Long term systemic effects: 0.8 bw/day, mg/kg General population - Inhalation; Long term systemic effects: 1 mg/m<sup>3</sup> General population - Dermal; Long term systemic effects: 0.3 mg/kg, bw/day

General population - Oral; Long term systemic effects: 0.3 bw/day, mg/kg

**PNEC** - Fresh water; Short term 1.004 mg/l

- Intermittent release, Fresh water; 5.02 mg/l

- marine water; Short term 0.1 mg/l

- STP; Short term 3.26 mg/l

- Sediment (Freshwater); Short term 0.337 mg/kg - Sediment (Marinewater); Short term 0.034 mg/kg

- Soil; Short term 0.067 mg/kg

#### p-menth-1-en-8-ol (CAS: 98-55-5)

**PNEC** - Fresh water; Short term 68 mg/l

- marine water; Short term 6.8 mg/l

- STP: Short term 2.6 mg/l

- Sediment (Freshwater); Short term 1.85 mg/kg

- Sediment (Marinewater); Short term 0.185 mg/kg

Soil; Short term 0.329 mg/kg

19-20 Sandleheath Industrial Estate, Fordingbridge, Hampshire, SP6 1PA, UK Tel: 01425 655555 Email: technical@madarcorporation.co.uk

Page 9 of 18

## **CATNIP OIL (CINEOLE TYPE)**

#### 7-methyl-3-methyleneocta-1,6-diene (CAS: 123-35-3)

**DNEL** Workers - Dermal; Long term systemic effects: 0.83 mg/kg

Workers - Inhalation; Long term systemic effects: 5.83 mg/m³

General population - Dermal; Long term systemic effects: 0.42 mg/kg General population - Inhalation; Long term systemic effects: 1.25 mg/m³

**PNEC** - STP; 0.2 mg/l

- Soil; 1.015 mg/kg

Fresh water; 0.00028 mg/lmarine water; 0.0008 mg/l

Sediment (Freshwater); 5.022 mg/kgSediment (Marinewater); 0.502 mg/kg

## Alpha Pinene (CAS: 80-56-8)

**DNEL** Workers - Inhalation; Long term systemic effects: 3.8 mg/m³

Workers - Dermal; Long term systemic effects: 0.54 bw/day, mg/kg General population - Inhalation; Long term systemic effects: 0.67 mg/m³ General population - Dermal; Long term systemic effects: 0.19 mg/kg, bw/day General population - Oral; Long term systemic effects: 0.19 mg/kg, bw/day

PNEC - Fresh water; Short term 0.606 mg/l

- Fresh water, Intermittent release; 3.03 mg/l

- marine water; Short term 0.061 mg/l

- Intermittent release, marine water; 0.303 mg/l

- STP; Short term 0.2 mg/l

Sediment (Freshwater); Short term 157 mg/kgSediment (Marinewater); Short term 15.7 mg/kg

- Soil; Short term 31.7 mg/kg

#### Camphene (CAS: 79-92-5)

**DNEL** Workers - Inhalation; Long term systemic effects: 110.19 mg/m³

Workers - Inhalation; Short term systemic effects: 110.19 mg/m³ Workers - Dermal; Long term systemic effects: 0.21 mg/kg, bw/day Workers - Dermal; Short term systemic effects: 1.25 mg/kg, bw/day General population - Inhalation; Long term systemic effects: 54.3 mg/m³ General population - Inhalation; Short term systemic effects: 54.3 mg/m³

General population - Dermal; Long term systemic effects: 0.1 bw/day, mg/kg General population - Dermal; Short term systemic effects: 0.625 bw/day, mg/kg General population - Oral; Long term systemic effects: 0.1 bw/day, mg/kg General population - Oral; Short term systemic effects: 0.625 bw/day, mg/kg

PNEC - Fresh water; Short term 0.001 mg/l

- Intermittent release, Fresh water; 0.001 mg/l

- marine water; Short term 0 mg/l

- STP; Short term 10 mg/l

Sediment (Freshwater); Short term 0.026 mg/kgSediment (Marinewater); Short term 0.003 mg/kg

- Soil; Short term 0.021 mg/kg

#### Linalool (CAS: 78-70-6)

**DNEL** Workers - Dermal; Short term systemic effects: 5 mg/kg

Workers - Inhalation; Short term systemic effects: 16.5 mg/m³
Workers - Dermal; Long term systemic effects: 2.5 mg/kg
Workers - Inhalation; Long term systemic effects: 2.8 mg/m³
General population - Oral; Short term systemic effects: 1.5 mg/kg
General population - Dermal; Short term systemic effects: 2.5 mg/kg
General population - Inhalation; Short term systemic effects: 4.1 mg/m³
General population - Oral; Long term systemic effects: 0.2 mg/kg
General population - Dermal; Long term systemic effects: 1.25 mg/kg
General population - Inhalation; Long term systemic effects: 0.7 mg/m³

-;:

PNEC - STP; Short term 10 mg/l

- Soil; Short term 0.327 mg/kg

- Intermittent release; Short term 2 mg/l
  Fresh water; Short term 0.2 mg/l
  marine water; Short term 0.02 mg/l
- Sediment (Freshwater); Short term 2.22 mg/kg
- Sediment (Marinewater); Short term 0.222 mg/kg

#### 8.2. Exposure controls

#### Protective equipment







Appropriate engineering

Provide eyewash station Provide adequate ventilation.

controls

Use personal protection according to Directive 89/686/EEC

Personal protection

Eye/face protection

Approved safety goggles.

Hand protection

Chemical resistant gloves (PVC)

Other skin and body

protection

Wear apron or protective clothing in case of contact.

Hygiene measures

Good personal hygiene procedures should be implemented. Wash hands thoroughly after

handling.

Respiratory protection

Generally unnecessary in a well ventilated area.

If ventilation is insufficient, respiratory protection must be worn.

Environmental exposure

controls

Avoid discharging into drains.

#### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Pale yellow to brown yellow

**Odour** Fresh, Minty-herbaceous with a sweet, woody/spicy undertone.

Flash point 56°C

**Relative density** 0.881 - 0.918 @ 20°C

Optical rotation 10.305 to +15

-15 to +15 19-20 Sandleheath Industrial Estate, Fordingbridge, Hampshire, SP6 1PA, UK Tel: 01425 655555 Email: technical@madarcorporation.co.uk

9.2. Other information

Refractive index 1.431 - 1.487

**Hydrocarbon Content** 

#### SECTION 10: Stability and reactivity

10.1. Reactivity

**Reactivity** No data available.

10.2. Chemical stability

Stability Stable under the prescribed storage conditions. May form explosive mixture with air at very

high concentration.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

No data available.

10.4. Conditions to avoid

Conditions to avoid Avoid the following conditions: Heat, sparks, flames. Light. Freezing.

10.5. Incompatible materials

Materials to avoid Strong acids. bases

10.6. Hazardous decomposition products

Hazardous decomposition

Heating may generate flammable vapours. Carbon dioxide (CO2). Carbon monoxide (CO).

products

#### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

**Toxicological effects** No data available.

Acute toxicity - oral

**ATE oral (mg/kg)** 6,693.44

Skin corrosion/irritation

**Skin corrosion/irritation** Causes skin irritation.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye irritation.

Skin sensitisation

**Skin sensitisation** May cause an allergic skin reaction.

#### SECTION 12: Ecological information

**Ecotoxicity** Toxic to aquatic life with long lasting effects.

12.1. Toxicity

**Toxicity** No data available.

#### 12.2. Persistence and degradability

#### 12.3. Bioaccumulative potential

12.4. Mobility in soil

#### 12.5. Results of PBT and vPvB assessment

#### 12.6. Other adverse effects

#### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

**Disposal methods**Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

#### SECTION 14: Transport information

#### 14.1. UN number

UN No. (ADR/RID) 1169
UN No. (IMDG) 1169
UN No. (ICAO) 1169
UN No. (ADN) 1169

#### 14.2. UN proper shipping name

Proper shipping name

EXTRACTS, AROMATIC, LIQUID

(ADR/RID)

Proper shipping name (IMDG) EXTRACTS, AROMATIC, LIQUID

Proper shipping name (ICAO) EXTRACTS, AROMATIC, LIQUID

Proper shipping name (ADN) EXTRACTS, AROMATIC, LIQUID

#### 14.3. Transport hazard class(es)

ADR/RID class

ADR/RID classification code F1

ADR/RID label 3

IMDG class 3

ICAO class/division 3

ADN class 3

#### Transport labels



#### 14.4. Packing group

ADN packing group

ADR/RID packing group III
IMDG packing group III
ICAO packing group III

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

Ш



#### 14.6. Special precautions for user

EmS F-E, S-D

ADR transport category 3

Emergency Action Code 3Y

Hazard Identification Number 30

(ADR/RID)

Tunnel restriction code (D/E)

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

#### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU legislation** Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Guidance CHIP for everyone HSG228.

#### 15.2. Chemical safety assessment

#### SECTION 16: Other information

Revision date 27/07/2020

Revision 2

Supersedes date 04/05/2017

19-20 Sandleheath Industrial Estate, Fordingbridge, Hampshire, SP6 1PA, UK Tel: 01425 655555 Email: technical@madarcorporation.co.uk

SDS number 4926

Hazard statements in full H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.



# **Product Specification**

Product Name	CATNIP OIL		
Product Code	OECATN		
Synonyms	Nepeta catraia oil, Catmint Oil		
Country of Origin	India		
Tariff Number	33012941		
Natural Status	supplier, that this product is in accor	We hereby declare, to the best of our knowledge and from information received from our supplier, that this product is in accordance to the requirements of Articles 3 (2) (d) of Regulation (EC) 1334/2008 and therefore can be designated as natural.	
Food Grade Status	N/A	N/A	
Kosher Certified	No		
Halal Certified	Suitable		
GMO Declaration	does not derive from genetically mo	To the best of our knowledge and from information received from our supplier, this product does not derive from genetically modified starting raw material, or additives that are derived from genetically modifed organisms.	
Identification	CAS No: 84929-35-1	EINECS No: 284-520-5	
PHYSICAL AND CHEMIC	AL CHARACTERISTIC		
Appearance	Liquid	Liquid	
Colour	Pale Yellow to Brown Yellow		
Odour	Fresh, Minty-Herbaceous with a	Fresh, Minty-Herbaceous with a sweet, woody/spicy undertone	
Relative Density @ 20°c	0.881 - 0.918	0.881 - 0.918	
Refractive Index @ 20°c	1.431 - 1.487	1.431 - 1.487	
Flash Point	56°	56°	
Angular Rotation (°)	-15 to +15'		
FRAGRANCE ALLERGEN	S		
Geraniol (106-24-1) <b>≤1.0</b> %	Farnesol (4602-84-0 ) <b>≤0.5</b> %	Linalool ( 78-70-6) 1.0 - 5.0%	
FOOD ALLERGENS			
N/A			
IFRA			
Geraniol (106-24-1) <b>≤1.0%</b>	Farnesol (4602-84-0 ) <b>≤0.5</b> %	Carvone (99-49-0 ) <b>≤1.0</b>	
, ,		, ,	
STORAGE AND SHELF LI	FE		
Storage	Store in tightly closed container with minimum headspace in a cool, dark and dry		
Shelf Life	24 11 1 1 1	24 months unopened and stored as above.	

DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the Company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitability of such information for his own particular use. Where we make a declaration that allergenic material are not present in any product, this statement is made assuming reasonable levels of detection. It is impossible to guarantee the "absolute absence" of any material. It is the ultimate responsibility of the customer to ensure the safety of the intended final product containing this material, by carrying out additional tests if necessary.



# **Vegan Statement**

IDENTIFICATION				
Product:	Catnip Oil			
Cas No:	84929-35-1			
EINECS No:	284-520-5			
STATEMENT				

We, MADAR Corporation Limited, from information received from our supplier, hereby declare that the material listed above is compliant with a vegan diet.

It does not contain any animal ingredients or animal by products. No animal ingredients or by products are used in the manufacturing process.

This document represents to the best of our knowledge and from information received from our supplier. It does not release the buyer from the obligation to carry out an examination of the goods received. All uses made by the buyer are done under their own responsibility.



## CMR (Carcinogenic, mutagenic, reprotoxic) STATEMENT

We hereby confirm, to the best of our knowledge and from information received from our supplier, that the below mentioned product does not contain any CMR Substances.

However, due to the fact that we do not analyse the batches, we cannot guarantee any explicit assurance.

Product: Catnip Oil Cineole Type

Product Code: OECATN

12 May 2021