

MYSTIC MOMENTS


Certificate of Analysis

| PRODUCT DETAILS | | |
|--------------------------------------|---|----------------------|
| Product Name | CATNIP OIL Ct Cineol | |
| Product Code | OECATN | |
| Synonyms | Nepeta catraia oil, Catmint Oil | |
| | | |
| Batch Number | 4504114 | |
| Best Before End | APRIL 2026 | |
| | | |
| Identification | CAS No: 84929-35-1 | EINECS No: 284-520-5 |
| PHYSICAL AND CHEMICAL CHARACTERISTIC | | |
| | SPECIFICATION RANGE | RESULTS |
| Appearance | Liquid | Conforms |
| Colour | CLEAR COLOURLESS TO VERY PALE YELLOW LIQUID | Conforms |
| Odour | Fresh, Minty-Herbaceous with a sweet, woody/spicy undertone | Conforms |
| Relative Density @ 20°C | 0.881 - 0.918 | 0.907 |
| Refractive Index @ 20°C | 1.431 - 1.487 | 1.468 |
| Flash Point | 56° | Conforms |
| Angular Rotation (°) | -15 to +15' | -5.16 |
| STORAGE AND SHELF LIFE | | |
| Storage | Store in tightly closed container with minimum headspace in a cool, dark and dry place. | |

DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the Company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitability of such information for his own particular use. Where MADAR Corporation make a declaration that allergenic material are not present in any product, this statement is made assuming reasonable levels of detection. It is impossible to guarantee the "absolute absence" of any material. **It is the ultimate responsibility of the customer to ensure the safety of the intended final product containing this material, by carrying out additional tests if necessary.**

MYSTIC MOMENTS

FLOW CHART – CATNIP OIL



MYSTIC MOMENTS

SAFETY DATA SHEET CATNIP OIL (CINEOLE TYPE)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| | |
|-----------------------|---------------------------------|
| Product name | CATNIP OIL (CINEOLE TYPE) |
| Product number | OECATN |
| Synonyms; trade names | Nepeta cataria oil, Catmint oil |
| CAS number | 84929-35-1 |
| EC number | 284-520-5 |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| | |
|-----------------|---------------------------------------|
| Identified uses | Industrial, only for professional use |
|-----------------|---------------------------------------|

1.3. Details of the supplier of the safety data sheet

| | |
|----------|---|
| Supplier | <p>Madar Corporation Limited 19 - 20 Sandeheath Industrial Estate Fordingbridge SP6 1PA Tel. +44 1425 655555 e-mail technical@madarcorporation.co.uk</p> |
|----------|---|

1.4. Emergency telephone number

SECTION 2: Hazards identification


2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

| | |
|-----------------------|--|
| Physical hazards | Flam. Liq. 3 - H226 |
| Health hazards | Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 |
| Environmental hazards | Aquatic Chronic 2 - H411 |
| Human health | May be fatal if swallowed and enters airways. Causes serious eye irritation Causes skin irritation. May cause an allergic skin reaction. |
| Environmental | Toxic to aquatic life with long lasting effects. |
| Physicochemical | Flammable liquid and vapour |

CATNIP OIL (CINEOLE TYPE)

2.2. Label elements

| | |
|---|---|
| EC number | 284-520-5 |
| Hazard pictograms |  |
| Signal word | Danger |
| Hazard statements | <p>H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects.</p> |
| Precautionary statements | <p>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing vapour/ spray. P273 Avoid release to the environment. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501 Dispose of contents/ container in accordance with national regulations.</p> |
| Contains | 1, 8 cineole, Beta Pinene, 7-methyl-3-methyleneocta-1,6-diene, Sabinene, Alpha Pinene, Beta Caryophyllene |
| Supplementary precautionary statements | <p>P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P241 Use explosion-proof electrical equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P264 Wash contaminated skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P321 Specific treatment (see medical advice on this label). P331 Do NOT induce vomiting. P332+P313 If skin irritation occurs: Get medical advice/ attention. P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P337+P313 If eye irritation persists: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.</p> |

2.3. Other hazards

CATNIP OIL (CINEOLE TYPE)

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| | |
|--------------------------|------------------------|
| 1, 8 cineole | 45 - 55% |
| CAS number: 470-82-6 | EC number: 207-431-5 |
| Classification | |
| Flam. Liq. 3 - H226 | |
| Skin Sens. 1B - H317 | |
| Beta Pinene | 5-10% |
| CAS number: 127-91-3 | EC number: 242-060-2 |
| M factor (Acute) = 1 | M factor (Chronic) = 1 |
| Classification | |
| Flam. Liq. 3 - H226 | |
| Skin Irrit. 2 - H315 | |
| Skin Sens. 1 - H317 | |
| Asp. Tox. 1 - H304 | |
| Aquatic Acute 1 - H400 | |
| Aquatic Chronic 1 - H410 | |
| Terpinene-1-ol-4 | 5-10% |
| CAS number: 562-74-3 | EC number: 209-235-5 |
| Classification | |
| Acute Tox. 4 - H302 | |
| Skin Irrit. 2 - H315 | |
| Eye Irrit. 2 - H319 | |
| Skin Sens. 1 - H317 | |
| STOT SE 3 - H336 | |
| p-menth-1-en-8-ol | 5-10% |
| CAS number: 98-55-5 | EC number: 202-680-6 |
| Classification | |
| Skin Irrit. 2 - H315 | |
| Eye Irrit. 2 - H319 | |

CATNIP OIL (CINEOLE TYPE)

| | |
|---|------------------------|
| 7-methyl-3-methylenoocta-1,6-diene | 5-10% |
| CAS number: 123-35-3 | EC number: 204-622-5 |
| M factor (Acute) = 1 | M factor (Chronic) = 1 |
| Classification | |
| Flam. Liq. 3 - H226 | |
| Skin Irrit. 2 - H315 | |
| Eye Irrit. 2 - H319 | |
| Asp. Tox. 1 - H304 | |
| Aquatic Acute 1 - H400 | |
| Aquatic Chronic 1 - H410 | |
| Sabinene | 1-5% |
| CAS number: 3387-41-5 | EC number: 222-212-4 |
| Classification | |
| Acute Tox. 4 - H302 | |
| Alpha Pinene | 1-5% |
| CAS number: 80-56-8 | EC number: 201-291-9 |
| M factor (Acute) = 1 | M factor (Chronic) = 1 |
| Classification | |
| Flam. Liq. 3 - H226 | |
| Acute Tox. 4 - H302 | |
| Skin Irrit. 2 - H315 | |
| Skin Sens. 1 - H317 | |
| Asp. Tox. 1 - H304 | |
| Aquatic Acute 1 - H400 | |
| Aquatic Chronic 1 - H410 | |
| Beta Caryophyllene | 1-5% |
| CAS number: 87-44-5 | EC number: 201-746-1 |
| Classification | |
| Skin Sens. 1B - H317 | |
| Asp. Tox. 1 - H304 | |
| Camphene | 1-5% |
| CAS number: 79-92-5 | EC number: 201-234-8 |
| M factor (Acute) = 1 | M factor (Chronic) = 1 |
| Classification | |
| Flam. Sol. 1 - H228 | |
| Eye Irrit. 2 - H319 | |
| Aquatic Acute 1 - H400 | |
| Aquatic Chronic 1 - H410 | |

CATNIP OIL (CINEOLE TYPE)

| | |
|---|----------------------|
| Linalool | 1-5% |
| CAS number: 78-70-6 | EC number: 201-134-4 |
| Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 | |

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

CATNIP OIL (CINEOLE TYPE)

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------|---|
| Inhalation | Remove person to fresh air and keep comfortable for breathing. Get medical attention. |
| Ingestion | Rinse mouth thoroughly with water. Do not induce vomiting. Get medical attention immediately. |
| Skin contact | Remove contaminated clothing. Wash skin thoroughly with soap and water. Continue to rinse for at least 15 minutes. Get medical attention. |
| Eye contact | Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. |

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|---------------------------------------|--|
| Suitable extinguishing media | Use as appropriate carbon dioxide (CO ₂), dry chemical or foam |
| Unsuitable extinguishing media | For safety reasons do not use full water jet. |

5.2. Special hazards arising from the substance or mixture

5.3. Advice for firefighters

| | |
|--|--|
| Protective actions during firefighting | Do not inhale explosion and/or combustion gases. Use self contained breathing apparatus. |
| Special protective equipment for firefighters | Wear full protective clothing |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

| | |
|-----------------------------|---|
| Personal precautions | Ensure adequate ventilation of the working area, evacuate personnel to safe area, wear suitable protective equipment. No smoking, sparks, flames or other sources of ignition near spillage. Avoid contact with skin and eyes. Avoid inhalation of vapours. If ventilation is inadequate, suitable respiratory protection must be worn. |
|-----------------------------|---|

6.2. Environmental precautions

| | |
|----------------------------------|--|
| Environmental precautions | Do not discharge into drains or watercourses or onto the ground. |
|----------------------------------|--|

6.3. Methods and material for containment and cleaning up

| | |
|--------------------------------|---|
| Methods for cleaning up | Absorb spillage with sand or other inert absorbent. Collect spillage. Wash spill site after material pick up is complete. |
|--------------------------------|---|

6.4. Reference to other sections

CATNIP OIL (CINEOLE TYPE)

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Apply good manufacturing practice and industrial hygiene practices. Keep containers sealed when not in use. Avoid contact with skin and eyes. Do not breathe vapours. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use only in well-ventilated areas. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

1, 8 cineole (CAS: 470-82-6)

| | |
|-------------|--|
| DNEL | Workers - Inhalation; Long term systemic effects: 7.05 mg/m ³ Workers - Dermal; Long term systemic effects: 2 bw/day, mg/kg General population - Inhalation; Long term systemic effects: 1.74 mg/m ³ General population - Dermal; Long term systemic effects: 1 bw/day, mg/kg General population - Oral; Long term systemic effects: 600 mg/kg, bw/day |
| PNEC | - Fresh water; Short term 5.7 mg/l - Intermittent release, Fresh water; 0.57 mg/l - marine water; Short term 5.7 mg/l - STP; Short term 10 mg/l - Sediment (Freshwater); Short term 1.425 mg/kg - Sediment (Marinewater); Short term 0.142 mg/kg - Soil; Short term 0.25 mg/kg |

Beta Pinene (CAS: 127-91-3)

| | |
|-------------|---|
| DNEL | Workers - Inhalation; Long term systemic effects: 5.69 mg/m ³ Workers - Dermal; Long term systemic effects: 0.8 bw/day, mg/kg General population - Inhalation; Long term systemic effects: 1 mg/m ³ General population - Dermal; Long term systemic effects: 0.3 mg/kg, bw/day General population - Oral; Long term systemic effects: 0.3 bw/day, mg/kg |
| PNEC | - Fresh water; Short term 1.004 mg/l - Intermittent release, Fresh water; 5.02 mg/l - marine water; Short term 0.1 mg/l - STP; Short term 3.26 mg/l - Sediment (Freshwater); Short term 0.337 mg/kg - Sediment (Marinewater); Short term 0.034 mg/kg - Soil; Short term 0.067 mg/kg |

p-menth-1-en-8-ol (CAS: 98-55-5)

| | |
|-------------|--|
| PNEC | - Fresh water; Short term 68 mg/l - marine water; Short term 6.8 mg/l - STP; Short term 2.6 mg/l - Sediment (Freshwater); Short term 1.85 mg/kg - Sediment (Marinewater); Short term 0.185 mg/kg - Soil; Short term 0.329 mg/kg |
|-------------|--|

CATNIP OIL (CINEOLE TYPE)

7-methyl-3-methylenoocta-1,6-diene (CAS: 123-35-3)

DNEL Workers - Dermal; Long term systemic effects: 0.83 mg/kg
Workers - Inhalation; Long term systemic effects: 5.83 mg/m³
General population - Dermal; Long term systemic effects: 0.42 mg/kg
General population - Inhalation; Long term systemic effects: 1.25 mg/m³

PNEC - STP; 0.2 mg/l
- Soil; 1.015 mg/kg
- Fresh water; 0.00028 mg/l
- marine water; 0.0008 mg/l
- Sediment (Freshwater); 5.022 mg/kg
- Sediment (Marinewater); 0.502 mg/kg

Alpha Pinene (CAS: 80-56-8)

DNEL Workers - Inhalation; Long term systemic effects: 3.8 mg/m³
Workers - Dermal; Long term systemic effects: 0.54 bw/day, mg/kg
General population - Inhalation; Long term systemic effects: 0.67 mg/m³
General population - Dermal; Long term systemic effects: 0.19 mg/kg, bw/day
General population - Oral; Long term systemic effects: 0.19 mg/kg, bw/day

PNEC - Fresh water; Short term 0.606 mg/l
- Fresh water, Intermittent release; 3.03 mg/l
- marine water; Short term 0.061 mg/l
- Intermittent release, marine water; 0.303 mg/l
- STP; Short term 0.2 mg/l
- Sediment (Freshwater); Short term 157 mg/kg
- Sediment (Marinewater); Short term 15.7 mg/kg
- Soil; Short term 31.7 mg/kg

Camphene (CAS: 79-92-5)

DNEL Workers - Inhalation; Long term systemic effects: 110.19 mg/m³
Workers - Inhalation; Short term systemic effects: 110.19 mg/m³
Workers - Dermal; Long term systemic effects: 0.21 mg/kg, bw/day
Workers - Dermal; Short term systemic effects: 1.25 mg/kg, bw/day
General population - Inhalation; Long term systemic effects: 54.3 mg/m³
General population - Inhalation; Short term systemic effects: 54.3 mg/m³
General population - Dermal; Long term systemic effects: 0.1 bw/day, mg/kg
General population - Dermal; Short term systemic effects: 0.625 bw/day, mg/kg
General population - Oral; Long term systemic effects: 0.1 bw/day, mg/kg
General population - Oral; Short term systemic effects: 0.625 bw/day, mg/kg

PNEC - Fresh water; Short term 0.001 mg/l
- Intermittent release, Fresh water; 0.001 mg/l
- marine water; Short term 0 mg/l
- STP; Short term 10 mg/l
- Sediment (Freshwater); Short term 0.026 mg/kg
- Sediment (Marinewater); Short term 0.003 mg/kg
- Soil; Short term 0.021 mg/kg

Linalool (CAS: 78-70-6)

CATNIP OIL (CINEOLE TYPE)

DNEL

Workers - Dermal; Short term systemic effects: 5 mg/kg
 Workers - Inhalation; Short term systemic effects: 16.5 mg/m³
 Workers - Dermal; Long term systemic effects: 2.5 mg/kg
 Workers - Inhalation; Long term systemic effects: 2.8 mg/m³
 General population - Oral; Short term systemic effects: 1.5 mg/kg
 General population - Dermal; Short term systemic effects: 2.5 mg/kg
 General population - Inhalation; Short term systemic effects: 4.1 mg/m³
 General population - Oral; Long term systemic effects: 0.2 mg/kg
 General population - Dermal; Long term systemic effects: 1.25 mg/kg
 General population - Inhalation; Long term systemic effects: 0.7 mg/m³
 - ; :

PNEC

- STP; Short term 10 mg/l
 - Soil; Short term 0.327 mg/kg
 - Intermittent release; Short term 2 mg/l
 - Fresh water; Short term 0.2 mg/l
 - marine water; Short term 0.02 mg/l
 - Sediment (Freshwater); Short term 2.22 mg/kg
 - Sediment (Marinewater); Short term 0.222 mg/kg

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide eyewash station Provide adequate ventilation.

Personal protection

Use personal protection according to Directive 89/686/EEC

Eye/face protection

Approved safety goggles.

Hand protection

Chemical resistant gloves (PVC)

Other skin and body protection

Wear apron or protective clothing in case of contact.

Hygiene measures

Good personal hygiene procedures should be implemented. Wash hands thoroughly after handling.

Respiratory protection

Generally unnecessary in a well ventilated area.
 If ventilation is insufficient, respiratory protection must be worn.

Environmental exposure controls

Avoid discharging into drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|------------------|--|
| Appearance | Liquid. |
| Colour | CLEAR COLOURLESS TO VERY PALE YELLOW |
| Odour | Fresh, Minty-herbaceous with a sweet, woody/spicy undertone. |
| Flash point | 56°C |
| Relative density | 0.881 - 0.918 @ 20°C |
| Optical rotation | -15 to +15 |

19-20 Sandeheath Industrial Estate, Fordingbridge, Hampshire, SP6 1PA, UK

Tel: 01425 655555 Email: technical@madarcorporation.co.uk

CATNIP OIL (CINEOLE TYPE)

9.2. Other information

Refractive index 1.431 - 1.487

Hydrocarbon Content

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No data available.

10.2. Chemical stability

Stability Stable under the prescribed storage conditions. May form explosive mixture with air at very high concentration.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions No data available.

10.4. Conditions to avoid

Conditions to avoid Avoid the following conditions: Heat, sparks, flames. Light. Freezing.

10.5. Incompatible materials

Materials to avoid Strong acids. bases

10.6. Hazardous decomposition products

Hazardous decomposition products Heating may generate flammable vapours. Carbon dioxide (CO₂). Carbon monoxide (CO).

CATNIP OIL (CINEOLE TYPE)

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects No data available.

Acute toxicity - oral

ATE oral (mg/kg) 6,693.44

Skin corrosion/irritation

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye irritation.

Skin sensitisation

Skin sensitisation May cause an allergic skin reaction.

SECTION 12: Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects.

12.1. Toxicity

Toxicity No data available.

12.2. Persistence and degradability

12.3. Bioaccumulative potential

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 1169

UN No. (IMDG) 1169

UN No. (ICAO) 1169

UN No. (ADN) 1169

14.2. UN proper shipping name

Proper shipping name (ADR/RID) EXTRACTS, AROMATIC, LIQUID

Proper shipping name (IMDG) EXTRACTS, AROMATIC, LIQUID

Proper shipping name (ICAO) EXTRACTS, AROMATIC, LIQUID

Proper shipping name (ADN) EXTRACTS, AROMATIC, LIQUID

14.3. Transport hazard class(es)

ADR/RID class 3
19-20 Sandeheath Industrial Estate, Fordingbridge, Hampshire, SP6 1PA, UK
Tel: 01425 655555 Email: technical@madarcorporation.co.uk

CATNIP OIL (CINEOLE TYPE)

| | |
|-----------------------------|----|
| ADR/RID classification code | F1 |
| ADR/RID label | 3 |
| IMDG class | 3 |
| ICAO class/division | 3 |
| ADN class | 3 |

Transport labels**14.4. Packing group**

| | |
|-----------------------|-----|
| ADR/RID packing group | III |
| IMDG packing group | III |
| ICAO packing group | III |
| ADN packing group | III |

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

**14.6. Special precautions for user**

| | |
|--|----------|
| EmS | F-E, S-D |
| ADR transport category | 3 |
| Emergency Action Code | 3Y |
| Hazard Identification Number (ADR/RID) | 30 |
| Tunnel restriction code | (D/E) |

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

| | |
|----------------|--|
| EU legislation | Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). |
| Guidance | CHIP for everyone HSG228. |

15.2. Chemical safety assessment**SECTION 16: Other information**

| | |
|-----------------|------------|
| Revision date | 27/07/2020 |
| Revision | 2 |
| Supersedes date | 04/05/2017 |

19-20 Sandealth Industrial Estate, Fordingbridge, Hampshire, SP6 1PA, UK

Tel: 01425 655555 Email: technical@madarcorporation.co.uk

CATNIP OIL (CINEOLE TYPE)

| | |
|----------------------------------|--|
| SDS number | 4926 |
| Hazard statements in full | H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. |

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

MYSTIC MOMENTS

Product Specification

| PRODUCT DETAILS | | |
|--------------------------------------|--|--------------------------------------|
| Product Name | CATNIP OIL | |
| Product Code | OECATN | |
| Synonyms | Nepeta catraia oil, Catmint Oil | |
| Country of Origin | India | |
| Tariff Number | 33012941 | |
| Natural Status | We hereby declare, to the best of our knowledge and from information received from our supplier, that this product is in accordance to the requirements of Articles 3 (2) (d) of Regulation (EC) 1334/2008 and therefore can be designated as natural. | |
| Food Grade Status | N/A | |
| Kosher Certified | No | |
| Halal Certified | Suitable | |
| GMO Declaration | To the best of our knowledge and from information received from our supplier, this product does not derive from genetically modified starting raw material, or additives that are derived from genetically modified organisms. | |
| Identification | CAS No: 84929-35-1 | EINECS No: 284-520-5 |
| PHYSICAL AND CHEMICAL CHARACTERISTIC | | |
| Appearance | Liquid | |
| Colour | Pale Yellow to Brown Yellow | |
| Odour | Fresh, Minty-Herbaceous with a sweet, woody/spicy undertone | |
| Relative Density @ 20°C | 0.881 - 0.918 | |
| Refractive Index @ 20°C | 1.431 - 1.487 | |
| Flash Point | 56° | |
| Angular Rotation (°) | -15 to +15' | |
| FRAGRANCE ALLERGENS | | |
| Geraniol (106-24-1) ≤1.0% | Farnesol (4602-84-0) ≤0.5% | Linalool (78-70-6) 1.0 - 5.0% |
| FOOD ALLERGENS | | |
| N/A | | |
| IFRA | | |
| Geraniol (106-24-1) ≤1.0% | Farnesol (4602-84-0) ≤0.5% | Carvone (99-49-0) ≤1.0 |
| | | |
| | | |
| STORAGE AND SHELF LIFE | | |
| Storage | Store in tightly closed container with minimum headspace in a cool, dark and dry | |
| Shelf Life | 24 months unopened and stored as above. | |

DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the Company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitability of such information for his own particular use. Where we make a declaration that allergenic material are not present in any product, this statement is made assuming reasonable levels of detection. It is impossible to guarantee the "absolute absence" of any material. It is the ultimate responsibility of the customer to ensure the safety of the intended final product containing this material, by carrying out additional tests if necessary.

Vegan Statement

| IDENTIFICATION | |
|--|------------|
| Product: | Catnip Oil |
| Cas No: | 84929-35-1 |
| EINECS No: | 284-520-5 |
| STATEMENT | |
| <p>We, MADAR Corporation Limited, from information received from our supplier, hereby declare that the material listed above is compliant with a vegan diet.</p> <p>It does not contain any animal ingredients or animal by products. No animal ingredients or by products are used in the manufacturing process.</p> <p>This document represents to the best of our knowledge and from information received from our supplier. It does not release the buyer from the obligation to carry out an examination of the goods received. All uses made by the buyer are done under their own responsibility.</p> | |

MYSTIC MOMENTS

CMR (Carcinogenic, mutagenic, reprotoxic) STATEMENT

We hereby confirm, to the best of our knowledge and from information received from our supplier, that the below mentioned product does not contain any CMR Substances.

However, due to the fact that we do not analyse the batches, we cannot guarantee any explicit assurance.

Product: Catnip Oil Cineole Type
Product Code: OECATN

12 May 2021