

CERTIFICATE OF ANALYSIS

PRODUCT NAME: CEDARWOOD ATLAS, ESSENTIAL OIL

BATCH NUMBER: 4489402

PRODUCT INCI: CEDRUS ATLANTICA BARK OIL

PRODUCT CODE: OCCEDAATLA

Cas Number: 8000-27-9 / 92201-55-3

EINECS NUMBER: 295-985-9

MANUFACTURING METHOD: STEAM DISTILLATION

BEST BEFORE END: NOVEMBER 2025

Analytical Details	RANGE	RESULTS
Appearance	LIQUID	-
COLOUR	CLEAR PALE YELLOW	-
Odour	Characteristic, Sweet – Woody -	-
ODOOK	Balsamic	
Specific Gravity @ 20°C	0.920 – 0.960	0.935
Refractive Index @ 20°C	1.500 – 1.530	1.510
OPTICAL ROTATION (°C)	+25.0 to +75.0	+57.12

STORAGE CONDITIONS

STORE IN A COOL DRY PLACE AWAY FROM HEAT & SUNLIGHT



ALLERGEN STATEMENT

PRODUCT NAME: CEDARWOOD ATLAS, ESSENTIAL OIL

COSMETIC ALLERGENS

Annex Illa			TOTAL ALLERGEN
Reference:		CAS NUMBER:	INCLUSION (%):
67	AMYL CINNAMAL	122-40-7	0.000
68	BENZYL ALCOHOL	100-51-6	0.000
69	CINNAMYL ALCOHOL	104-54-1	0.000
70	CITRAL	5392-40-5	0.000
71	EUGENOL	97-53-0	0.000
72	HYDROXY-CITRONELLAL	107-75-5	0.000
73	ISO EUGENOL	97-54-1	0.000
74	AMYLCIN-NAMYL ALCOHOL	101-85-9	0.000
75	BENZYL SALICYLATE	118-58-1	0.000
76	CINNAMAL	104-55-2	0.000
77	COUMARIN	91-64-5	0.000
78	GERANIOL	106-24-1	0.000
79	HYDROXYISOHEXYL 3-CYCLOHEXENE	31906-04-4	0.000
00	CARBOXALDEHYDE	105 12 5	0.000
80	ANISE ALCOHOL	105-13-5	0.000
81	BENZYL CINNAMATE	103-41-3	0.000
82	FARNESOL	4602-84-0	0.000
83	BUTYLPHENYL METHYLPROPIONAL	80-54-6	0.000
84	LINALOOL	78-70-6	0.000
85	BENZYL BENZOATE	120-51-4	0.000
86	CITRONELLOL	106-22-9	0.000
87	HEXYL CINNAM-ALDEHYDE	101-86-0	0.000
88	LIMONENE	5989-27-5	< 0.1
89	METHYL 2-OCTYNOATE	111-12-6	0.000
90	ALPHA-ISOMETHYL IONONE	127-51-5	0.000
91	EVERNIA PRUNASTRI EXTRACT	90028-68-5	0.000
92	EVERNIA FURFURACEA EXTRACT	90028-67-4	0.000



FOOD ALLERGENS

Annex Illa		PRESENT IN	CONTAMINATION	FACTORY
Reference:		PRODUCT:	PRESENCE:	PRESENCE:
1	CEREALS (CONTAINING GLUTEN)	NO	NO	YES
2	CRUSTACEANS	NO	NO	NO
3	EGGS	NO	NO	NO
4	FISH	NO	NO	NO
5	PEANUTS	NO	NO	YES
6	SOYA	NO	NO	YES
7	MILK	NO	NO	YES
8	NUTS	NO	NO	YES
9	CELERY & CELERIAC	NO	NO	YES
10	MUSTARD	NO	NO	YES
11	SESAME	NO	NO	YES
12	SULPHUR DIOXIDE & SULPHITES	NO	NO	NO
13	LUPIN	NO	NO	NO
14	MOLLUSC	NO	NO	NO




Composition Statement & Manufacturing Flow Chart:

We can hereby confirm the following composition breakdown & manufacturing process flow;

Cedarwood Atlas, Essential Oil

INCI Name	% Inclusion	CAS Number
Cedrus Atlantica Bark Oil	100	8000-27-9





IFRA STATEMENT

PRODUCT NAME: CEDARWOOD ATLAS, ESSENTIAL OIL

PRODUCT INCI: CEDRUS ATLANTICA BARK OIL

PRODUCT CODE: OECEDAATLA

MADAR CORPOATION LIMITED CERTIFY THAT THE ABOVE-MENTIONED MATERIAL CONFORMS TO THE IFRA 49 CODE OF PRACTICE AND CONTAINS THE FOLLOWING RESTRICTED COMPONENTS THAT ARE LISTED IN THE 49TH AMENDMENT OF THE IFRA CODE OF PRACTICE:

Restricted Component	Cas No:	% Level in Product	IFRA Standard
Limonene	5989-27-5	≤ 0.10	Specification Std
Longifolene	475-20-7	≤ 0.60	Restriction
Alpha Cedrene	469-61-4	≤ 3.00	Restriction

IFRA Category	% Maximum Use Level
IFRA Category 1	9.00
IFRA Category 2	2.666
IFRA Category 3	53.333
IFRA Category 4	50.00
IFRA Category 5A	12.666
IFRA Category 5B	12.666
IFRA Category 5C	12.666
IFRA Category 5D	12.666
IFRA Category 6	29.333
IFRA Category 7A	100.00
IFRA Category 7B	100.00
IFRA Category 8	5.333
IFRA Category 9	96.666
IFRA Category 10A	100.00
IFRA Category 10B	100.00
IFRA Category 11A	100.00
IFRA Category 11B	100.00
IFRA Category 12	100.00

Category 1	Lip Products of all types (solid and liquid lipsticks, balms, clear or coloured, etc.). Children's toys.	Yes	Applicable (leave-on
------------	--	-----	-------------------------

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records regularly by visiting www.oand3.com The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission. It is the responsibility of the client to ensure the safety of the final product containing this ingredient. Please carry out additional testing if necessary.

			products)
Category 2	Deodorant and antiperspirant products of all types including any product with intended or reasonably foreseeable use on the axillae or labelled as such (spray, stick, roll-on, under-arm, deo-cologne, etc.). Body sprays (including body mist)	No	Applicable (leave-on products)
Category 3	Eye products of all types (eye shadow, mascara, eyeliner, eye make-up, eye masks, eye pillows, etc.) including eye care and moisturizer Facial make up and foundation. Make-up remover for face and eyes. Nose pore strips. Wipes or refreshing tissues for face, neck, hands, body. Body and face paint (for children and adults). Facial masks for face and around the eyes	No	Applicable (leave-on products)
Category 4	Hydro alcoholic and non-hydro alcoholic fine fragrance of all types (Eau de Toilette, Parfum, Cologne, solid perfume, fragrancing cream, aftershaves of all types, etc.). Fragranced bracelets. Ingredients of perfume kits and fragrance mixtures for cosmetic kits. Scent pads, foil packs. Scent strips for hydro alcoholic products	No	Applicable (leave-on products)
Category 5A	Body creams, oils, lotions of all types. Foot care products (creams and powders). Insect repellent (intended to be applied to the skin). All powders and talc (excluding baby powders and talc).	No	Applicable (leave-on products)
Category 5B	Facial toner. Facial moisturizers and creams	No	Applicable (leave-on products)
Category 5C	(women facial creams) Hand cream. Nail care products including cuticle creams, etc. Hand sanitizers	No	Applicable (leave-on products)
Category 5D	Baby cream/lotion, baby oil, baby powders and talc.	No	Applicable (leave-on products)
Category 6	Toothpaste. Mouthwash, including breath sprays. Toothpowder, strips, mouthwash tablets	Yes	Applicable (leave-on products)
Category 7A	Hair permanent or other hair chemical treatments (rinse-off) (e.g. relaxers), including rinse-off hair dyes	No	Applicable (leave-on products)
Category 7B	Hair sprays of all types (pumps, aerosol sprays, etc.). Hair styling aids non-sprays (mousse, gels, leave- on conditioners). Hair permanent or other hair chemical treatments (leave-on) (e.g. relaxers), including leave-on hair dyes. Shampoo - Dry (waterless shampoo). Hair deodorizer	No	Applicable (leave-on products)
Category 8	Intimate wipes. Tampons. Baby wipes. Toilet paper (wet).	No	Applicable (leave-on products)
Category 9	Bar soap. Shampoo of all type. Cleanser for face (rinse-off). Conditioner (rinse-off). Liquid soap. Body washes and shower gels of all types. Baby wash, bath, shampoo. Bath gels, foams, mousses, salts, oils and other products added to bathwater. Foot care products (feet are placed in a bath for soaking). Shaving creams of all types (stick, gels, foams, etc.). All depilatories (including facial) and waxes for mechanical hair removal. Shampoos for pets	NO	Applicable (rinse-off products)
Category 10A	Hand wash laundry detergent (including concentrates). Laundry pre-treatment of all types (e.g. paste, sprays, sticks). Hand dishwashing detergent (including concentrates). Hard surface cleaners of all types (bathroom and kitchen cleansers, furniture polish, etc.). Machine laundry detergents with skin contact (e.g. liquids, powders) including concentrates. Dry cleaning kits. Toilet seat wipes. Fabric softeners of all types including fabric softener sheets. Household cleaning products, other types including fabric cleaners, soft surface cleaners, carpet cleaners, furniture polishes sprays and wipes, leather cleaning wipes, stain removers, fabric enhancing sprays, treatment products for textiles (e.g. starch sprays, fabric treated with fragrances after wash, deodorizers for textiles or fabrics). Floor wax. Fragranced oil for lamp ring, reed diffusers, pot-pourri, liquid refills for air fresheners (non-cartridge systems), etc. Ironing water (Odorized distilled water).	NO	Applicable (rinse-off products)
Category 10B	Animal sprays – sprays applied to animals of all types. Air freshener sprays, manual, including aerosol and pump. Aerosol/spray insecticides	NO	Applicable (rinse-off products)
Category 11A	Feminine hygiene conventional pads, liners, interlabial pads. Diapers (baby and adult). Adult incontinence pant, pad. Toilet paper (dry).	NO	Not applicable (leave-on products without UV exposure)
Category 11B	Tights with moisturizers. Scented socks, gloves. Facial tissues (dry tissues). Napkins. Paper towels. Wheat bags. Facial masks (paper/protective) e.g. surgical masks not used as medical device. Fertilizers, solid (pellet or powder).	NO	Applicable (leave-on products)
Category 12	Candles of all types (including encased). Laundry detergents for machine wash with minimal skin contact (e.g. Liquid tabs, pods). Automated air fresheners and fragrancing of all types (concentrated aerosol with metered doses (range 0.05-0.5mL/spray), plug-ins, closed systems, solid substrate, membrane delivery, electrical, powders, fragrancing sachets, incense, liquid refills (cartridge), air freshening crystals). Air delivery systems. Cat litter. Cell phone cases. Deodorizers/maskers not intended for skin contact (e.g. fabric drying machine deodorizers, carpet powders). Fuels. Insecticides (e.g. mosquito coil, paper, electrical, for clothing) excluding aerosols/sprays. Joss sticks or incense sticks. Dish wash detergent and deodorizers – for machine wash. Olfactive board games. Paints. Plastic articles (excluding toys). Scratch and sniff. Scent pack. Scent delivery system (using dry air technology). Shoe polishes. Rim blocks (Toilet).	NO	Not applicable (non- skin contact products)

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission. It is the responsibility of the client to ensure the safety of the final product containing this ingredient. Please carry out additional testing if necessary.

24.09. 2021

CERTIFICATE OF ORIGIN

This is to certify that the following product is a of Moroccan Origin

Cedarwood Atlas



Material Safety Data Sheet

EU Regulation: 1907/2006

SECTION 1: IDENTIFICATION OF	THE SUBSTANCE	/MIXTURE /	AND OF THE COMPANY/	UNDERTAKING	
1.1 PRODUCT IDENTIFICATION					
PRODUCT NAME	CEDARWOOD ATLAS,	ESSENTIAL OIL			
BIOLOGICAL DEFINITION	CEDRUS ATLANTICA	BARK OIL IS THE	E VOLATILE OIL OBTAINED FROM THE	E BARK OF CEDRUS A	ITLANTICA, PINACEAE.
INCI NAME	CEDRUS ATLANTICA B.	CEDRUS ATLANTICA BARK OIL			
SYNONYMS & TRADE NAMES	NA .				
INTERNAL PRODUCT CODE					
CAS-No	8000-27-9 / 92201-55-3	EC No.	295-985-9	EINECS No.	295-985-9
1.2 DETAILS OF THE SUPPLIER OF THE SAFETY DAT	A SHEET				
COMPANY ADDRESS	Madar Corporation Limited 19 - 20 Sandleheath Industrial Estate, Fordingbridge, SP6 1PA				
EMAIL	technical@madarcorporation.co.uk				
1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DAT	A SHEET				
EMERGENCY CONTACTS	01425 655 555				

SECTION 2: HAZARDS IDENTIFICATION	
2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE	THE FULL TEXT FOR ALL HAZARD STATEMENTS IS DISPLAYED IN SECTION 16. HUMAN HEALTH MAY PRODUCE AN ALLERGIC REACTION (EUH208). ENVIRONMENT THE PRODUCT CONTAINS A SUBSTANCE WHICH MAY CAUSE LONG TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.
CLASSIFICATION (67/548/EEC)	NO ADDITIONAL DATA AVAILABLE.
CLASSIFICATION (EU1272/2008)	PHYSICAL AND CHEMICAL HAZARDS: THIS SUBSTANCE DOES NOT PRESENT A PHYSICAL HAZARD. REFER TO THE RECOMMENDATIONS REGARDING THE OTHER PRODUCTS PRESENT ON THE SITE. HUMAN HEALTH ASP: TOX. 1 - H304. ENVIRONMENT: AQUATIC CHRONIC 2 — EHC2 H411.
2.2 LABEL ELEMENTS	LABEL IN ACCORDANCE WITH REGULATION (EC) NO 1272/2008.
GHS LABEL	GHS07 GHS08 GHS09
Signal Word	DANGER.
Contains	EUH208 Contains longifolene. May produce an allergic reaction. Hydrocarbons, Longifolene, Alpha-Cedrene.
Hazards Statement	H304, MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H317 - MAY CAUSE AN ALLERGIC SKIN REACTION. H411 - TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
PRECAUTIONARY STATEMENTS	P273, AVOID RELEASE TO THE ENVIRONMENT.
	P273 - AVOID RELEASE TO THE ENVIRONMENT.
	P301+P310 - IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN.
	P331 - DO NOT INDUCE VOMITING. P391 - COLLECT SPILLAGE.
SUPPLEMENTARY PRECAUTIONARY STATEMENTS	P405 - STORE LOCKED UP.
	P280 - WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION.
	Section 16 (Other Information): Risk & Safety phrases in full.
2.3 OTHER HAZARDS	
ADVERSE PHYSIO-CHEMICAL PROPERTIES	THE SUBSTANCE DOES NOT MEET THE CRITERIA FOR PBT OR VPVB, IN ACCORDANCE WITH ANNEX XIII OF REACH REGULATION (EC) NO 1907/2006.
Adverse effects on human health	NO DATA.
PBT OR VPVB ACCORDING TO ANNEX XIII	NO DATA.



SECTION 3: COMPOSITION OF IN	IGREDIENTS
	<1.0% CARYOPHYLLENE BETA CAS: 469-61-4 EC: 207-418-4 - AH1, EHA1, EHC1 - H304, H400, H410
	<0.6% LONGIFOLENE CAS: 475-20-7 EC: 207-491-2 AH1, EHA1, EHC1, FL3, SS1B - H226, H304, H317, H400, H410
3.1 SUBSTANCES	<3.0% ALPHA-CEDRENE CAS: 469-61-4 EC: 207-418-4 AH1, EHA1, EHC1 - H304, H400, H410
COSSIANCES	<1.0% alpha-Pinene CAS: 80-56-8
	<0.1% Limonene CAS: 5989-27-5 EC: 227-813-5 - AH1, EHA1, EHC2, FL3, SCI2, SS1B - H226, H304, H315, H317, H400, H411, H412

SECTION 4: FIRST AID MEASURES	
4.1 DESCRIPTION OF FIRST AID MEASURES	
GENERAL INFORMATION	ALWAYS REMOVE CONTAMINATED CLOTHING IMMEDIATELY.
INHALATION	GET MEDICAL ATTENTION IMMEDIATELY. REMOVE FROM EXPOSURE SITE TO FRESH AIR, KEEP AT REST, AND OBTAIN MEDICAL ATTENTION.
Ingestion	GET MEDICAL ATTENTION IMMEDIATELY. IMMEDIATELY CALLY THE POISON CENTRE OR DOCTOR. RINSE MOUTH WITH WATER AND OBTAIN MEDICAL ATTENTION.
SKIN CONTACT	REMOVE CONTAMINATED CLOTHES. WASH THOROUGHLY WITH SOAP AND WATER. CONTACT PHYSICIAN IF IRRITATION PERSISTS.
EYE CONTACT	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
4.2 MOST IMPORTANT SYMPTOMS & EFFECTS (ACUTE & DELAYED)	No Data.
4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION OR SPECIAL TREATMENT REQUIRED	None expected, see Section 4.1 for further information.

SECTION 5: FIRE FIGHTING MEASURES		
5.1 EXTINGUISHING MATERIAL	FOAM, CO2, DRY CHEMICAL POWDER.	
5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	BURNING PRODUCES IRRITATING, TOXIC AND OBNOXIOUS FUMES.	
5.3 SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS: ADVICE FOR FIRE-FIGHTERS WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING.		
SECTION 6: ACCIDENTAL RELEASE MEASURES		
6.1 ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, WEAR SUITABLE PROTECTIVE EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN, EYES AND CLOTHING. AVOID INHALATION.		



6.2	DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY	
ENVIRONMENTAL PRECAUTIONS 6.3	REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN	
METHODS & MATERIAL FOR CONTAINMENT AND CLEANING UP	SPILLAGE IMMEDIATELY BY USE OF SAND OR INERT POWDER. DISPOSE OF ACCORDING TO LOCAL REGULATIONS. DO NOT USE SOLVENTS.	
6.4	REFER & CONSIDER SECTION 8.	
REFERENCES TO OTHER SECTIONS	REFER & CONSIDER SECTION 13.	
SECTION 7: HANDLING & STORAGE		
7.1 PRECAUTIONS FOR SAFE-HANDLING	HANDLE IN ACCORDANCE WITH GOOD HYGIENE AND SAFETY PRACTICE. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND HOT SURFACES NO SMOKING. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. USE IN ACCORDANCE WITH GOOD MANUFACTURING AND INDUSTRIAL HYGIENE PRACTICES. USE IN AREAS WITH ADEQUATE VENTILATION DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.	
7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP THE PRODUCT CONTAINER TIGHTLY CLOSED, IN A DRY, VENTILATED AREA. KEEP AWAY FROM POTENTIAL SOURCES OF IGNITION AND PROTECTED FROM LIGHT. MAINTAIN LIMITED CONTACT WITH OXYGEN.	
7.3 SPECIFIC END USE(S)	NO DATA.	
SECTION 8: EXPOSURE CONTROLS & PERSONAL PROTECTION		
8.1 CONTROL PARAMETERS 8.2 EXPOSURE CONTROLS	NO ADDITIONAL DATA AVAILABLE.	
EXPOSURE CONTROLS		
EYE PROTECTION	Wear protective gloves/eye protection/face protection.	
EXPOSURE CONTROLS	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.	
EYE PROTECTION	Wear protective gloves/eye protection/face protection. Wear protective gloves/eye protection/face protection. Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive	
EYE PROTECTION	Wear protective gloves/eye protection/face protection. Wear protective gloves/eye protection/face protection. Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or	
EYE PROTECTION HAND PROTECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering	
EYE PROTECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. UNDER NORMAL CONDITIONS OF USE AND WHERE ADEQUATE VENTILATION IS AVAILABLE TO PREVENT BUILD UP OF EXCESSIVE VAPOUR, THIS MATERIAL SHOULD NOT REQUIRE SPECIAL ENGINEERING CONTROLS. HOWEVER, IN CONDITIONS OF HIGH OR PROLONGED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS WHICH INCREASE EXPOSURE, THE FOLLOWING ENGINEERING CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUS	
EYE PROTECTION HAND PROTECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. UNDER NORMAL CONDITIONS OF USE AND WHERE ADEQUATE VENTILATION IS AVAILABLE TO PREVENT BUILD UP OF EXCESSIVE VAPOUR, THIS MATERIAL SHOULD NOT REQUIRE SPECIAL ENGINEERING CONTROLS. HOWEVER, IN CONDITIONS OF HIGH OR PROLONGED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS WHICH INCREASE EXPOSURE, THE FOLLOWING ENGINEERING CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUS VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE	
EYE PROTECTION HAND PROTECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. UNDER NORMAL CONDITIONS OF USE AND WHERE ADEQUATE VENTILATION IS AVAILABLE TO PREVENT BUILD UP OF EXCESSIVE VAPOUR, THIS MATERIAL SHOULD NOT REQUIRE SPECIAL ENGINEERING CONTROLS. HOWEVER, IN CONDITIONS OF HIGH OR PROLONGED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS WHICH INCREASE EXPOSURE, THE FOLLOWING ENGINEERING CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUS VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS MATERIAL. ALSO	
EYE PROTECTION HAND PROTECTION	Wear protective gloves/eye protection/face protection. Wear protective gloves/eye protection/face protection. Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaus' ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material. Also refer to Sections 2 and 7.	
EYE PROTECTION HAND PROTECTION RESPIRATORY EQUIPMENT	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. UNDER NORMAL CONDITIONS OF USE AND WHERE ADEQUATE VENTILATION IS AVAILABLE TO PREVENT BUILD UP OF EXCESSIVE VAPOUR, THIS MATERIAL SHOULD NOT REQUIRE SPECIAL ENGINEERING CONTROLS. HOWEVER, IN CONDITIONS OF HIGH OR PROLONGED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS WHICH INCREASE EXPOSURE, THE FOLLOWING ENGINEERING CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUS VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS MATERIAL. ALSO	
EYE PROTECTION HAND PROTECTION RESPIRATORY EQUIPMENT HYGIENE MEASURES	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. UNDER NORMAL CONDITIONS OF USE AND WHERE ADEQUATE VENTILATION IS AVAILABLE TO PREVENT BUILD UP OF EXCESSIVE VAPOUR, THIS MATERIAL SHOULD NOT REQUIRE SPECIAL ENGINEERING CONTROLS. HOWEVER, IN CONDITIONS OF HIGH OR PROLONGED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS WHICH INCREASE EXPOSURE, THE FOLLOWING ENGINEERING CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUS VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS MATERIAL. ALSO REFER TO SECTIONS 2 AND 7. GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.	
EYE PROTECTION HAND PROTECTION RESPIRATORY EQUIPMENT HYGIENE MEASURES ENGINEERING MEASURES	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) increase ventilation of the area with local exhaus ventilation. B) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. C) Use closed systems for transferring and processing this material. Also refer to Sections 2 and 7. Good personal hygiene practices are always advisable, especially when working with chemicals / oils.	
EYE PROTECTION HAND PROTECTION HYGIENE MEASURES ENGINEERING MEASURES SKIN PROTECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. UNDER NORMAL CONDITIONS OF USE AND WHERE ADEQUATE VENTILATION IS AVAILABLE TO PREVENT BUILD UP OF EXCESSIVE VAPOUR, THIS MATERIAL SHOULD NOT REQUIRE SPECIAL ENGINEERING CONTROLS. HOWEVER, IN CONDITIONS OF HIGH OR PROLONGED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS WHICH INCREASE EXPOSURE, THE FOLLOWING ENGINEERING CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUS VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS MATERIAL. ALSO REFER TO SECTIONS 2 AND 7. GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS. NONE.	
EYE PROTECTION HAND PROTECTION RESPIRATORY EQUIPMENT HYGIENE MEASURES ENGINEERING MEASURES SKIN PROTECTION PERSONAL PROTECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. UNDER NORMAL CONDITIONS OF USE AND WHERE ADEQUATE VENTILATION IS AVAILABLE TO PREVENT BUILD UP OF EXCESSIVE VAPOUR, THIS MATERIAL SHOULD NOT REQUIRE SPECIAL ENGINEERING CONTROLS. HOWEVER, IN CONDITIONS OF HIGH OR PROLONGED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS WHICH INCREASE EXPOSURE, THE FOLLOWING ENGINEERING CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUS VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS MATERIAL. ALSO REFER TO SECTIONS 2 AND 7. GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS. NONE. WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT. AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES.	
EYE PROTECTION HAND PROTECTION HYGIENE MEASURES ENGINEERING MEASURES SKIN PROTECTION PERSONAL PROTECTION OTHER PROTECTION	Wear protective gloves/eye protection/face protection. Wear protective gloves/eye protection/face protection. Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaus: ventilation b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material. Also refer to Sections 2 and 7. Good personal hygiene practices are always advisable, especially when working with chemicals / oils. None. Wear protective clothing to reduce the risk of skin and eye contact. Avoid inhalation of the product. Avoid contact with skin and eyes. Wear suitable protection to avoid contact with skin and eyes.	



9.1 PHYSICAL & CHEMICAL PROPERTIES		
Appearance	Liquid	
COLOUR	PALE YELLOW - YELLOW	
Odour	Characteristic – Sweet, Woody, Almonst Balsamic	
RELATIVE DENSITY @ 20°C	0.920 – 0.960	
FLASH POINT (°C)	>100°C.	
REFRACTIVE INDEX @ 20 °C	1.50 – 1.530	
SOLUBILITY IN WATER @ 20 °C	INSOLUBLE IN WATER	
9.2 OTHER INFORMATION	NO DATA.	
SECTION 10: STABILITY & REACTIVITY		
10.1 REACTIVITY	NOT APPLICABLE.	
10.2 CHEMICAL STABILITY	Stable under suggested storage conditions (<15°C).	
10.3 POSSIBILITY OF HAZARDOUS REACTIONS	No.	
10.4 CONDITIONS TO AVOID	Storage at high temperatures. Do not store above 15°C.	
10.5 INCOMPATIBLE MATERIALS	AVOID CONCENTRATED ACIDS, ALKALIS & OXIDISING AGENTS. AVOID WATER	
10.6 HAZARDOUS DECOMPOSITION PRODUCTS	THIS PRODUCT DOES NOT DECOMPOSE UNDER NORMAL CONDITIONS. UNDER FIRE CONDITIONS THE PRODUCT WILL PRODUCE A MIXTURE OF IRRITATING FUMES & SMOKE & CARBON MONOXIDE & DIOXIDE.	

11.1 TOXICOLOGICAL EFFECTS	
Acute Toxicity	ASPIRATION TOXICITY INCLUDES SEVERE ACUTE EFFECTS SUCH AS CHEMICAL PNEUMONIA, VARYING DEGREES OF PULMONARY INJURY OR DEATH FOLLOWING ASPIRATION.
SKIN IRRITATION	NO DATA.
EYE DAMAGE OR IRRITATION	NO DATA.
RESPIRATORY OR SKIN SENSITIVITY	NO DATA.
GERM CELL MUTAGENICITY	NO DATA.
CARCINOGENICITY	NO DATA.
REPRODUCTIVE TOXICITY	NO DATA.
STOT – SINGLE EXPOSURE	NO DATA.
STOT – REPEATED EXPOSURE	NO DATA.
Aspiration Hazard	MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS (H304). ASPIRATION TOXICITY INCLUDES SEVERE ACUTE EFFECTS SUCH AS CHEMICAL PNEUMONIA, VARYING DEGREES OF PULMONARY INJURY OR DEATH FOLLOWING ASPIRATION.
OTHER INFORMATION	NO DATA.

Toxicity	HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS.	
12.2 PERSISTENCE & DEGRADABILITY	NO DATA.	
12.3 BIO- ACCUMULATIVE POTENTIAL	None.	
12.4 MOBILITY IN SOIL	None.	
12.5 RESULTS OF PBT & VPVB ASSESSMENT	This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.	
12.6 OTHER ADVERSE EFFECTS	DO NOT ALLOW PRODUCT TO ENTER STREAMS, SEWERS OR OTHER WATERWAYS.	
SECTION 13: DISPOSAL INFORMATION		
13.1 WASTE TREATMENT METHODS	ALWAYS RECOVER SPILLED PRODUCT. DISCARD WASTE MATERIAL WITH AUTHORIZED WASTE MANAGEMENT SERVICES. ACT IN ACCORDANCE WITH LOCAL & NATIONAL WASTE REGULATIONS.	

SECTION 14: Transport Information	
14.1 Transport Information	
UN NUMBER	ROAD: UN 3082 SEA: UN 3082 AIR: UN 3082
14.2 UN Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID N.O.S. (ALPHA-CEDRENE).
	ADR/RID/ADN CLASS: 9. IMDG CLASS: 9. Miscellaneous dangerous substances and articles. ICAO CLASS/DIVISION: 9.
14.3 TRANSPORT HAZARD CLASS(ES)	TRANSPORT LABELS: MISCELLANEOUS DANGEROUS GOODS 9
14.4 PACKING GROUP	ADR/RID/ADN PACKING GROUP III IMDG PACKING GROUP III
14.5 ENVIROMENTAL HAZARDS	ICAO PACKING GROUP III ENVIRONMENTALLY HAZARDOUS / MARINE POLLUTANT.
14.6	EMS F-A-S-F



	5
SPECIAL PRECAUTIONS FOR USER	EMERGENCY ACTION CODE 3Z
	HAZARD NO. (ADR) 90 ENVIRONMENTALLY HAZARDOUS SUBSTANCE; MISCELLANEOUS DANGEROUS SUBSTANCES.
	Tunnel Restriction Code (E)
14.7	
TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 & THE IBC CODE.	TARIFF: 33012911.
SECTION 15: REGULATORY INFORMATION	
15.1	
PRODUCT SPECIFIC SAFETY, HEALTH & ENVIRONMENTAL REGULATIONS & LEGISLATION	
	REGULATION (EC) NO 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF $18^{\rm TH}$
EU DIRECTIVES	DECEMBER 2006. CONCERNING THE REGISTRATION, EVALUATION, AUTHORIZATION & RESTRICTION OF
	CHEMICALS (REACH), ESTABLISHING A EUROPEAN CHEMICALS AGENCY, AMENDING DIRECTIVE
	1999/45/EC and repealing council regulation (EEC) No $793/93~&$ commission
	REGULATION (EC) NO1488/94 AS WELL AS COUNCIL DIRECTIVE 76/769/EEC & COMMISSION
	DIRECTIVE 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (INCLUDING AMENDMENTS).
STATUTORY INSTRUMENTS	The Chemicals (Hazard Information & Packaging for Supply Regulations 2009 (S.I.2009
STATUTORY INSTRUMENTS	No 716).
Approved Code of Practice	Classification & labelling of substances & preparations dangerous for supply. Safety data
AFFROVED CODE OF FRACTICE	SHEETS FOR SUBSTANCES & PREPARATIONS.
GUIDANCE NOTES	WORKPLACE EXPOSURE LIMITS EH40. CHIP FOR EVERYONE HSG 108.
15.2	ASSESSMENT HAS NOT BEEN CARRIED OUT AS THIS IS A NON-HAZARDOUS MATERIAL ACCORDING TO
CHEMICAL SAFETY ASSESSMENT	ARTICLE 31 OF REACH 1907/2006.

SECTION 16: OTHER INFORMATION		
Hazard and/ or Precautionary Statements in full	H304 - MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H315 - CAUSES SKIN IRRITATION. H317 - MAY CAUSE AN ALLERGIC SKIN REACTION. H400 - VERY TOXIC TO AQUATIC LIFE. H410 - VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. H411 - TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. H412 - HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS. H413 - MAY CAUSE LONG LASTING HARMFUL EFFECTS TO AQUATIC LIFE.	
TRAINING INSTRUCTIONS: REFER TO POSSIBLE HAZARD BEFORE USE OF THIS PRODUCT.		
ABBREVIATIONS & ACRONYMS:		
MSDS	MATERIAL SAFETY DATA SHEET.	



INCI	INTERNATIONAL NOMENCLATURE OF COSMETIC INGREDIENTS.
CAS	CHEMICAL ABSTRACT SERVICE.
IMDG	International Maritime code for Dangerous Goods.
ADR	ACCORD EUROPEAN SUR LE TRANSPORT DES MERCHANDISES DANGEREUSES PAR ROUTE (EUROPEAN
ADK	AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD).
RID	International Carriage of Dangerous Goods by Rail.
ICAO	International Civil Aviation Organization.
ADN	International Carriage of Dangerous Goods by Inland Waterways.
GHS	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION & LABELLING OF CHEMICALS.
Trem Card	Transport Emergency Card.
STOT	SPECIFIC TARGET ORGAN TOXICITY.

DOCUMENTATION REVISION	
DATE	CHANGE DESCRIPTION
10 [™] April 2018	Data Launch
REVIEW	2021



SPECIFICATION SHEET

PRODUCT NAME: CEDARWOOD ATLAS, ESSENTIAL OIL

PRODUCT INCI: CEDRUS ATLANTICA BARK OIL

CAS NUMBER: 92201-55-3 / 8000-27-9

EINECS NUMBER: 295-985-9

SHELF LIFE/BEST BEFORE: 36 MONTHS

DOCUMENTATION REVIEW: 2021

ANALYTICAL DETAILS	RANGE
Appearance	LIQUID
Colour	CLEAR PALE YELLOW
Odour	CHARACTERISTIC, SWEET – WOODY - BALSAMIC
SPECIFIC GRAVITY @ 20°C	0.920 – 0.960
REFRACTIVE INDEX @ 20°C	1.500 – 1.530
OPTICAL ROTATION (°C)	+25.0 to +75.0

STORAGE CONDITIONS

STORE IN A COOL DRY PLACE AWAY FROM HEAT & SUNLIGHT



GMO Statement

PRODUCT NAME: Cedarwood Atlas

MADAR Corporation Limited can confirm that the above listed product is GMO Free.

Vegetarian & Vegan Suitability Statement

MADAR Corporation Limited can confirm that the above listed product has not been tested in animals and does not contain dairy or any other animal product, by product or derivative and is therefore suitable for vegetarian and vegan use.