

CERTIFICATE OF ANALYSIS

CHILI SEED OIL

BATCH NO. : 4483308 PRODUCT NAME : Chili seed oil

BOTANICAL NAME : Capsicun frutescens EXTRACTION METHOD : Steam distillation BEST BEFORE DATE : September 2025

DESCRIPTION : Semi viscous liquid
 COLOUR : Dark orange colour
 ODOUR : Conforms to standard

4. SOLUBILITY : Soluble in oil and insoluble in water

5. SPECIFIC GRAVITY : 0.901 (@25 $^{\circ}$ C) 6. REFRACTIVE INDEX : 1.459 (@20 $^{\circ}$ C) 7. MAIN CONSTITUENTS : Capsaicin 4.1%

REMARK:

- 1. The above mentioned sample is as per standard quality with reference to above respect.
- 2. Storage condition: Keep in dark and cool place below 25 ° C in air tight drum up to the neck.


MYSTIC M@MENTS

CHILI SEED OIL

ALLERGENS	CAS NO.	CONTENT %
ANISYL ALCOHOL	105-13-5	NO
BENZYL ALCOHOL	100-51-6	NO
CINNAMYL ALCOHOL	104-54-1	NO
BENZYL BENZOATE	120-51-4	NO
BENZYL CINNAMATE	103-41-3	NO
BENZYL SALICYLATE	118-58-1	NO
CINNMAL	104-55-2	NO
CITRAL	5392-40-5	NO
CITRONELLOL	106-22-9	NO
COUMARIN	91-64-5	NO
D-LIMONENE	5989-27-5	21.80%
EUGENOL	97-53-0	NO
FARNESOL	4602-84-0	NO
GERANIOL	106-24-1	NO
ISOEUGENOL	97-54-1	NO
LINALOOL	78-70-6	3.6%
TREE MOSS	90028-67-4	МО
OAK MOSS	90028-68-5	МО
PHENYL ACETALDEHYDE	122-78-1	МО
AMYL CINNAMIC ALCOHOL	101-85-9	МО
AMYL CINNAMAL	122-40-7	NO
GAMMA METHYL IONONE	127-51-5	NO
HEXYL CINNAMALDEHYDE	101-86-0	NO
HYDROXYCITRONELLAL	107-75-5	NO
LILIAL	80-54-6	NO
LYRAL	31906-04-4	NO
METHYL HEPTINE CARBONATE	111-12-6	NO

MYSTIC MOMENTS

ESSSENTIAL OILS PRODUCTION FLOW CHART





NON-GMO CERTIFICATE

PRODUCT NAME: Chili seed Essential Oil

CAS NO: 84940-30-3

To the best of our knowledge, the product listed ABOVE IS not derived from Genetically Modified starting Raw materials or additives that are derived from Genetically Modified Organism (GMO)and do not contain detectable of Genetically Modified material(known as PCR negative). We understand that the EU labeling requirements are based on the presence of detectable level of transgenic material based on this ,the products will not on it shown, require the labeling of these food stuffs and food ingredients as indicated in IEC.NO.: 0690001118 & FDA.REG.NO.: 14936438988 on the authorization, labeling and trace availability of Genetically Modified Organism in Food and Feed.



IFRA 49 COMPLIANCE FOR CHILI SEED OIL

CONTENT	<u>IFRA</u>	CAS NUMBER	EINECS NUMBER	RANGE
AMYL CINNAMAL	YES	122-40-7	204-541-5	NOT DETECTED
AMYL CINNAMYL ALCOHOL	YES	101-85-9	202-982-8	NOT DETECTED
ANISYL ALCOHOL	NO	1331-81-3	215-561-9	NOT DETECTED
BENZYL ALCOHOL	NO	100-51-6	202-859-9	NOT DETECTED
BENZYL BENZOATE	NO	120-51-4	204-402-9	NOT DETECTED
BENZYL CINNAMATE	NO	103-41-3	203-109-3	NOT DETECTED
BENZYL SALICYLATE	NO	118-58-1	204-262-9	NOT DETECTED
CINNAMAL	YES	104-55-2	203-213-9	NOT DETECTED
CINNAMYL ALCOHOL	YES	104-54-1	203-212-3	NOT DETECTED
CITRAL	YES	5392-40-5	226-394-6	NOT DETECTED
CITRONELLOL	NO	106-22-9	203-375-0	NOT DETECTED
COUMARIN	NO	91-64-5	NOT ALLOCATED	NOT DETECTED
EUGENOL	YES	97-53-0	202-589-1	NOT DETECTED
FARNESOL	YES	4602-84-0	225-004-1	NOT DETECTED
GERANIOL	NO	106-24-1	203-377-1	NOT DETECTED
HEXYL CINNAMAL	YES	101-86-0	202-983-3	NOT DETECTED
CITRONELLAL HYDRATE	YES	107-75-5	203-518-7	NOT DETECTED
ISO-EUGENOL	YES	97-54-1	202-590-7	NOT DETECTED
BUTYL PHENYL METHYL PROPINAL	YES	80-54-6	201-289-8	NOT DETECTED
LIMONENE	YES	5989-27-5	227-813-5	21.8 % APPROX
LINALOOL	YES	78-70-6	201-134-4	3.6% APPROX
HYDROXYISOHEXYL-3- CYCLOHEXENE	NO	31906-04-4	250-863-4	NOT DETECTED
CARBOXALDEHYDE				
METHYL HEPTIN CARBONATE	YES	111-12-6	203-836-6	NOT DETECTED
METHYL IONONE	YES	127-51-5	204-846-3	NOT DETECTED



SAFETY DATA SHEET

CHILI SEED OIL

Section 1. Identification

GHS product identifier : CHILI SEED OIL

Botanical name : Capsicum annum L

CAS number : 8006-75-5

Relevant identified uses of the substance or mixture and uses advised againstProduct

use : Domestic and Industrial.

Supplier's details : Madar Corporation Limited

19 - 20 Sandleheath Industrial Estate

Fordingbridge SP6 1PA

technical@madarcorporation.co.uk

Emergency telephone number : 01425 655 555

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status : While this material is not considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this

product.

Classification of the substance or

mixture

: Not classified.

GHS label elements

Signal word : No signal word.



Hazard statements : No known significant effects or critical hazards.

Precautionary statements

General : Not applicable.
Prevention : Not applicable.
Response : Not applicable.
Storage : Not applicable.
Disposal : Not applicable.
Supplemental label elements : None known.
Hazards not otherwise classified : None known.

Section 3. Composition/information on ingredients

 Substance/mixture
 : Mixture

 Chemical name
 : Mixture

 Other means of identification
 : CC10261975

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	1-5	13463-67-7
Carbon black	0.1 - 1	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact : Immediately flush eyes with plenty of water, occasionally lifting theupper

and lower eyelids. Check for and remove any contact lenses.

MYSTIC MOMENTS

Get medical attention if irritation occurs.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48

hours.

Skin contact : Flush contaminated skin with plenty of water. Remove contaminated

clothing and shoes. Get medical attention if symptoms occur.

Ingestion : Wash out mouth with water. Remove victim to fresh air and keep at rest in

a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so bymedical personnel. Get

medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact:No known significant effects or critical hazards.Inhalation:No known significant effects or critical hazards.Skin contact:No known significant effects or critical hazards.Ingestion:No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact:No specific data.Inhalation:No specific data.Skin contact:No specific data.Ingestion:No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms

may be delayed. The exposed person may need to be kept undermedical

surveillance for 48 hours.

Specific treatments : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without

suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures



Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media In case of fire, use water spray (fog), foam, dry chemical or CO₂.

: None known.

Specific hazards arising from the

chemical

: No specific fire or explosion hazard.

Hazardous thermal decomposition products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides

Special protective actions for firefighters Promptly isolate the scene by removing all persons from the vicinity of the

incident if there is a fire. No action shall be taken involving anypersonal risk

or without suitable training.

Special protective equipment forfirefighters

: Fire-fighters should wear appropriate protective equipment and selfcontained breathing apparatus (SCBA) with a full face-piece operatedin

positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled

material. Put on appropriate personal protective equipment.

For emergency responders : If specialized clothing is required to deal with the spillage, take note

of any information in Section 8 on suitable and unsuitable materials. See

also the information in "For non-emergency personnel".

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil,

waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soilor

air).

Methods and materials for containment and cleaning up

Small spill : Move containers from spill area. Vacuum or sweep up material and place

in a designated, labeled waste container. Dispose of via a licensed waste

disposal contractor.

Large spill : Move containers from spill area. Prevent entry into sewers, water courses,

basements or confined areas. Vacuum or sweep up materialand place in a

MYSTIC M@MENTS

designated, labeled waste container. Dispose of via a



licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene : Put on appropriate personal protective equipment (see Section 8).

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash handsand face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use.

Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits	
Carbon black	OSHA PEL 1989 (1989-03-01)	
	PEL: Permissible Exposure Level 3.5 mg/m3	
	OSHA PEL (1993-06-30)	
	PEL: Permissible Exposure Level 3.5 mg/m3	
	NIOSH REL (1994-06-01)	
	Time Weighted Average (TWA) 3.5 mg/m3	
	Time Weighted Average (TWA)	
	ACGIH TLV (2010-12-06)	
	TLV-TWA: Threshold Limit Value - Time weighted average PEL:	
	Permissible Exposure Level 3 mg/m3 Form: Inhalable fraction	



Titanium dioxide	OSHA PEL 1989 (1989-03-01)
	PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust
	OSHA PEL (1993-06-30)
	PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust
	NIOSH REL (1994-06-01)
	ACGIH TLV (1996-05-18)
	TLV-TWA: Threshold Limit Value - Time weighted average PEL:
	Permissible Exposure Level 10 mg/m3

Appropriate engineering controls

Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will benecessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical

products, before eating, smoking and using the lavatory and at the endof the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the

workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used

when a risk assessment indicates this is necessary to avoid exposure toliquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates ahigher degree of

protection: safety glasses with side-shields.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved

standard should be worn at all times when handling chemical productsif a risk

assessment indicates this is necessary.

Body protection : Personal protective equipment for the body should be selected based

on the task being performed and the risks involved and should beapproved by

a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures

should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this

product.

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that



meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state solid [Pellets.] Color RED Odor Faint odor. **Odor threshold** Not available. рΗ Not available. Not available. Melting point **Boiling point** Not available. Not available. Flash point **Burning time** Not available. Not available. **Burning rate**

Flammability (solid, gas) : Not available.

Lower and upper explosive : Lower: Not available.

(flammable) limits : Upper: Not available.

Vapor pressure:Not available.Vapor density:Not available.Relative density:Not available.Solubility:Not available.Solubility in water:insoluble in water.

Partition coefficient: n-

octanol/water

Evaporation rate

Not available.

Not available.

Auto-ignition temperature: Not available.Decomposition temperature: Not available.SADT: Not available.

Viscosity : Dynamic: Not available.

Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product orits

ingredients.

Chemical stability : Stable under recommended storage and handling conditions (see

Section 7).

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will

not occur.



Conditions to avoid : Keep away from extreme heat and oxidizing agents.

Incompatible materials : Keep away from strong acids.

Oxidizer.

Hazardous decomposition: Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existinghealth data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

products

Product/ingredient name	Result	Species	Dose	Exposure
Carbon black				
	LD50 Oral	Rat	15,400 mg/kg	-
Titanium dioxide				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-

Conclusion/Summary: Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				

Conclusion/Summary

Skin:Mixture.Not fully tested.Eyes:Mixture.Not fully tested.Respiratory:Mixture.Not fully tested.

Sensitization

Conclusion/Summary

Skin:Mixture.Not fully tested.Respiratory:Mixture.Not fully tested.

Mutagenicity

Conclusion/Summary: Mixture.Not fully tested.

Carcinogenicity



Conclusion/Summary: Mixture.Not fully tested.

Classification

Product/ingredient	OSHA	IARC	NTP
name			
Carbon black		2B	
Titanium dioxide		2B	

Reproductive toxicity

Conclusion/Summary : Mixture.Not fully tested.

Teratogenicity

Conclusion/Summary: Mixture.Not fully tested.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of : Not available.

exposure

Potential acute health effects

Eye contact:No known significant effects or critical hazards.Inhalation:No known significant effects or critical hazards.Skin contact:No known significant effects or critical hazards.Ingestion:No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact:No specific data.Inhalation:No specific data.Skin contact:No specific data.Ingestion:No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure



Short term exposure



Potential immediate effects : Not available.
Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Conclusion/Summary : Mixture.Not fully tested.

General: No known significant effects or critical hazards.Carcinogenicity: No known significant effects or critical hazards.Mutagenicity: No known significant effects or critical hazards.Teratogenicity: No known significant effects or critical hazards.Developmental effects: No known significant effects or critical hazards. Fertilityeffects: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Carbon black	•	•	
	Acute EC50 37.563 mg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	
	Acute LC50 61.547 mg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	
Titanium dioxide	•	•	•
	Acute LC50 > 1,000,000 μg/l	Fish - Fish	96 h
	Marine water		
	Acute LC50 > 1,000 mg/l Fresh	Fish - Fish	96 h
	water		
	Acute LC50 13 mg/l Fresh water	Aquatic invertebrates.	48 h
		Daphnia	



	Acute LC50 6.5 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute LC50 3 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute LC50 15.9 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute LC50 3.6 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute LC50 11 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute LC50 13.4 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute EC50 27.8 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute EC50 19.3 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute EC50 35.306 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
CHILI OIL 18-1440TPG		•	
Remarks - Acute - Aquatic invertebrates.:	Chemicals are not readily available as t	hey are bound within the poly	mer matrix.

Conclusion/Summary

Chemicals are not readily available as they are bound within the

polymer matrix.

Persistence and degradability

Conclusion/Summary : Chemicals are not readily available as they are bound within the

polymer matrix.

Conclusion/Summary: Chemicals are not readily available as they are bound within the

polymer matrix.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Titanium dioxide		-	low

Mobility in soil

Soil/water partition coefficient

(KOC)

Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations



Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain someproduct residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water Not regulated for transportation.

International Air ICAO/IATA

: Not classified as dangerous goods under transport regulations.

International Water IMO/IMDG

: Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations

United States - TSCA 12(b) - Chemical export notification: None of the components are listed.

United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) -Proposed test rules: Not listedUnited States - TSCA 4(f) - Priority

risk review: Not listed

United States - TSCA 5(a)2 - Final significant new use rules: Notlisted United States - TSCA 5(a)2 - Proposed significant new use rules:

Not listed



United States - TSCA 5(e) - Substances consent order: Not listedUnited States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed

United States - TSCA 8(a) - Chemical Data Reporting (CDR): Notdetermined

United States - TSCA 8(a) - Preliminary assessment report(PAIR):

Not listed

United States - TSCA 8(c) - Significant adverse reaction (SAR):

Not listed

United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Prioritypollutants: Not listed

United States - EPA Clean water act (CWA) section 311 -

Hazardous substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidentalrelease

prevention - Flammable substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidentalrelease

prevention - Toxic substances: Not listed

United States - Department of commerce - Precursor chemical:

Not listed

Clean Air Act Section 112(b)

Hazardous Air Pollutants (HAPs)Clean

Air Act Section 602 Class ISubstances

Clean Air Act Section 602 Class II

Substances
DEA List I Chemicals (Precursor

Chemicals)

DEA List II Chemicals (Essential

Chemicals)

Not listed

Not listed

Not listed

: Not listed

: Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification : Not applicable.

Composition/information on ingredients

Name	%	Classification
Carbon black	0.1 - 1	СН



Titanium dioxide	1-5	СН

SARA 313

Not applicable.

State regulations

Massachusetts:None of the components are listed.New York:None of the components are listed.New Jersey:The following components are listed:

Iron oxide Titanium dioxide Carbon black

Pennsylvania : The following components are listed:

Carbon black

Titanium dioxide Iron oxide

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

United States inventory (TSCA 8b) : All components are listed or exempted. Canada inventory : All components are listed or exempted.

International regulations

Inventory list

Australia:All components are listed or exempted.Canada:All components are listed or exempted.China:All components are listed or exempted.Europe inventory:All components are listed or exempted.

Japan : Not determined.

New Zealand:All components are listed or exempted.Philippines:All components are listed or exempted.Republic of Korea:All components are listed or exempted.Taiwan:All components are listed or exempted.

Turkey : Not determined.

United States : All components are listed or exempted.

Section 16. Other information



Hazardous Material Information System (U.S.A.):

Health	*	1
Flammability		0
Physical hazards		0
	•	

Key to abbreviations

: ATE = Acute Toxicity EstimateBCF =

Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport AssociationIBC

= Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine

pollution)

UN = United Nations

References : Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above- named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.

30/08/2022



SPECIFICATION OF CHILLISEED OIL

Appearance Semi - Viscous liquid

Colour Dark Red Color

Odor Conforms to standard

Physico-Chemical Properties: Specifications

Solubility: Soluble in oil.

Insoluble in water.

Capsaicin: 0.1 – 5 %

Capsaicinoids: 0.1 – 0.5 %

Refractive Index: 1.455 – 1.498

Specific Gravity: 0.895 – 0.935



VEGAN STATEMENT

We hereby Certify that our Chili seed oil is not tested on animals and is suitable for Vegans.