# MYSTIC MOMENTS

## **Certificate of Analysis**

PRODUCT DETAILS		
Product Name	PINE OIL SYLVESTRIS	
Product Code	OEPINESYLV	
Batch Number	4463705	
Best Before End		
Best Belore Ellu	03/2025	
Identification	CAS No: 84012-35-1	EINECS No: 281-679-2
	Alternative CAS: 8023-99-2	
PHYSICAL AND CHEMIC	AL CHARACTERISTIC	
	SPECIFICATION RANGE	RESULTS
Appearance	Liquid	Conforms
Colour	Clear	Conforms
Odour	Characteristic	Conforms
Relative Density @ 20°C	0.855 - 0.875	0.8621
Refractive Index @ 20°C	1.465 - 1.480	1.4705
Optical Rotation °	-30 to +10	-24.8
Flash Point °C	≥37	Conforms
STORAGE		
Storage	Store in tightly closed container w	ith minimum headspace in a cool, dark and
-	dry place.	

DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the Company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitability of such information for his own particular use. Where MADAR make a declaration that allergenic material are not present in any product, this statement is made assuming reasonable levels of detection. It is impossible to guarantee the "absolute absence" of any material. It is the ultimate responsibility of the customer to ensure the safety of the intended final product containing this material, by carrying out additional tests if necessary.

# MYSTIC M@MENTS

## CMR (Carcinogenic, mutagenic, reprotoxic) STATEMENT

We hereby confirm, to the best of our knowledge and from information received from our supplier, that the below mentioned product does not contain any CMR Substances.

However, due to the fact that we do not analyse the batches, we cannot guarantee any explicit assurance.

Product::

Pine Oil Sylvestris

25 January 2021

## MYSTIC M©MENTS

## SAFETY DATA SHEET PINE OIL SYLVESTRIS

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	PINE OIL SYLVESTRIS	
Product number	OEPINESYLV	
Synonyms; trade names	Pinus Sylvestris L.	
CAS number	84012-35-1	
Alternative Cas Number	8023-99-2	
EC number	281-679-2	
1.2. Relevant identified uses of	f the substance or mixture and uses advised against	
Identified uses	Industrial, only for professional use	
1.3. Details of the supplier of t	he safety data sheet	
Supplier	Madar Corporation Limited	
	19 - 20 Sandleheath Industrial Estate	
	Fordingbridge	
	SP6 1PA	
	Tel. +44 1425 655555	
	technical@madarcorporation.co.uk	

#### 1.4. Emergency telephone number

SECTION 2: Hazards identification	
2.1. Classification of the s	substance or mixture
Classification (EC 1272/2	008 <u>)</u>
Physical hazards	Flam. Liq. 3 - H226
Health hazards	Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304
Environmental hazards	Aquatic Chronic 2 - H411
Human health	May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction.
Environmental	Toxic to aquatic life with long lasting effects.
Physicochemical	Flammable liquid and vapour
2.2. Label elements	
EC number	281-679-2
	19-20 Sandleheath Industrial Estate, Fordingbridge, Hampshire, SP6 1PA, UK







Signal word	Danger
Hazard statements	H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects.
Precautionary statements	<ul> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P261 Avoid breathing vapour/ spray.</li> <li>P273 Avoid release to the environment.</li> <li>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.</li> <li>P331 Do NOT induce vomiting.</li> <li>P501 Dispose of contents/ container in accordance with national regulations.</li> </ul>
Contains	Alpha Pinene, Beta Pinene, (S)-p-mentha-1,8-diene, Delta-3-Carene, 7-methyl-3- methyleneocta-1,6-diene, a terpinolene
Supplementary precautionary statements	<ul> <li>P233 Keep container tightly closed.</li> <li>P240 Ground and bond container and receiving equipment.</li> <li>P241 Use explosion-proof electrical equipment.</li> <li>P242 Use non-sparking tools.</li> <li>P243 Take action to prevent static discharges.</li> <li>P264 Wash contaminated skin thoroughly after handling.</li> <li>P272 Contaminated work clothing should not be allowed out of the workplace.</li> <li>P302+P352 IF ON SKIN: Wash with plenty of water.</li> <li>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.</li> <li>Rinse skin with water or shower.</li> <li>P321 Specific treatment (see medical advice on this label).</li> <li>P332+P313 If skin irritation occurs: Get medical advice/ attention.</li> <li>P362+P364 Take off contaminated clothing and wash it before reuse.</li> <li>P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.</li> <li>P391 Collect spillage.</li> <li>P403+P235 Store in a well-ventilated place. Keep cool.</li> <li>P405 Store locked up.</li> </ul>

#### 2.3. Other hazards

SECTION 3: Composition/informa	tion on ingredients	
3.2. Mixtures		
Alpha Pinene		30-60%
CAS number: 80-56-8	EC number: 201-291-9	
M factor (Acute) = 1	M factor (Chronic) = 1	
<b>Classification</b> Flam. Liq. 3 - H226 Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		
Beta Pinene		3 - 25%
CAS number: 127-91-3	EC number: 242-060-2	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		
(S)-p-mentha-1,8-diene		4 - 15%
CAS number: 5989-54-8	EC number: 227-815-6	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		

Delta-3-Carene		2 - 20%
CAS number: 13466-78-9	EC number: 236-719-3	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Flam. Liq. 3 - H226		
Skin Irrit. 2 - H315		
Skin Sens. 1 - H317 Asp. Tox. 1 - H304		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		
Camphene		0.4 - 7.5%
CAS number: 79-92-5	EC number: 201-234-8	0.4 - 7.3%
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification		
Flam. Sol. 1 - H228		
Eye Irrit. 2 - H319 Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		
7-methyl-3-methyleneocta-1,6-diene		1.5 - 10%
CAS number: 123-35-3	EC number: 204-622-5	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification		
Flam. Liq. 3 - H226		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
Asp. Tox. 1 - H304 Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		
a terpinolene		0.1 - 4%
CAS number: 586-62-9	EC number: 209-578-0	
Classification		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
Skin Sens. 1 - H317		
Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### **SECTION 4: First aid measures**

4.1. Description of first aid measures	s	
--	---	--

Inhalation	Remove person to fresh air and keep comfortable for breathing. Maintain an open airway. Get medical attention if any discomfort continues.
Ingestion	Rinse mouth thoroughly with water. Aspiration hazard if swallowed. Do not induce vomiting. Get medical attention.
Skin contact	Wash skin thoroughly with soap and water or use an approved skin cleanser. Continue to rinse for at least 15 minutes and get medical attention.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.
4.2. Most important symptoms	and effects, both acute and delayed
General information	Observe risk of aspiration if vomiting occurs.
4.3. Indication of any immediat	e medical attention and special treatment needed
Notes for the doctor	No data available.
SECTION 5: Firefighting meas	ures
5.1. Extinguishing media	
Suitable extinguishing media	Use as appropriate carbon dixoide (CO2), dry chemical or foam
Unsuitable extinguishing media	For safety reasons do not use full water jet.
5.2. Special hazards arising fro	om the substance or mixture
Specific hazards	In case of fire, the following can be released: carbon monoxide (CO), carbon dioxide (CO2), smoke, soot.
Hazardous combustion products	Carbon dioxide (CO2). Carbon monoxide (CO).
5.3. Advice for firefighters	
Protective actions during firefighting	Avoid breathing fire gases or vapours. Control run-off water by containing and keeping it out of sewers and watercourses.
Special protective equipment for firefighters	Wear full protective clothing
SECTION 6: Accidental releas	e measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation of the working area, evacuate personnel to safe area, wear suitable protective equipment. Keep unnecessary and unprotected personnel away from the spillage. No smoking, sparks, flames or other sources of ignition near spillage. Avoid contact with skin, eyes and clothing. Avoid inhalation of dust and vapours. Wash thoroughly after dealing with a spillage.

#### 6.2. Environmental precautions

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Absorb with liquid binding material (e.g sand, diatomaceous earth, acid or universal binding agents). Collect in closed and suitable containers for disposal. Never return spills in original containers for re-use. Wash spill site after material pick up is complete.	
6.4. Reference to other section		
7.1. Precautions for safe han		
Usage precautions	Apply good manufacturing practice and industrial hygiene practices. Keep containers sealed when not in use. Use personal protection equipment as mentioned under "exposure controls and personal protection". Avoid contact with skin, eyes and clothing. Use only in well-ventilated areas. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not eat, drink or smoke when using this product. Do not empty into drains. Avoid release to the environment.	
7.2. Conditions for safe stora	ge, including any incompatibilities	
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place.	
7.3. Specific end use(s)		
SECTION 8: Exposure contro	ols/Personal protection	
8.1. Control parameters		
	Alpha Binana (CAS: 90 56 9)	
	Alpha Pinene (CAS: 80-56-8)	
DNEL	Workers - Inhalation; Long term systemic effects: 3.8 mg/m <sup>3</sup> Workers - Dermal; Long term systemic effects: 0.54 bw/day, mg/kg General population - Inhalation; Long term systemic effects: 0.67 mg/m <sup>3</sup> General population - Dermal; Long term systemic effects: 0.19 mg/kg, bw/day General population - Oral; Long term systemic effects: 0.19 mg/kg, bw/day	
PNEC	<ul> <li>Fresh water; Short term 0.606 mg/l</li> <li>Fresh water, Intermittent release; 3.03 mg/l</li> <li>marine water; Short term 0.061 mg/l</li> <li>Intermittent release, marine water; 0.303 mg/l</li> <li>STP; Short term 0.2 mg/l</li> <li>Sediment (Freshwater); Short term 157 mg/kg</li> <li>Sediment (Marinewater); Short term 15.7 mg/kg</li> <li>Soil; Short term 31.7 mg/kg</li> </ul>	
	Beta Pinene (CAS: 127-91-3)	
DNEL	Workers - Inhalation; Long term systemic effects: 5.69 mg/m <sup>3</sup> Workers - Dermal; Long term systemic effects: 0.8 bw/day, mg/kg General population - Inhalation; Long term systemic effects: 1 mg/m <sup>3</sup> General population - Dermal; Long term systemic effects: 0.3 mg/kg, bw/day General population - Oral; Long term systemic effects: 0.3 bw/day, mg/kg	
PNEC	<ul> <li>Fresh water; Short term 1.004 mg/l</li> <li>Intermittent release, Fresh water; 5.02 mg/l</li> <li>marine water; Short term 0.1 mg/l</li> <li>STP; Short term 3.26 mg/l</li> <li>Sediment (Freshwater); Short term 0.337 mg/kg</li> <li>Sediment (Marinewater); Short term 0.034 mg/kg</li> <li>Soil; Short term 0.067 mg/kg</li> </ul>	

### Delta-3-Carene (CAS: 13466-78-9)

DNEL	Workers - Inhalation; Long term systemic effects: 5.69 mg/m <sup>3</sup> Workers - Dermal; Long term systemic effects: 0.8 mg/kg, bw/day General population - Inhalation; Long term systemic effects: 1 mg/m <sup>3</sup> General population - Dermal; Long term systemic effects: 0.3 mg/kg, bw/day General population - Oral; Long term systemic effects: 0.3 bw/day, mg/kg	
PNEC	<ul> <li>Fresh water; Short term 0.44 mg/l</li> <li>marine water; Short term 0.044 mg/l</li> <li>STP; Short term 3.26 mg/l</li> <li>Sediment (Freshwater); Short term 104 mg/kg</li> <li>Sediment (Marinewater); Short term 10.4 mg/kg</li> <li>Soil; Short term 20.8 mg/kg</li> </ul>	
	7-methyl-3-methyleneocta-1,6-diene (CAS: 123-35-3)	
DNEL	Workers - Dermal; Long term systemic effects: 0.83 mg/kg Workers - Inhalation; Long term systemic effects: 5.83 mg/m <sup>3</sup> General population - Dermal; Long term systemic effects: 0.42 mg/kg General population - Inhalation; Long term systemic effects: 1.25 mg/m <sup>3</sup>	
PNEC	<ul> <li>STP; 0.2 mg/l</li> <li>Soil; 1.015 mg/kg</li> <li>Fresh water; 0.00028 mg/l</li> <li>marine water; 0.0008 mg/l</li> <li>Sediment (Freshwater); 5.022 mg/kg</li> <li>Sediment (Marinewater); 0.502 mg/kg</li> </ul>	
Camphene (CAS: 79-92-5)		
DNEL	Workers - Inhalation; Long term systemic effects: 110.19 mg/m <sup>3</sup> Workers - Inhalation; Short term systemic effects: 110.19 mg/m <sup>3</sup> Workers - Dermal; Long term systemic effects: 0.21 mg/kg, bw/day Workers - Dermal; Short term systemic effects: 1.25 mg/kg, bw/day General population - Inhalation; Long term systemic effects: 54.3 mg/m <sup>3</sup> General population - Inhalation; Short term systemic effects: 54.3 mg/m <sup>3</sup> General population - Dermal; Long term systemic effects: 0.1 bw/day, mg/kg General population - Dermal; Short term systemic effects: 0.625 bw/day, mg/kg General population - Oral; Long term systemic effects: 0.1 bw/day, mg/kg	
PNEC	<ul> <li>Fresh water; Short term 0.001 mg/l</li> <li>Intermittent release, Fresh water; 0.001 mg/l</li> <li>marine water; Short term 0 mg/l</li> <li>STP; Short term 10 mg/l</li> <li>Sediment (Freshwater); Short term 0.026 mg/kg</li> <li>Sediment (Marinewater); Short term 0.003 mg/kg</li> <li>Soil; Short term 0.021 mg/kg</li> </ul>	

#### a terpinolene (CAS: 586-62-9)

DNEL	Workers - Inhalation; Long term systemic effects: 3.6 mg/m³ Workers - Dermal; Long term systemic effects: 0.52 bw/day, mg/kg General population - Inhalation; Long term systemic effects: 0.9 mg/m³ General population - Dermal; Long term systemic effects: 0.26 bw/day, mg/kg General population - Oral; Long term systemic effects: 0.26 bw/day, mg/kg
PNEC	<ul> <li>Fresh water; Short term 0.634 mg/l</li> <li>Fresh water, Intermittent release; Short term 0.634 mg/l</li> <li>marine water; Short term 0.063 mg/l</li> <li>STP; Short term 0.2 mg/l</li> <li>Sediment (Freshwater); Short term 14.7 mg/kg</li> <li>Sediment (Marinewater); Short term 14.7 mg/kg</li> </ul>

- Soil; Short term 29.1 mg/kg

### 8.2. Exposure controls

#### Protective equipment







Appropriate engineering controls	Provide eyewash station Provide adequate ventilation.
Personal protection	Use personal protection according to Directive 89/686/EEC
Eye/face protection	Approved safety goggles.
Hand protection	Chemical resistant gloves (PVC)
Other skin and body protection	Wear apron or protective clothing in case of contact.
Hygiene measures	Good personal hygiene procedures should be implemented.
Respiratory protection	Generally unnecessary in a well ventilated area. If ventilation is insufficient, respiratory protection must be worn.
Environmental exposure controls	Avoid discharging into drains. Do not allow run-off fire fighting to enter drains or water courses.
SECTION 9: Physical and chemical properties	

### 9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Colourless to pale yellow.
Odour	Characteristic.
Melting point	<-20°C
Initial boiling point and	range 169.4°C @ 101.325 kPa
Flash point	$\geq$ 37°C
Relative density	0.855 - 0.875 @ 20°C
9.2. Other information	
Refractive index	1.465 - 1.480 @ 20°C
Optical Rotation	-30 to +10
	19-20 Sandleheath Industrial Esta Tel: 01425 655555 Email: Pa

### Hydrocarbon Content

SECTION 10: Stability and rea	ictivity	
10.1. Reactivity		
Reactivity	The substance is stable under normal storage and handling conditions.	
10.2. Chemical stability	Objective sector that are a school of sector and the	
Stability	Stable under the prescribed storage conditions.	
10.3. Possibility of hazardous		
Possibility of hazardous reactions	No potentially hazardous reactions known.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid heat, flames and other sources of ignition.	
10.5. Incompatible materials		
Materials to avoid	Oxidising materials.	
10.6. Hazardous decompositio	n products	
Hazardous decomposition products	When heated to decomposition, it emits acrid smoke, fumes as well as monoxide and carbon dioxide.	
SECTION 11: Toxicological int	formation	
11.1. Information on toxicologi	cal effects	
Acute toxicity - oral		
Notes (oral LD₅₀)	LD₅₀ >5000 mg/kg, Oral, Rat	
Acute toxicity - dermal Notes (dermal LD50)	No information available.	
Acute toxicity - inhalation Notes (inhalation LC50)	No information available.	
Skin corrosion/irritation Skin corrosion/irritation	May cause skin irritation.	
Serious eye damage/irritation Serious eye damage/irritation	No data available.	
Skin sensitisation		
Skin sensitisation	May cause an allergic skin reaction.	
Aspiration hazard Aspiration hazard	May be fatal if swallowed and enters airways.	
SECTION 12: Ecological information		
12.1. Toxicity		
Toxicity	No data available.	
Chronic aquatic toxicity		
Toxicity to soil	No data available.	
12.2. Persistence and degradability		
19-20 Sandleheath Industrial Estate, Fordingbridge, Hampshire, SP6 1PA, UK Tel: 01425 655555 Email: technical@madarcorporation.co.uk Page 11 of 15		

#### 12.3. Bioaccumulative potential

12.4. Mobility in soil

Mobility

No data available.

#### 12.5. Results of PBT and vPvB assessment

#### 12.6. Other adverse effects

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Dianagal	mathada
Disposal	methods

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Do not empty into drains. Avoid release to the environment.

SECTION 14: Transport information	
14.1 LIN number	

14.1. UN number		
UN No. (ADR/RID)	1272	
UN No. (IMDG)	1272	
UN No. (ICAO)	1272	
UN No. (ADN)	1272	
14.2. UN proper shipping name	2	
Proper shipping name (ADR/RID)	PINE OIL	
Proper shipping name (IMDG)	PINE OIL	
Proper shipping name (ICAO)	PINE OIL	
Proper shipping name (ADN)	PINE OIL	
14.3. Transport hazard class(es)		
ADR/RID class	3	
ADR/RID classification code	F1	
ADR/RID label	3	
IMDG class	3	
ICAO class/division	3	
ADN class	3	

Transport labels



14.4. Packing group	
ADR/RID packing group	Ш
IMDG packing group	Ш
ICAO packing group	111
ADN packing group	Ш

Environmentally hazardous substance/marine pollutar	nt
No.	

14.6. Special precautions for u	iser
EmS	F-E, S-E
ADR transport category	3
Emergency Action Code	3Y
Hazard Identification Number (ADR/RID)	30
Tunnel restriction code	(D/E)
14.7. Transport in bulk accord	ing to Annex II of MARPOL and the IBC Code
SECTION 15: Regulatory info	rmation
15.1. Safety, health and enviro	onmental regulations/legislation specific for the substance or mixture
EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
Guidance	CHIP for everyone HSG228.
15.2. Chemical safety assess	ment
SECTION 16: Other information	n
Revision date	25/01/2021
Revision	3
Supersedes date	20/03/2019
SDS number	5176
Hazard statements in full	<ul> <li>H226 Flammable liquid and vapour.</li> <li>H228 Flammable solid.</li> <li>H302 Harmful if swallowed.</li> <li>H304 May be fatal if swallowed and enters airways.</li> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H319 Causes serious eye irritation.</li> <li>H400 Very toxic to aquatic life.</li> <li>H410 Very toxic to aquatic life with long lasting effects.</li> </ul>

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

## MYSTIC MOMENTS

## **Product Specification**

Draduat Nama			
Product Name		PINE OIL SYLVESTRIS	
Product Code	OEPINESYLV		
Tariff Number		33012941	
Country of Origin	Eastern / Western European		
INCI Name Pinus Sylvestris L. Natural Status We hereby declare, to the best of our knowledge and from		our knowledge and from information received	
	from our supplier, that this produ	ct is in accordance to the requirements of ) 1334/2008 and therefore can be designated	
Food Grade Status	We confirm, from information received from our supplier, that this product conforms with EU Regulations and can be used in food.		
Kosher Certified	No but can be added		
Halal Certified	We hereby declare, from information received from our supplier, that this product does not contain any ingredient derived from animal origin, extracted from hair or feathers, animal fats, animal extracts, blood of any origin, blood plasma, pork and/or other meat products. This product does not contain alcohol (ethanol or grain alcohol) and has not been used in the manufacturing process.		
GMO Declaration	To the best of our knowledge and from information received from our supplier, this product does not derive from genetically modified starting raw material, or additives that are derived from genetically modifed organisms.		
Manufacturing Process	Pine Sylvestris Oil Austrian is the v Pinus Sylvestris L.	Pine Sylvestris Oil Austrian is the volatile oil expressed from the needles of the Pinus Sylvestris L.	
Identification	CAS No: 84012-35-1 Alternative CAS: 8023-99-2	EINECS No: 281-679-2	
PHYSICAL AND CHEMICAL	CHARACTERISTIC		
Appearance	Liquid		
Colour	Colourless to Pale Yellow		
Odour	Characteristic		
Relative Density @ 20°C	0.855 - 0.875		
Refractive Index @ 20°C	1.465 - 1.480		
Optical Rotation °	-30 to +10		
Flash Point °C	≥37		
Melting Point °C	<-20		
Boiling Point °C	169.4°C @ 101.325 kPa		
FRAGRANCE ALLERGENS			
Limonene <b>(5989-54-8) 4 - 15%</b>			
FOOD ALLERGENS			
NONE PRESENT			
IFRA			
STORAGE AND SHELF LIFE			
Storage	Store in tightly closed container with minimum headspace in a cool, dark and dry place.		
Shelf Life	24 Months not opened and sto	ared as above	

completeness. It is the users responsibility to satisfy himself as to the suitability of such information for his own particular use. Where we make a declaration that allergenic material are not present in any product, this statement is made assuming reasonable levels of detection. It is impossible to guarantee the "absolute absence" of any material. It is the ultimate responsibility of the customer to ensure the safety of the intended final product containing this material, by carrying out additional tests if necessary.

# MYSTIC MOMENTS

## **Vegan and Vegetarian Statement**

	IDENTIFICATION	
Product:	PINE OIL SYLVESTRIS AUSTRIAN	
Cas No:	84012-35-1	
EINECS No:	281-679-2	
	STATEMENT	
-	ation Limited, from information received from our supplier, hereby erial listed above is compliant with a vegan diet.	
It does not contain any animal ingredients or animal by products. No animal ingredients or by products are used in the manufacturing process.		
	ts to the best of our knowledge and from information received from our supplier. It er from the obligation to carry out an examination of the goods received. All uses	
made by the buyer are d	one under their own responsibility.	