

MYSTIC MOMENTS


Certificate of Analysis

PRODUCT DETAILS					
Product Name		SANDALWOOD OIL AUSTRALIAN			
Product Code		OESANDAUS			
Batch Number		4508301			
Best Before End		June 2026			
Identification		CAS No: 92875-02-0		EINECS No: 296-618-5	
		FEMA: 3005		Alternative CAS: 8024-35-9	
PHYSICAL AND CHEMICAL CHARACTERISTIC					
	SPECIFICATION RANGE			RESULTS	
Appearance	Viscous Liquid			Conforms	
Colour	Light Yellow			Conforms	
Odour	Warm, Sweet, woody			Conforms	
Relative Density @ 20°C	0.930 - 0.980			0.947	
Refractive Index @ 20°C	1.498 - 1.518			1.503	
Flash Point °C	>135			Conforms	
Optical Rotation °	-16 to +10			+3.6	
MAIN CONSTITUENTS					
CONSTITUENT RANGE		RESULTS	CONSTITUENT RANGE		RESULTS
Santalol Alpha 15-25%		22.72%	trans-trans-Farnesol 2.5-15%		8.07%
			Santalol-beta-trans 0.5-3.5%		1.78%
STORAGE AND SHELF LIFE					
Storage		Store in tightly closed container with minimum headspace in a cool, dark and dry place.			
Shelf Life		36 Months unopened and stored as above.			

DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the Company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitability of such information for his own particular use. Where MADAR Corporation make a declaration that allergenic material are not present in any product, this statement is made assuming reasonable levels of detection. It is impossible to guarantee the "absolute absence" of any material. It is the ultimate responsibility of the customer to ensure the safety of the intended final product containing this material, by carrying out additional tests if necessary.

MYSTIC MOMENTS

SANDALWOOD OIL AUSTRALIAN FLOW CHART



MYSTIC MOMENTS

SAFETY DATA SHEET SANDALWOOD OIL AUSTRALIAN

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	SANDALWOOD OIL AUSTRALIAN
Synonyms; trade names	Santalum Spicatum Wood Oil
CAS number Alternative	92875-02-0
Cas Number	8024-35-9

EC number 296-618-5

FEMA No: 3005

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Industrial, only for professional use

1.3. Details of the supplier of the safety data sheet

Supplier Madar Corporation Limited
19 - 20 Sandleheath Industrial Estate
Fordingbridge
SP6 1PA

Tel. +44 1425 655 555
e-mail technical@madarcorporation.co.uk

1.4. Emergency telephone number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards	Not Classified
Health hazards	Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317
Environmental hazards	Aquatic Chronic 2 - H411
Human health	May cause an allergic skin reaction. Causes skin irritation. Causes serious eye irritation.
Environmental	Toxic to aquatic life with long lasting effects.

2.2. Label elements

EC number 296-618-5

SANDALWOOD OIL AUSTRALIAN

Hazard pictograms



Signal word

Warning

Hazard statements

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing vapour/ spray.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313 If skin irritation occurs: Get medical advice/ attention.
P391 Collect spillage.
P501 Dispose of contents/ container in accordance with national regulations.

Contains

Santalol Alpha, Farnesol, Santalol-beta-trans

Supplementary precautionary statements

P264 Wash contaminated skin thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P302+P352 IF ON SKIN: Wash with plenty of water.
P321 Specific treatment (see medical advice on this label).
P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337+P313 If eye irritation persists: Get medical advice/ attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

SANDALWOOD OIL AUSTRALIAN

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Santalol Alpha		15 - 25%
CAS number: 115-71-9	EC number: 204-102-8	
Classification Skin Sens. 1B - H317		
Farnseol		2.5 - 15%
CAS number: 4602-84-0	EC number: 225-004-1	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		
Santalol-beta-trans		0.5 - 3.5%
CAS number: 37172-32-0		
Classification Skin Sens. 1 - H317		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove person to fresh air and keep comfortable for breathing. Get medical attention if any discomfort continues.
Ingestion	Rinse mouth thoroughly with water. Do not induce vomiting. Get medical attention if any discomfort continues.
Skin contact	Remove contaminated clothing. Wash skin thoroughly with soap and water or use an approved skin cleanser. Continue to rinse for at least 15 minutes and get medical attention.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

General information	No further information available at this time.
----------------------------	--

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No data available.
-----------------------------	--------------------

SANDALWOOD OIL AUSTRALIAN

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use as appropriate carbon dioxide (CO₂), dry chemical or foam

Unsuitable extinguishing media For safety reasons do not use full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards None known.

Hazardous combustion products No data available.

5.3. Advice for firefighters

Protective actions during firefighting Avoid breathing fire gases or vapours. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk.

Special protective equipment for firefighters Wear full protective clothing

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation of the working area, evacuate personnel to safe area, wear suitable protective equipment. Keep unnecessary and unprotected personnel away from the spillage. No smoking, sparks, flames or other sources of ignition near spillage. Avoid contact with skin and eyes. Avoid inhalation of dust and vapours. If ventilation is inadequate, suitable respiratory protection must be worn. Wear protective clothing as described in Section 8 of this safety data sheet. Wash thoroughly after dealing with a spillage.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Cover with inert, inorganic, non-combustible material (e.g dry-lime, sand, soda ash). Place in covered containers and dispose of in accordance with local authority guidelines. Never return spills in original containers for re-use. Wash spill site after material pick up is complete. To prevent release, place container with damaged side up.

6.4. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Apply good manufacturing practice and industrial hygiene practices. Keep containers sealed when not in use. Wear protective clothing, gloves, eye and face protection. Avoid contact with skin, eyes and clothing. Avoid inhalation of vapours. Use only in well-ventilated areas. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid release to the environment. Do not empty into drains. Do not eat, drink or smoke when using this product. Wash skin thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

SANDALWOOD OIL AUSTRALIAN

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide eyewash station Provide adequate ventilation.

Personal protection

Use personal protection according to Directive 89/686/EEC

Eye/face protection

Approved safety goggles.

Hand protection

Chemical resistant gloves (PVC)

Other skin and body protection

Wear apron or protective clothing in case of contact.

Hygiene measures

Good personal hygiene procedures should be implemented.

Respiratory protection

Generally unnecessary in a well ventilated area.
If ventilation is insufficient, respiratory protection must be worn.

Environmental exposure controls

Avoid discharging into drains. Do not allow run-off fire fighting to enter drains or water courses.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Viscous liquid.
Colour	Pale Yellow. to golden Brown.
Odour	Warm Sweet Woody
Flash point	> 135°C
Relative density	0.930 - 0.980 @ 20°C

9.2. Other information

Refractive index	1.498 - 1.518 @ 20°C
Optical Rotation	-16 to +10
Hydrocarbon Content	

SANDALWOOD OIL AUSTRALIAN

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No hazardous reactions if stored and handled as prescribed / indicated.

10.2. Chemical stability

Stability Stable under the prescribed storage conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions No data available.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid Avoid contact with the following materials: Strong acids. Strong oxidising agents. Strong alkalis.

10.6. Hazardous decomposition products

Hazardous decomposition products Liable to cause smoke and acid fumes during combustion: carbon monoxide, carbon dioxide and other non identified organic compounds may be formed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects No data available.

Acute toxicity - oral

Notes (oral LD₅₀) No information available.

Acute toxicity - dermal

Notes (dermal LD₅₀) No information available.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) No information available.

Skin corrosion/irritation

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye irritation.

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation May cause an allergic skin reaction.

Reproductive toxicity

Reproductive toxicity - fertility No data available.

Specific target organ toxicity - repeated exposure

Target organs No data available.

Skin contact

No data available.
19-20 Sandleheath Industrial Estate, Fordingbridge, Hampshire, SP6 1PA, UK
Tel: 01425 655555 Email: technical@madarcorporation.co.uk
Page 8 of 13

SANDALWOOD OIL AUSTRALIAN

SECTION 12: Ecological information

12.1. Toxicity

Toxicity No data available.

Acute aquatic toxicity

Acute toxicity - microorganisms No data available.

Chronic aquatic toxicity

Chronic toxicity - aquatic invertebrates No data available.

12.2. Persistence and degradability

Persistence and degradability No data available.

12.3. Bioaccumulative potential

12.4. Mobility in soil

Adsorption/desorption coefficient No information available.

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Do not empty into drains.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 3082

UN No. (IMDG) 3082

UN No. (ICAO) 3082

UN No. (ADN) 3082

14.2. UN proper shipping name

Proper shipping name (ADR/RID) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper shipping name (IMDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper shipping name (ICAO) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper shipping name (ADN) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3. Transport hazard class(es)

ADR/RID class 9

ADR/RID classification code M6

ADR/RID label 9

IMDG class 9

SANDALWOOD OIL AUSTRALIAN

ICAO class/division 9

ADN class 9

Transport labels



14.4. Packing group

ADR/RID packing group III

IMDG packing group III

ICAO packing group III

ADN packing group III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

EmS F-A, S-F

ADR transport category 3

Emergency Action Code •3Z

Hazard Identification Number 90
(ADR/RID)

Tunnel restriction code (E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SANDALWOOD OIL AUSTRALIAN

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Guidance

CHIP for everyone HSG228.

15.2. Chemical safety assessment

SECTION 16: Other information

Revision date 16/04/2021

Revision 3

Supersedes date 15/04/2021

SDS number 5040

Hazard statements in full
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

MYSTIC MOMENTS

Product Specification

PRODUCT DETAILS		
Product Name	SANDALWOOD OIL AUSTRALIAN	
Product Code	OESANDAUST	
Tariff Number	33012941	
Country of Origin	Australian	
INCI Name	Santalum Spicatum Wood Oil	
Natural Status	We hereby declare, to the best of our knowledge and from information received from our supplier, that this product is in accordance to the requirements of Articles 3 (2) (d) of Regulation (EC) 1334/2008 and therefore can be designated as natural.	
Food Grade Status	Not Applicable	
Kosher Certified	Not Certified	
Halal Certified	We hereby delcare, from information received from our supplier, that this product does not contain any ingredient derived from animal origin, extracted from hair or feathers, animal fats, animal extracts, blood of any origin, blood plasma, pork and/or other meat products. This product does not contain alcohol (ethanol or grain alcohol) and has not been used in the manufacturing process.	
GMO Declaration	To the best of our knowledge and from information received from our supplier, this product does not derive from genetically modified starting raw material, or additives that are derived from genetically modified organisms.	
Manufacturing Process	Steam Distillation of the Trunks, Butts and Roots of Santalum Spicatum Trees.	
Identification	CAS No: 92875-02-0	EINECS No: 296-618-5
	FEMA: 3005	Alternative CAS: 8024-35-9
PHYSICAL AND CHEMICAL CHARACTERISTIC		
Appearance	Viscous Liquid	
Colour	Pale Yellow to Golden Brown	
Odour	Warm, Sweet, woody	
Relative Density @ 20°C	0.930 - 0.980	
Refractive Index @ 20°C	1.498 - 1.518	
Flash Point °C	>135	
Optical Rotation °	-16 to +10	
FRAGRANCE ALLERGENS		
NONE PRESENT		
FOOD ALLERGENS		
NOT APPLICABLE		
IFRA		
Farnesol (4602-84-0) 2.5-15%		
STORAGE AND SHELF LIFE		
Storage	Store in tightly closed container with minimum headspace in a cool, dark and dry place.	
Shelf Life	24 months unopened and stored as above.	

DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the Company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitability of such information for his own particular use. Where we make a declaration that allergenic material are not present in any product, this statement is made assuming reasonable levels of detection. It is impossible to guarantee the "absolute absence" of any material. It is the ultimate responsibility of the customer to ensure the safety of the intended final product containing this material, by carrying out additional tests if necessary.

MYSTIC MOMENTS

Vegan and Vegetarian Statement

IDENTIFICATION	
Product:	Sandalwood Oil Australian
Cas No:	92875-02-0
EINECS No:	296-618-5
STATEMENT	
<p>We, Madar Corporation Limited, from information received from our supplier, hereby declare that the material listed above is compliant with a vegan or vegetarian diet.</p> <p>It does not contain any animal ingredients or animal by products. No animal ingredients or by products are used in the manufacturing process.</p> <p>This document represents to the best of our knowledge and from information received from our supplier. It does not release the buyer from the obligation to carry out an examination of the goods received. All uses made by the buyer are done under their own responsibility.</p>	