

CERTIFICATE OF ANALYSIS

PRODUCT NAME: SPIKE LAVENDER, ESSENTIAL OIL

BATCH NUMBER: 4403507

PRODUCT INCI: LAVANDULA LATIFOLIA HERB

PRODUCT CODE: OESPIKLAVE

CAS NUMBER: 84837-04-7

EINECS NUMBER: 284-290-6

MANUFACTURING METHOD: STEAM DISTILLED

MANUFACTURING DATE: 07/11/2019

BEST BEFORE END: JULY 2023

ANALYTICAL DETAILS	RANGE	RESULTS
Appearance	LIQUID	-
Colour	PALE YELLOW - YELLOW	-
Odour	CHARACTERISTIC, LAVENDER	-
SPECIFIC GRAVITY @ 20□C	0.884 – 0.898	0.891
Refractive Index @ 20□C	1.457 – 1.463	1.460
OPTICAL ROTATION (□C)	-1.0 то +5.0	-0.08

STORAGE CONDITIONS

STORE IN A COOL DRY PLACE AWAY FROM HEAT & SUNLIGHT



Allergen Declaration:


PRODUCT NAME: INCI:	Lavender Spike, Essential Lavandula Latifolia Herb			
The	COSMETIC ALLERGENS : Following is from the 7th amendment of the cosmetic directive of the European Union Annex iii.			
nex Illa Reference:		CAS NUMBER:	TOTAL ALLERGEN INCLUSION (%):	
67	AMYL CINNAMAL	122-40-7	0.00	
68	BENZYL ALCOHOL	100-51-6	0.00	
69	CINNAMYL ALCOHOL	104-54-1	0.00	
70	CITRAL	5392-40-5	0.00	
71	EUGENOL	97-53-0	0.10	
72	HYDROXY-CITRONELLAL	107-75-5	0.00	
73	ISOEUGENOL	97-54-1	0.00	
74	AMYLCIN-NAMYL ALCOHOL	101-85-9	0.00	
75	BENZYL SALICYLATE	118-58-1	0.00	
76	CINNAMAL	104-55-2	0.00	
77	COUMARIN	91-64-5	0.20	
78	GERANIOL	106-24-1	0.20	
79	HYDROXY- METHYLPENTYLCYCLOHEXENECARBOXALDEHYDE	31906-04-4	0.00	
80	ANISE ALCOHOL	105-13-5	0.00	
81	BENZYL CINNAMATE	103-41-3	0.00	
82	FARNESOL	4602-84-0	0.00	
83	BUTYLPHENYL METHYLPROPIONAL	80-54-6	0.00	
84	LINALOOL	78-70-6	50.00	
85	BENZYL BENZOATE	120-51-4	0.00	
86	CITRONELLOL	106-22-9	0.30	
87	HEXYL CINNAM-ALDEHYDE	101-86-0	0.00	
88	LIMONENE	5989-27-5	3.00	
89	METHYL HEPTIN CARBONATE	111-12-6	0.00	
90	ALPHA-ISOMETHYL IONONE	127-51-5	0.00	
91	EVERNIA PRUNASTRI EXTRACT	90028-68-5	0.00	
92	EVERNIA FURFURACEA EXTRACT	90028-67-4	0.00	
following is from the comn	FOOD ALLERGENS ission directive 2007/68/EC of 27th November 2007 amonding Annex lilu to Directive 200/13/EC of the European Parlik	ament & Council with regards to specific food in	gredients.	
ex Illa Reference:		PRESENT IN PRODUCT:	CONTAMINATION PRESENCE:	FACTORY PRESENCE:
1	CEREALS (CONTAINING GLUTEN)	NO	NO	YES
2	CRUSTACEANS	NO	NO	NO
3	EGGS	NO	NO	NO
4	FISH	NO	NO	NO
5	PEANUTS	NO	NO	YES
6	SOYA	NO	NO	YES
7	MILK	NO	NO	YES
8	NUTS	NO	NO	YES
9	CELERY & CELERIAC	NO	NO	NO
10	MUSTARD	NO	NO	YES
11	SESAME	NO	NO	YES
12	SULPHUR DIOXIDE & SULPHITES	NO	NO	NO
13	LUPIN	NO	NO	NO
		NO	NO	NO



Composition Statement & Manufacturing Flow Chart:

Spike Lavender, Essential Oil

INCI Name	% Inclusion	CAS Number
Lavandula Latifolia Herb	100	84837-04-7





IFRA STATEMENT

PRODUCT NAME: SPIKE LAVENDER, ESSENTIAL OIL

PRODUCT INCI: LAVANDULA LATIFOLIA HERB

PRODUCT CODE: OESPIKLAVE CAS NUMBER: 84837-04-7 EINECS NUMBER: 284-290-6

MANUFACTURING METHOD: STEAM DISTILLED

SHELF LIFE / BEST BEFORE: 24 MONTHS

MADAR CORPORATION CERTIFY THAT THE ABOVE NAMED MATERIAL CONFORMS TO THE IFRA 48 CODE OF PRACTICE AND CONTAINS THE FOLLOWING RESTRICTED COMPONENTS THAT ARE LISTED IN THE 48^{TH} Amendment of the IFRA Code of Practice:

Restricted Component	Cas No:	% Level in Product	IFRA Standard
Linalool	78-70-6	< 30.65	Specification Std
Limonene	5989-27-5	< 6.28	Specification Std
Benzyl Benzoate	120-51-4	< 0.07	Restriction Stds (QRA cat.)
Coumarin	91-64-5	< 0.21	Restriction Stds (QRA cat.)
Eugenol	97-53-5	< 0.07	Restriction Stds (QRA cat.)
Geraniol	106-24-1	< 0.28	Restriction Stds (QRA cat.)
Benzaldehyde	100-52-7	< 0.07	Restriction Stds (QRA cat.)
Carvone	99-49-0	< 0.07	Restriction Stds (QRA cat.)
1-Octen-3-yl acetate	2442-10-6	< 0.21	Restriction Stds (QRA cat.)
Trans-2-Hexenal	6728-25-3	< 0.07	Restriction Stds (QRA cat.)
7-Methoxycoumarin from naturals	531-59-9	< 0.07	Prohibition Stds (see below)

Additional Comments

7-Methoxycoumarin

The material as such should not be used as a fragrance ingredient for any application.

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with MADAR regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from MADAR. It is the responsibility of the client to ensure the safety of the final product containing this ingredient. Please carry out additional testing if necessary.



On the basis of established maximum levels of this substance in commercially available natural sources (like essential oils, extracts and absolutes), exposure to this substance from the use of these oils and extracts is regarded acceptable as long as the level of 7-methoxycoumarin in the finished product does not exceed 100ppm. (0.01%)

Finished product types	IFRA class
Toys; Lip Products of all types (solid and liquid lipsticks, balms, clear or colored etc)	Class 1
Deodorant and Antiperspirant products of all types (spray, stick, roll-on, under-arm and body etc)	Class 2
Hydroalcoholic products applied to recently shaved skin (EdT range)	Class 3.A
Hydroalcoholic products applied to recently shaved skin (fine fragrance range)	Class 3.B
Eye Products of all types (eye shadow, mascara, eyeliner, eye make-up, etc) including eye cream. Men's Facial Creams and Balms	Class 3.C
ampons.	Class 3.D
Hydroalcoholic Products applied to unshaved skin (EdT range). Ingredients of Perfume Kits. Scent Strips for Hydroalcoholic Products, "scratch and sniff", other paper products not mentioned elsewhere for which skin exposure is only incidental (e.g. spectacle cleaning tissues).	Class 4.A
Hydroalcoholic Products applied to unshaved skin (Fine Fragrance range).	Class 4.B
Hair Styling Aids and Hair Sprays of all types (pumps, aerosol sprays, etc); Hair Deodorant. Body Creams, Oils, otions of all types (including baby creams, lotions, oils). Fragrance Compounds for Cosmetic Kits, Foot Care Products	Class 4.C
ragrancing Cream	Class 4.D
Nomen's Facial Creams/Facial Make-up (excluding eye cream); Facial Masks; Hand Cream Nipes or refreshing tissues for Face, Neck, Hands, Body.	Class 5
Nouthwash, Toothpaste.	Class 6
ntimate Wipes; Baby Wipes.	Class 7 A
nsect Repellent (intended to be applied to the skin).	Class 7 B
Make-up Removers of all types (not including face cleansers). Hair Styling Aids Non-Spray of all types (mousse, gels, eave-in conditioners etc). Nail Care. All Powders & Talcs (including baby powders and talcs).	Class 8
Liquid Soap, Bar Soap (toilet soap); Depilatory; Conditioner (rinse-off), Shampoos of all types (including baby shampoos). Face Cleansers of all types (washes, gels, scrubs, etc). Shaving Creams of all types (stick, gels, foams, etc). Body Washes of all types (including baby washes). Shower Gels of all types; Bath Gels, Foams, Mousses, Salts, Oils and other products added to bathwater	Class 9.A
eminine hygiene pads / liners.	Class 9.B
Other' Aerosols (including air fresheners sprays but not including deodorant/antiperspirants, hair styling aids spray).	Class 9.C
Hand wash/Machine wash Laundry Detergents of all types (liquid, powder, tablet, etc) including Laundry Bleaches. Dither Household Cleaning Products (fabric cleaners, soft surface cleaners, carpet cleaners etc) . Dry Cleaning Kits. Fabric Softeners of all types including fabric softener sheets. Hand Dishwashing Detergent. Hard Surface Cleaners of all types (bathroom and kitchen cleansers, furniture polish etc). Shampoos for pets	Class 10.A
Diapers. Toilet seat wipes.	Class 10.B
All non-skin contact, including: Air Fresheners and fragrancing of all types (excluding aerosol products): plug-ins, solid substrate, membrane delivery; Toilet blocks; Joss Sticks, Incense; Insecticides (mosquito coil, paper, electrical, etcexcluding aerosols); Plastic articles (excluding toys); Candles; Fuels; Paints; Floor wax; Liquid refills for air fresheners (cartridge system)	Class 11.A



All incidental skin contact, including:

Machine Dish wash Detergents and Deodorizers. Machine only Laundry Detergents (e.g. liquitabs).

Deodorizers/Maskers (e.g. fabric drying machine deodorizers, carpet powder). Pot pourri, fragrancing sachets, liquid refills for air fresheners (non-cartridge systems), etc... Shoe polishes; Cat Litter; Animal Sprays (excluding aerosols); Treated Textiles (e.g. starch sprays, fabric treated with fragrances after wash, deodorizers for textiles or fabrics, tights with moisturizers); Odored Distilled Water (that can be added to steam irons).



Material Safety Data Sheet

EU Regulation: 1907/2006

SECTION 1: IDENTIFICATION	OF THE SUBSTA	ANCE/MIX	CTURE AND OF THE CO	OMPANY/UNDI	ERTAKING
1.1 PRODUCT IDENTIFICATION					
PRODUCT NAME	SPIKE LAVENDER, ESSENTIAL OIL				
BIOLOGICAL DEFINITION	LAVANDULA LATIFOLIA HERB OIL IS AN ESSENTIAL OIL DISTILLED FROM THE FLOWERING HERBS OF THE LAVENDER, LAVANDULA LATIFOLIA (SYN: LAVANDULA SPICA), LABIATAE.				
INCI NAME	Lavandula Latifolia Herb				
SYNONYMS & TRADE NAMES	-				
INTERNAL PRODUCT CODE	OESPIKLAVE				
CAS-No	84837-04-7	EC No.	284-290-6	EINECS No.	284-290-6
1.2 DETAILS OF THE SUPPLIER OF THE SAFETY	DATA SHEET				
COMPANY ADDRESS	MADAR Corporation Limited 19-20 Sandleheath Industrial Estate, Fordingbridge, Hampshire, SP6 1PA, England.				
EMAIL	sales@madarcorpora	sales@madarcorporation.co.uk			
1.3 DETAILS OF THE SUPPLIER OF THE SAFETY	DATA SHEET				
EMERGENCY CONTACTS	01425 655555				



SECTION 2: HAZARDS IDENTIFICATION					
2.1					
CLASSIFICATION OF THE SUBSTANCE OR MIXTURE	The full text for all hazard statements is displayed in section 16.				
CLASSIFICATION (67/548/EEC)	NO ADDITIONAL DATA AVAILABLE.				
	Skin irritation, Category 2 (Skin Irrit. 2, H315).				
	Eye irritation, Category 2 (Eye Irrit. 2, H319).				
C: +001F10+F10+ /F111272 /2000)	Skin sensitisation, Category 1B (Skin Sens. 1B, H317).				
CLASSIFICATION (EU1272/2008)	HAZARDOUS TO THE AQUATIC ENVIRONMENT - CHRONIC HAZARD, CATEGORY 2 (AQUATIC CHRONIC 2, H411).				
	This mixture does not present a physical hazard. Refer to the recommendations regarding the				
	OTHER PRODUCTS PRESENT ON THE SITE				
2.2					
LABEL ELEMENTS	Label in accordance with Regulation (EC) No 1272/2008.				
GHS LABEL	GHS07 GHS09				
SIGNAL WORD	Warning.				
_	601-029-00-7 (R)-P-MENTHA-1,8-DIENE				
CONTAINS	EC 207-431-5 EUCALYPTOL.				
	H315 Causes skin irritation.				
HAZADDO CTATEMENT	H317 May cause an allergic skin reaction.				
HAZARDS STATEMENT	H319 Causes serious eye irritation.				
	H411 Toxic to aquatic life with long lasting effects.				
Paradura de la Contraction de	P273 AVOID RELEASE TO THE ENVIRONMENT.				
PRECAUTIONARY STATEMENTS	P280 WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION.				
	P302 + P352 IF ON SKIN: Wash with plenty of soap and water.				
	P305 + P351 + P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT				
	lenses, if present and easy to do. Continue rinsing.				
SUPPLEMENTARY PRECAUTIONARY STATEMENTS	P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.				
	P391 COLLECT SPILLAGE.				
	P501 DISPOSE OF CONTENTS/CONTAINER IN ACCORDANCE WITH				
	LOCAL/REGIONAL/NATIONAL/INTERNATIONAL REGULATIONS				
Sect	tion 16 (Other Information): Risk & Safety phrases in full.				
2.3 OTHER HAZARDS					
ADVERSE PHYSIO-CHEMICAL PROPERTIES	COMBUSTIBLE BUT SHOULD NOT SELF-IGNITE.				
ADVERSE EFFECTS ON HUMAN HEALTH	SKIN CONTACT MAY CAUSE IRRITATION/SENSITISATION.				
PBT OR VPVB ACCORDING TO ANNEX XIII	None				



25-50% LINALOOL CAS-No.: 78-70-6 EC No.: 201-134-4	SECTION 3: COMPOSITION OF INGRE	EDIENTS
H371 2.5-10% (R)-P-MENTHA-1,8-DIENE CAS: 5989-27-5, EC: 227-813-5		25-50% Linalool CAS-No.: 78-70-6 EC No.: 201-134-4 CLASSIFICATION (EC 1272/2008) ACUTE TOX. 5 - H303, SKIN IRRIT. 2 - H315, AQUATIC ACUTE 3 - H402 40-50% LINALYL ACETATE CAS: 115-95-7, EINECS: 204-116-4 CLASSIFICATION (EC 1272/2008) SKIN IRRIT. 2, H315; EYE IRRIT. 2, H319 <18.0 - 20.0% EUCALYPTOL CAS-No.: 4602-84-0 EC No.: 225-004-1 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3, H226; SKIN SENS. 1B, H317 <10.0 - 12.0% CAMPHOR CAS: 76-22-2, EC: 200-945-0 CLASSIFICATION (EC 1272/2008) ACUTE TOX. 4, H332, ACUTE TOX. 4, H302, FLAM. SOL. 2, H228, STOT SE 2, H371 2.5-10% (R)-P-MENTHA-1,8-DIENE CAS: 5989-27-5, EC: 227-813-5 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3, H226, SKIN IRRIT. 2, H315, SKIN SENS. 1, H317, AQUATIC ACUTE 1, H400 M ACUTE = 1, AQUATIC CHRONIC 1, H410 M CHRONIC = 1 <2.5% EUCALYPTOL CAS-No.: 4602-84-0 EC No.: 225-004-1

SECTION 4: FIRST AID MEASURES			
4.1 DESCRIPTION OF FIRST AID MEASURES			
GENERAL INFORMATION	ALWAYS REMOVE CONTAMINATED CLOTHING IMMEDIATELY.		
INHALATION	GET MEDICAL ATTENTION IMMEDIATELY. REMOVE FROM EXPOSURE SITE TO FRESH AIR, KEEP AT REST, AND OBTAIN MEDICAL ATTENTION.		
Ingestion	GET MEDICAL ATTENTION IMMEDIATELY. RINSE MOUTH WITH WATER AND OBTAIN MEDICAL ATTENTION.		
SKIN CONTACT	REMOVE CONTAMINATED CLOTHES. WASH THOROUGHLY WITH SOAP AND WATER. CONTACT PHYSICIAN IF IRRITATION PERSISTS.		
EYE CONTACT	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.		
4.2 MOST IMPORTANT SYMPTOMS & EFFECTS (ACUTE & DELAYED)	INHALATION MAY CAUSE COUGHING AND DIFFICULTIES IN BREATHING. INGESTION IRRITATING TO THE RESPIRATORY TRACT AND MAY CAUSE DAMAGE TO THE CENTRAL NERVOUS SYSTEM. SKIN CONTACT TOXIC IN CONTACT WITH SKIN. EYE CONTACT MAY CAUSE EYE IRRITATION.		
4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION OR SPECIAL TREATMENT REQUIRED	None expected, see Section 4.1 for further information.		



EXTINGUISHING MATERIAL	FOAM, CO2, DRY CHEMICAL POWDER.
5.2 Special hazards arising from the substance Or MIXTURE	Burning produces irritating, toxic and obnoxious fumes
5.3 Advice for fire-fighters	SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS: WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING.
SECTION 6: ACCIDENTAL RELEASE MI	EASURES
6.1 PERSONAL PRECAUTIONS	ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, WEAR SUITABLE PROTECTIVE EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN, EYES AND CLOTHING.
6.2 Environmental precautions	DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCA AUTHORITY GUIDELINES.
6.3 METHODS & MATERIAL FOR CONTAINMENT AND CLEANING UP	REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN SPILLAGE IMMEDIATELY BY USE OF SAND OR INERT POWDER. DISPOSE OF ACCORDING TO LOCAL REGULATIONS.
6.4	Refer & consider section 8.
REFERENCES TO OTHER SECTIONS	Refer & Consider Section 13.
REFERENCES TO OTHER SECTIONS SECTION 7: HANDLING & STORAGE 7.1 PRECAUTIONS FOR SAFE-HANDLING	HANDLE IN ACCORDANCE WITH GOOD HYGIENE AND SAFETY PRACTICE. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND HOT SURFACES NO SMOKING. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. USE IN ACCORDANCE WITH GOOD MANUFACTURING AND INDUSTRIAL HYGIENE PRACTICES. USE IN AREAS WITH ADEQUATE VENTILATION DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.
SECTION 7: HANDLING & STORAGE 7.1	HANDLE IN ACCORDANCE WITH GOOD HYGIENE AND SAFETY PRACTICE. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND HOT SURFACES NO SMOKING. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. USE IN ACCORDANCE WITH GOOD MANUFACTURING AND INDUSTRIAL HYGIENE PRACTICES. USE IN AREAS



	Occupational	exposure limits	s :					
	- ACGIH TLV (/	American Confe	erence of Gov	vernmental In	dustrial Hygienis	ts, Threshold	d Limit Values, 2010)	
	:							
	CAS	TWA:	STEL:	Ceiling:	Definition :	Criteria :		
	76-22-2	2 ppm	3 ppm	-	-	-		
	- France (INRS	6 - ED984 :2008)) :					
					/ -			
	CAS	VME-ppm :	_	3 : VLE-ppm :	VLE-mg/m3 :	Notes :	TMP No :	
	76-22-2	2	12	-	-	-	-	
	- UK / WEL (W	orkplace expos	ure limits, El	H40/2005, 200	07) :			
	CAS	TWA:	STEL :	Ceiling :	Definition :	Criteria :		
	76-22-2	2 ppm	3 ppm	-	_	_		
8.1	70 22 2	z ppiii	3 ррпп					
CONTROL PARAMETERS								
	Derived no effect level (DNEL) or derived minimum effect level (DMEL):							
	LINALOOL (CA	AS: 78-70-6)						
	Final use: Wo	rkers.						
	Exposure method: Dermal contact.							
	Potential health effects: Short term systemic effects.							
	DNEL : 5 mg/kg b							
	G, 0	DNLL . 3 mg/kg body weight/day						
	Exposure metho	d: Dermal contact.						
		effects: Short term						
	T Oterralar meanting		iodai circotoi					
	DNEL : 15 MG	G OF SUBSTANCE	:/CM2					
		thod: Dermal (alth effects: L		YSTEMIC FEFF	CTS.			
	POTENTIAL HEALTH EFFECTS: LONG TERM SYSTEMIC EFFECTS. DNEL: 2.5 MG/KG BODY WEIGHT/DAY							
	EXPOSURE METHOD: DERMAL CONTACT.							
		ALTH EFFECTS: L		OCAL EFFECTS				
	DNEL : 15 MC	OF SUBSTANCE	:/см2					



EXPOSURE METHOD: INHALATION.

POTENTIAL HEALTH EFFECTS: SHORT TERM SYSTEMIC EFFECTS.

DNEL: 16.5 MG OF SUBSTANCE/M3

EXPOSURE METHOD: INHALATION.

POTENTIAL HEALTH EFFECTS: LONG TERM SYSTEMIC EFFECTS.

DNEL: 2.8 MG OF SUBSTANCE/M3

EXPOSURE METHOD: INHALATION.

POTENTIAL HEALTH EFFECTS: SHORT TERM SYSTEMIC EFFECTS.

DNEL: 16.5 MG OF SUBSTANCE/M3

EXPOSURE METHOD: INHALATION.

POTENTIAL HEALTH EFFECTS: LONG TERM SYSTEMIC EFFECTS.

DNEL: 2.8 MG OF SUBSTANCE/M3

FINAL USE: CONSUMERS.

EXPOSURE METHOD: INGESTION.

POTENTIAL HEALTH EFFECTS: SHORT TERM SYSTEMIC EFFECTS.

DNEL: 1.2 MG/KG BODY WEIGHT/DAY

EXPOSURE METHOD: INGESTION.

POTENTIAL HEALTH EFFECTS: LONG TERM SYSTEMIC EFFECTS.

DNEL: 0.2 MG/KG BODY WEIGHT/DAY

EXPOSURE METHOD: INGESTION.

POTENTIAL HEALTH EFFECTS: SHORT TERM SYSTEMIC EFFECTS.

DNEL: 1.2 MG/KG BODY WEIGHT/DAY

EXPOSURE METHOD: INGESTION.

POTENTIAL HEALTH EFFECTS: LONG TERM SYSTEMIC EFFECTS.

DNEL: 0.2 MG/KG BODY WEIGHT/DAY

EXPOSURE METHOD: DERMAL CONTACT.

POTENTIAL HEALTH EFFECTS: SHORT TERM SYSTEMIC EFFECTS.

 $\mathsf{DNEL}: 2.5\ \mathsf{MG/KG}\ \mathsf{BODY}\ \mathsf{WEIGHT/DAY}$

EXPOSURE METHOD: DERMAL CONTACT.

POTENTIAL HEALTH EFFECTS: SHORT TERM LOCAL EFFECTS.

DNEL: 15 MG OF SUBSTANCE/CM2

EXPOSURE METHOD: DERMAL CONTACT.

POTENTIAL HEALTH EFFECTS: LONG TERM SYSTEMIC EFFECTS.

DNEL: 1.25 MG/KG BODY WEIGHT/DAY

EXPOSURE METHOD: DERMAL CONTACT.

POTENTIAL HEALTH EFFECTS: LONG TERM LOCAL EFFECTS.

DNEL: 15 MG OF SUBSTANCE/CM2

EXPOSURE METHOD: DERMAL CONTACT.

POTENTIAL HEALTH EFFECTS: SHORT TERM SYSTEMIC EFFECTS.

DNEL: 2.5 MG/KG BODY WEIGHT/DAY

EXPOSURE METHOD: DERMAL CONTACT.



POTENTIAL HEALTH EFFECTS: SHORT TERM LOCAL EFFECTS.

OCCUPATIONAL EXPOSURE LIMITS:

- ACGIH TLV (AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS, THRESHOLD LIMIT VALUES, 2010) :

CAS TWA: STEL: CEILING: DEFINITION: CRITERIA:

76-22-2 2 PPM 3 PPM - - -

- FRANCE (INRS - ED984 :2008) :

CAS VME-PPM: VME-MG/M3: VLE-PPM: VLE-MG/M3: NOTES: TMP NO:

76-22-2 2 12 - - - -

- UK / WEL (WORKPLACE EXPOSURE LIMITS, EH40/2005, 2007):

CAS TWA: STEL: CEILING: DEFINITION: CRITERIA:

76-22-2 2 PPM 3 PPM - - -

DERIVED NO EFFECT LEVEL (DNEL) OR DERIVED MINIMUM EFFECT LEVEL (DMEL):

LINALOOL (CAS: 78-70-6) FINAL USE: WORKERS.

EXPOSURE METHOD: DERMAL CONTACT.

POTENTIAL HEALTH EFFECTS: SHORT TERM SYSTEMIC EFFECTS.

DNEL: 5 MG/KG BODY WEIGHT/DAY

EXPOSURE METHOD: DERMAL CONTACT.

POTENTIAL HEALTH EFFECTS: SHORT TERM LOCAL EFFECTS.

DNEL: 15 MG OF SUBSTANCE/CM2

EXPOSURE METHOD: DERMAL CONTACT.

POTENTIAL HEALTH EFFECTS: LONG TERM SYSTEMIC EFFECTS.

DNEL: 2.5 MG/KG BODY WEIGHT/DAY

EXPOSURE METHOD: DERMAL CONTACT.

POTENTIAL HEALTH EFFECTS: LONG TERM LOCAL EFFECTS.

DNEL: 15 MG OF SUBSTANCE/CM2

EXPOSURE METHOD: DERMAL CONTACT.

POTENTIAL HEALTH EFFECTS: SHORT TERM SYSTEMIC EFFECTS.

 $\mathsf{DNEL}: \mathsf{5}\,\mathsf{MG/KG}\,\mathsf{BODY}\,\mathsf{WEIGHT/DAY}$

EXPOSURE METHOD: DERMAL CONTACT.

POTENTIAL HEALTH EFFECTS: SHORT TERM LOCAL EFFECTS.

DNEL: 15 MG OF SUBSTANCE/CM2

EXPOSURE METHOD: DERMAL CONTACT.

POTENTIAL HEALTH EFFECTS: LONG TERM SYSTEMIC EFFECTS.

DNEL: 2.5 MG/KG BODY WEIGHT/DAY

EXPOSURE METHOD: DERMAL CONTACT.

POTENTIAL HEALTH EFFECTS: LONG TERM LOCAL EFFECTS.

DNEL: 15 MG OF SUBSTANCE/CM2



EXPOSURE METHOD: INHALATION.

POTENTIAL HEALTH EFFECTS: SHORT TERM SYSTEMIC EFFECTS.

DNEL: 16.5 MG OF SUBSTANCE/M3

EXPOSURE METHOD: INHALATION.

POTENTIAL HEALTH EFFECTS: LONG TERM SYSTEMIC EFFECTS.

DNEL: 2.8 MG OF SUBSTANCE/M3

EXPOSURE METHOD: INHALATION.

POTENTIAL HEALTH EFFECTS: SHORT TERM SYSTEMIC EFFECTS.

DNEL: 16.5 MG OF SUBSTANCE/M3

EXPOSURE METHOD: INHALATION.

POTENTIAL HEALTH EFFECTS: LONG TERM SYSTEMIC EFFECTS.

DNEL: 2.8 MG OF SUBSTANCE/M3

FINAL USE: CONSUMERS.

EXPOSURE METHOD: INGESTION.

POTENTIAL HEALTH EFFECTS: SHORT TERM SYSTEMIC EFFECTS.

DNEL: 1.2 MG/KG BODY WEIGHT/DAY

EXPOSURE METHOD: INGESTION.

POTENTIAL HEALTH EFFECTS: LONG TERM SYSTEMIC EFFECTS.

DNEL: 0.2 MG/KG BODY WEIGHT/DAY

EXPOSURE METHOD: INGESTION.

POTENTIAL HEALTH EFFECTS: SHORT TERM SYSTEMIC EFFECTS.

DNEL: 1.2 MG/KG BODY WEIGHT/DAY

EXPOSURE METHOD: INGESTION.

POTENTIAL HEALTH EFFECTS: LONG TERM SYSTEMIC EFFECTS.

DNEL: 0.2 MG/KG BODY WEIGHT/DAY

EXPOSURE METHOD: DERMAL CONTACT.

POTENTIAL HEALTH EFFECTS: SHORT TERM SYSTEMIC EFFECTS.

DNEL: 2.5 MG/KG BODY WEIGHT/DAY

EXPOSURE METHOD: DERMAL CONTACT.

POTENTIAL HEALTH EFFECTS: SHORT TERM LOCAL EFFECTS.

 $\mathsf{DNEL}: \mathsf{15}\,\mathsf{MG}\,\mathsf{OF}\,\mathsf{SUBSTANCE/CM2}$

EXPOSURE METHOD: DERMAL CONTACT.

POTENTIAL HEALTH EFFECTS: LONG TERM SYSTEMIC EFFECTS.

DNEL: 1.25 MG/KG BODY WEIGHT/DAY

EXPOSURE METHOD: DERMAL CONTACT.

POTENTIAL HEALTH EFFECTS: LONG TERM LOCAL EFFECTS.

DNEL: 15 MG OF SUBSTANCE/CM2

EXPOSURE METHOD: DERMAL CONTACT.

POTENTIAL HEALTH EFFECTS: SHORT TERM SYSTEMIC EFFECTS.

DNEL: 2.5 MG/KG BODY WEIGHT/DAY

EXPOSURE METHOD: DERMAL CONTACT.

POTENTIAL HEALTH EFFECTS: SHORT TERM LOCAL EFFECTS.



DNEL: 15 MG OF SUBSTANCE/CM2

EXPOSURE METHOD: DERMAL CONTACT.

POTENTIAL HEALTH EFFECTS: LONG TERM SYSTEMIC EFFECTS.

DNEL: 1.25 MG/KG BODY WEIGHT/DAY

EXPOSURE METHOD: DERMAL CONTACT.

POTENTIAL HEALTH EFFECTS: LONG TERM LOCAL EFFECTS.

DNEL: 15 MG OF SUBSTANCE/CM2

EXPOSURE METHOD: INHALATION.

POTENTIAL HEALTH EFFECTS: SHORT TERM SYSTEMIC EFFECTS.

DNEL: 4.1 MG OF SUBSTANCE/M3

EXPOSURE METHOD: INHALATION.

POTENTIAL HEALTH EFFECTS: LONG TERM SYSTEMIC EFFECTS.

DNEL: 0.7 MG OF SUBSTANCE/M3

EXPOSURE METHOD: INHALATION.

POTENTIAL HEALTH EFFECTS: SHORT TERM SYSTEMIC EFFECTS.

DNEL: 4.1 MG OF SUBSTANCE/M3

EXPOSURE METHOD: INHALATION.

POTENTIAL HEALTH EFFECTS: LONG TERM SYSTEMIC EFFECTS.

DNEL: 0.7 MG OF SUBSTANCE/M3

PREDICTED NO EFFECT CONCENTRATION (PNEC): LINALOOL (CAS: 78-70-6)

ENVIRONMENTAL COMPARTMENT: SOIL.

PNEC: 0.327 MG/KG

ENVIRONMENTAL COMPARTMENT: SOIL.

PNEC: 0.327 MG/KG

ENVIRONMENTAL COMPARTMENT: FRESH WATER.

PNEC: 0.2 MG/L

ENVIRONMENTAL COMPARTMENT: FRESH WATER.

PNEC: 0.2 MG/L

ENVIRONMENTAL COMPARTMENT: SEA WATER.

PNEC: 0.02 MG/L

ENVIRONMENTAL COMPARTMENT: SEA WATER.

PNEC : 0.02 MG/L

ENVIRONMENTAL COMPARTMENT: INTERMITTENT WASTE WATER.

PNEC: 2 MG/L

ENVIRONMENTAL COMPARTMENT: INTERMITTENT WASTE WATER.

PNEC: 2 MG/L

ENVIRONMENTAL COMPARTMENT: FRESH WATER SEDIMENT.

PNEC: 2.22 MG/KG



ENVIRONMENTAL COMPARTMENT: FRESH WATER SEDIMENT.

PNEC: 2.22 MG/KG

ENVIRONMENTAL COMPARTMENT: MARINE SEDIMENT.

PNEC: 0.222 MG/KG

ENVIRONMENTAL COMPARTMENT: MARINE SEDIMENT.

PNEC: 0.222 MG/KG

ENVIRONMENTAL COMPARTMENT: WASTE WATER TREATMENT PLANT.

PNEC: 10 MG/L

ENVIRONMENTAL COMPARTMENT: WASTE WATER TREATMENT PLANT.

PNEC: 10 MG/L

8.2 EXPOSURE CONTROLS



EYE PROTECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.		
HAND PROTECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.		
	Under normal conditions of use and where adequate ventilation is available to prevent build		
RESPIRATORY EQUIPMENT	UP OF EXCESSIVE VAPOUR, THIS MATERIAL SHOULD NOT REQUIRE SPECIAL ENGINEERING CONTROLS.		
	HOWEVER, IN CONDITIONS OF HIGH OR PROLONGED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS		
	WHICH INCREASE EXPOSURE, THE FOLLOWING ENGINEERING CONTROLS CAN BE USED TO MINIMISE EXPOSURE		
	TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUST VENTILATION. B) PERSONNEL		
	CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE OR		
	CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS		
	material. Also refer to Sections 2 and 7.		
HYGIENE MEASURES	GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS		
THOLENE MEASURES	/OILS.		
Engineering Measures	None.		
SKIN PROTECTION	WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT.		
PERSONAL PROTECTION	AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES.		
	AVOID SKIN CONTACT.		
	WEAR SUITABLE PROTECTIVE CLOTHING.		
	SUITABLE TYPE OF PROTECTIVE CLOTHING:		
	IN THE EVENT OF SUBSTANTIAL SPATTER, WEAR LIQUID-TIGHT PROTECTIVE CLOTHING AGAINST CHEMICAL		
OTHER PROTECTION	RISKS (TYPE 3) IN ACCORDANCE WITH EN14605 TO PREVENT SKIN CONTACT.		
	IN THE EVENT OF A RISK OF SPLASHING, WEAR PROTECTIVE CLOTHING AGAINST CHEMICAL RISKS (TYPE 6) IN		
	ACCORDANCE WITH EN13034 TO PREVENT SKIN CONTACT.		
	Work clothing worn by personnel shall be laundered regularly.		
	AFTER CONTACT WITH THE PRODUCT, ALL PARTS OF THE BODY THAT HAVE BEEN SOILED MUST BE WASHED.		
PROCESS CONDITIONS	Ensure area is well ventilated. Avoid vapour inhalation. Safety shower & Eye bath.		
ENVIROMENTAL EXPOSURE CONTROLS	S AVOID DISCHARGING INTO DRAINAGE WATER.		



SECTION 9: PHYSICAL & CHEMICAL	
PROPERTIES	
9.1	
PHYSICAL & CHEMICAL PROPERTIES	
Appearance	LIQUID
COLOUR	PALE YELLOW
ODOUR	Characteristic
RELATIVE DENSITY	0.884 - 898 @ 20°C
Flash Point (°C)	71°C.
REFRACTIVE INDEX @ 20 °C	1.457 – 1.462 @ 20°C
Solubility in water @ 20 °C	INSOLUBLE IN WATER
9.2	NO DATA.
OTHER INFORMATION	INO DATA.
SECTION 10: STABILITY & REACTIVITY	
10.1	NOT APPLICABLE.
REACTIVITY 10.2	
CHEMICAL STABILITY	Stable under suggested storage conditions (<15°C).
10.3	
POSSIBILITY OF HAZARDOUS REACTIONS	No.
10.4	STORAGE AT HIGH TEMPERATURES. DO NOT STORE ABOVE 15°C.
CONDITIONS TO AVOID	STONAGE AT HIGH TENNI ENATURES. DO NOT STONE ABOVE TO C.
10.5	AVOID CONCENTRATED ACIDS, ALKALIS & OXIDISING AGENTS.
INCOMPATIBLE MATERIALS	·
10.6	THIS PRODUCT DOES NOT DECOMPOSE UNDER NORMAL CONDITIONS. UNDER FIRE CONDITIONS THE
HAZARDOUS DECOMPOSITION PRODUCTS	PRODUCT WILL PRODUCE A MIXTURE OF IRRITATING FUMES & SMOKE & CARBON MONOXIDE.

SECTION 11: TOXICOLOGICAL INFORMATION	
11.1	
TOXICOLOGICAL EFFECTS	
	CAMPHOR L(XN68)=10% X (CAS: 76-22-2)
	Oral route : LD50 = 1500 mg/kg
	INHALATION ROUTE : LC50 = 1.5 mg/l
Acute Toxicity	EUCALYPTOL (CAS: 470-82-6) ORAL ROUTE: LD50 = 2480 MG/KG
	LINALOOL (CAS: 78-70-6)
	Oral route : LD50 = 2790 mg/kg.
SKIN IRRITATION	Considered a skin irritant (Route: DRM). There may be irritation and redness at
SKIN IRRITATION	SITE OF CONTACT.
EYE DAMAGE OR IRRITATION	THERE MAY BE IRRITATION AND REDNESS. EYES WILL WATER PROFUSELY.



RESPIRATORY OR SKIN SENSITIVITY	On Ingestion: There may be soreness and redness of the mouth and throat.
	NAUSEA AND STOMACH PAIN MAY OCCUR. THERE MAY BE VOMITING.
	ON INHALATION: THERE MAY BE IRRITATION OF THE THROAT WITH A FEELING OF
	TIGHTNESS IN THE CHEST.
GERM CELL MUTAGENICITY	NOT APPLICABLE.
CARCINOGENICITY	NOT APPLICABLE.
REPRODUCTIVE TOXICITY	NOT APPLICABLE.
STOT – SINGLE EXPOSURE	NOT APPLICABLE.
STOT – REPEATED EXPOSURE	NOT APPLICABLE.
ASPIRATION HAZARD	MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.
OTHER INFORMATION	NO DATA.
SECTION 12: ECOLOGICAL INFORMATION	
12.1 TOXICITY	AQUATIC LIFE: VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. FISH/AQUATIC VERTEBRATES: NO ADDITIONAL DATA AVAILABLE. PNECS: NO ADDITIONAL DATA AVAILABLE.
12.2 PERSISTENCE & DEGRADABILITY	This material is considered readily biodegradable, therefore does not fulfil the criteria for persistence.
12.3 BIO- ACCUMULATIVE POTENTIAL	BIOACCUMULATION POTENTIAL.
12.4 MOBILITY IN SOIL	THIS MATERIAL IS CONSIDERED READILY BIODEGRADABLE, THEREFORE SIMULATION TESTS IN SURFACE WATER, SEDIMENT AND SOIL ARE NOT REQUIRED IN ACCORDANCE WITH COLUMN 2 OF REACH ANNEX IX.
12.5 RESULTS OF PBT & VPVB ASSESSMENT	This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.
12.6 OTHER ADVERSE EFFECTS	DO NOT ALLOW PRODUCT TO ENTER STREAMS, SEWERS OR OTHER WATERWAYS.
SECTION 13: DISPOSAL INFORMATION	
13.1 WASTE TREATMENT METHODS	ALWAYS RECOVER SPILLED PRODUCT. DISCARD WASTE MATERIAL WITH AUTHORIZED WASTE MANAGEMENT SERVICES. ACT IN ACCORDANCE WITH LOCAL & NATIONAL WASTE REGULATIONS.

SECTION 14: Transport Information	
14.1	
TRANSPORT INFORMATION	
	ROAD: 3082
UN NUMBER	SEA: 3082
	AIR: 3082



14.2 UN SHIPPING NAME	ENVIRONMENTALLY HAZARDOUS SUBSTANCE
	ADR/RID/ADN CLASS: 9: MISCELLANEOUS DANGEROUS SUBSTANCES AND ARTICLES.
	IMDG CLASS: 9: MISCELLANEOUS DANGEROUS SUBSTANCES AND ARTICLES.
	ICAO CLASS/DIVISION: 9: MISCELLANEOUS DANGEROUS SUBSTANCES AND ARTICLES.
14.3	
RANSPORT HAZARD CLASS(ES)	TRANSPORT LABELS
	MISCELLANEOUS BANGEROUS GOODS 9
	ADR/RID/ADN PACKING GROUP III
14.4 PACKING GROUP	IMDG PACKING GROUP III
ACKITO CILOUI	ICAO PACKING GROUP ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT.
14.5 Enviromental Hazards	ADDITION OF THE PROPERTY OF TH
	ADR/RID CLASS CODE PACK GR. LABEL IDENT. LQ PROVIS. EQ CAT TUNNEL 9 M6 III 9 90 5 L 274 335 601 E1 3 E
	IMDG CLASS 2°LABEL PACK GR. LQ EMS PROVIS. EQ 9 - III 5 L F-A,S-F 274 335 E1
14.6	IATA CLASS 2°LABEL PACK GR. PASSAGER PASSAGER CARGO CARGO NOTE EQ
SPECIAL PRECAUTIONS FOR USER	9 - III 964 450 L 964 450 L A97 / A158 E1
	9 - III Y964 30 KG G A97 / A158 E1
	FOR LIMITED QUANTITIES, SEE PART 2.7 OF THE OACI/IATA AND CHAPTER 3.4 OF THE ADR AND IMDG. FOR EXCEPTED QUANTITIES, SEE PART 2.6 OF THE OACI/IATA AND CHAPTER 3.5 OF T ADR AND IMDG.
14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 & THE IBC CODE.	NOT APPLICABLE.



SECTION 15: REGULATORY INFORMATION	
15.1 PRODUCT SPECIFIC SAFETY, HEALTH & ENVIRONMENTAL REGULATIONS & LEGISLATION	
EU DIRECTIVES	REGULATION (EC) NO 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 18 TH DECEMBER 2006. CONCERNING THE REGISTRATION, EVALUATION, AUTHORIZATION & RESTRICTION OF CHEMICALS (REACH), ESTABLISHING A EUROPEAN CHEMICALS AGENCY, AMENDING DIRECTIVE 1999/45/EC AND REPEALING COUNCIL REGULATION (EEC) NO793/93 & COMMISSION REGULATION (EC) NO1488/94 AS WELL AS COUNCIL DIRECTIVE 76/769/EEC & COMMISSION DIRECTIVE 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (INCLUDING AMENDMENTS).
STATUTORY INSTRUMENTS	THE CHEMICALS (HAZARD INFORMATION & PACKAGING FOR SUPPLY REGULATIONS 2009 (S.I.2009 NO 716).
APPROVED CODE OF PRACTICE	CLASSIFICATION & LABELLING OF SUBSTANCES & PREPARATIONS DANGEROUS FOR SUPPLY. SAFETY DATA SHEETS FOR SUBSTANCES & PREPARATIONS.
GUIDANCE NOTES	WORKPLACE EXPOSURE LIMITS EH40. CHIP FOR EVERYONE HSG 108.
15.2 CHEMICAL SAFETY ASSESSMENT	-

SECTION 16: OTHER INFORMATION	
	H226 FLAMMABLE LIQUID AND VAPOUR.
	H228 Flammable solid.
	H302 Harmful if swallowed.
	H315 Causes skin irritation.
HAZARD AND/ OR PRECAUTIONARY STATEMENTS IN FULL	H317 May cause an allergic skin reaction.
HAZARD AND/ OR PRECAUTIONARY STATEMENTS IN FULL	H319 Causes serious eye irritation.
	H332 HARMFUL IF INHALED.
	H371 May cause damage to organs.
	H400 VERY TOXIC TO AQUATIC LIFE.
	H410 Very toxic to aquatic life with long lasting effects.
TRAINING INCTRUCTIONS. PETER TO POSSIBLE HAZARD REFORE HISE OF	
HIS PRODUCT.	
HIS PRODUCT.	Material Safety Data Sheet.
HIS PRODUCT. ABBREVIATIONS & ACRONYMS:	MATERIAL SAFETY DATA SHEET. INTERNATIONAL NOMENCLATURE OF COSMETIC INGREDIENTS.
THIS PRODUCT. ABBREVIATIONS & ACRONYMS: MSDS	
THIS PRODUCT. ABBREVIATIONS & ACRONYMS: MSDS INCI	INTERNATIONAL NOMENCLATURE OF COSMETIC INGREDIENTS.
THIS PRODUCT. ABBREVIATIONS & ACRONYMS: MSDS INCI CAS	INTERNATIONAL NOMENCLATURE OF COSMETIC INGREDIENTS. CHEMICAL ABSTRACT SERVICE.
INCI CAS	International Nomenclature of Cosmetic Ingredients. Chemical Abstract Service. International Maritime code for Dangerous Goods.



RID	International Carriage of Dangerous Goods by Rail.
ICAO	International Civil Aviation Organization.
ADN	International Carriage of Dangerous Goods by Inland Waterways.
GHS	Globally Harmonized System of classification & labelling of chemicals.
TREM CARD	Transport Emergency Card.
STOT	Specific Target Organ Toxicity.

DOCUMENTATION REVISION	
DATE	CHANGE DESCRIPTION
10 [™] APRIL 2018	Data Launch

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with MADAR regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from MADAR.



SPECIFICATION SHEET

PRODUCT NAME: SPIKE LAVENDER, ESSENTIAL OIL

PRODUCT INCI: LAVANDULA LATIFOLIA HERB

PRODUCT CODE: OESPIKLAVE CAS NUMBER: 84837-04-7 EINECS NUMBER: 284-290-6

MANUFACTURING METHOD: STEAM DISTILLED

SHELF LIFE / BEST BEFORE: 24 MONTHS

ANALYTICAL DETAILS	RANGE
Appearance	LIQUID
Colour	Pale Yellow - Yellow
Odour	Characteristic, Lavender
SPECIFIC GRAVITY @ 20°C	0.884 – 0.898
REFRACTIVE INDEX @ 20°C	1.457 – 1.463
OPTICAL ROTATION (°C)	-1.0 to +5.0

STORAGE CONDITIONS

STORE IN A COOL DRY PLACE AWAY FROM HEAT & SUNLIGHT

DOCUMENTATION REVIEW DATE:

24TH MAY 2018