MYSTIC MOMENTS


Certificate of Analysis

| PRODUCT DETAILS | | | | | |
|--------------------------|----------------------------------|--|-----------------|------------------------|---------|
| Product Name | duct Name CLARY SAGE OIL ORGANIC | | | | |
| Product Code | | OCCLARSAGE | | | |
| | | | | | |
| Batch Number | | 4445205 | | | |
| Best Before End | | September 2024 | | | |
| | | | | | |
| Identification | | CAS No:8016-63-5 | | EINECS No: 283-911-8 | |
| | | Alternative CAS: 84775-83-7 | | FEMA: 2321 | |
| PHYSICAL AND CHE | MICAL CH | ARACTERISTIC | | | |
| | | SPECIFICATION RA | ANGE | RESULTS | 5 |
| Appearance | | Liquid | | Conforms | |
| Colour | | Colourless to Yellow - Brown Conforms | | S | |
| Odour | | Characteristic- Sweet, Herbaceous, Ambery Conforms | | S | |
| Relative Density @ 20°C | | 0.890 - 0.930 0.902 | | | |
| Refractive Index @ 20°C | | 1.456 - 1.473 | | 1.462 | |
| Optical Rotation ° | | -26 to -1' | | -14.90 | |
| Flash Point °C | | ≥70 | | Conform | S |
| MAIN CONSTITUEN | TS | | | | |
| CONSTITUENT RANGE | RESULTS | CONSTITUENT RANGE | RESULTS C | ONSTITUENT RANGE | RESULTS |
| Linalyl Acetate 50 - 75% | 67.30% | Linalool 10 - 25% | 19.33% G | eranyl Acetate < 2.5% | 1.62% |
| Alpha Terpineol < 2.5% | 1.72% | Geraniol 0.01-5% | 1.66% | Limonene < 2% | 0.32% |
| STORAGE AND SHE | LF LIFE | | | | |
| Storage | | Store in tightly closed contain and dry place. | ner with minim | um headspace in a cool | , dark |

DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the Company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitability of such information for his own particular use. Where MADAR Corporation make a declaration that allergenic material are not present in any product, this statement is made assuming reasonable levels of detection. It is impossible to guarantee the "absolute absence" of any material. It is the ultimate responsibility of the customer to ensure the safety of the intended final product containing this material, by carrying out additional tests if necessary.

MYSTIC MOMENTS

PROCESSING – CLARY SAGE ORGANIC FLOW CHART



MYSTIC MOMENTS

SAFETY DATA SHEET CLARY SAGE OIL ORGANIC

| SECTION 1: Identification of the substance/mixture and of the company/undertaking | | |
|--|---|--|
| 1.1. Product identifier | | |
| Product name | CLARY SAGE OIL ORGANIC | |
| Product number | OCCLARSAGE | |
| Synonyms; trade names | Salvia Sclarea Oil | |
| CAS number | 8016-63-5 | |
| Alternative Cas Number | 84775-83-7 | |
| EC number | 283-911-8 | |
| FEMA No: | 2321 | |
| 1.2. Relevant identified uses of | of the substance or mixture and uses advised against | |
| Identified uses | Fragrance use | |
| 1.3. Details of the supplier of the supplicit states and the supplicit states are supplied as the supplicit states are supplicit. The supplicit states are supplicit states are supplied as the supplicit states are supplied as the supplicit states are supplicit states are supplicit states are supplicit. The supplicit states are supplicit. The supplicit states are supplicit states are supplicit states are supplicit. The supplicit states are supplicit states are supplicit states are supplicit. The supplicit states are supplicit states are supplicit. The supplicit states are supplicit states are supplicit states are supplicit. The supplicit states are supplic | the safety data sheet | |
| Supplier | | |
| | MADAR Corporation Limited | |
| | 19-20 Sandleheath Industrial Estate | |
| | Fordingbridge | |
| | SP6 1PA | |
| | Tel. +44 1425 655555 (Opening Hours 9am - 5pm) | |
| | e-mail sales@madarcorporation.co.uk | |
| Approved sellers | Cosmetic Butters, Mystic Moments, New Directions, World of Moulds | |

1.4. Emergency telephone number

| SECTION 2: Hazards identification | | |
|---|--|--|
| 2.1. Classification of the substance or mixture | | |
| Classification (EC 1272/2008) | | |
| Physical hazards | Not Classified | |
| Health hazards | Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 | |
| Environmental hazards | Aquatic Chronic 3 - H412 | |
| | | |
| Human health | May cause an allergic skin reaction. Causes serious eye irritation Causes skin irritation. | |
| Environmental | Harmful to aquatic life with long lasting effects. | |
| 2.2. Label elements | | |
| EC number | 283-911-8 | |

Pictogram



| Signal word | Warning |
|--|---|
| Hazard statements | H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects. |
| Precautionary statements | P261 Avoid breathing vapour/ spray. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P501 Dispose of contents/ container in accordance with national regulations. |
| Contains | Linalool, Geranyl Acetate, Geraniol, (R)-p-mentha-1,8-diene |
| Supplementary precautionary statements | P264 Wash contaminated skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P302+P352 IF ON SKIN: Wash with plenty of water. P321 Specific treatment (see medical advice on this label). P332+P313 If skin irritation occurs: Get medical advice/ attention. P337+P313 If eye irritation persists: Get medical advice/ attention. |

2.3. Other hazards

| SECTION 3: Composition/informa | ation on ingredients | |
|---|----------------------|--|
| 3.2. Mixtures | | |
| Linalyl Acetate | | 50 - 70% |
| CAS number: 115-95-7 | EC number: 204-116-4 | REACH registration number: 01- 2119454789-19-0000 |
| Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 | | |
| Linalool | | 10 - 25% |
| CAS number: 78-70-6 | EC number: 201-134-4 | |
| Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 | | |
| Geranyl Acetate | | < 2.5% |
| CAS number: 105-87-3 | EC number: 203-341-5 | |
| Classification Skin Irrit. 2 - H315 Skin Sens. 1B - H317 Aquatic Chronic 3 - H412 | | |
| p-menth-1-en-8-ol | | < 2.5% |
| CAS number: 98-55-5 | EC number: 202-680-6 | |
| Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 | | |
| Geraniol | | < 2.5% |
| CAS number: 106-24-1 | EC number: 203-377-1 | |
| Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 | | |

| (R)-p-mentha-1,8-diene | < 2 % |
|---------------------------------|---|
| CAS number: 5989-27-5 | EC number: 227-813-5 |
| M factor (Acute) = 1 | M factor (Chronic) = 1 |
| Classification | |
| Flam. Liq. 3 - H226 | |
| Skin Irrit. 2 - H315 | |
| Skin Sens. 1 - H317 | |
| Aquatic Acute 1 - H400 | |
| Aquatic Chronic 1 - H410 | |
| The Full Text for all R-Phras | ses and Hazard Statements are Displayed in Section 16. |
| SECTION 4: First aid meas | ures |
| 4.1. Description of first aid r | neasures |
| Inhalation | Remove person to fresh air and keep comfortable for breathing. Maintain an open airway. Get medical attention if any discomfort continues. |
| Ingestion | Rinse mouth thoroughly with water. Do not induce vomiting. Get medical attention if any discomfort continues. |
| Skin contact | Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. Wash skin thoroughly with soap and water or use an approved skin cleanser. Continue to rinse for at least 15 minutes. Get medical attention. |
| Eye contact | Remove any contact lenses and open eyelids wide apart. Wash with plenty of water. Continue to rinse for at least 15 minutes and get medical attention. |
| 4.2. Most important sympto | ms and effects, both acute and delayed |
| General information | No further information available at this time. |
| | |

4.3. Indication of any immediate medical attention and special treatment needed

| 4.3. Indication of any immediate medical attention and special treatment needed | | |
|---|--|--|
| Notes for the doctor | No data available. | |
| SECTION 5: Firefighting meas | sures | |
| 5.1. Extinguishing media | | |
| Suitable extinguishing media | Use as appropriate carbon dixoide (CO2), dry chemical or foam | |
| Unsuitable extinguishing media | For safety reasons do not use full water jet. | |
| 5.2. Special hazards arising fr | om the substance or mixture | |
| Specific hazards | In case of fire, the following can be released: carbon monoxide (CO), carbon dioxide (CO2), smoke, soot. Do not breathe in smoke | |
| Hazardous combustion products | Carbon dioxide (CO2). Carbon monoxide (CO). | |
| 5.3. Advice for firefighters | | |
| Protective actions during firefighting | Avoid breathing fire gases or vapours. Control run-off water by containing and keeping it out of sewers and watercourses. | |
| Special protective equipment for firefighters | Wear full protective clothing | |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautionsEnsure adequate ventilation of the working area, evacuate personnel to safe area, wear
suitable protective equipment. Keep unnecessary and unprotected personnel away from the
spillage. No smoking, sparks, flames or other sources of ignition near spillage. Avoid contact
with skin, eyes and clothing. Avoid inhalation of vapours. Wear suitable protective equipment,
including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate.
Treat the spilled material according to the instructions in the clean-up section. Wash
thoroughly after dealing with a spillage.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Cover with inert, inorganic, non-combustible material (e.g dry-lime, sand, soda ash). Place in covered containers and dispose of in accordance with local authority guidelines. Never return spills in original containers for re-use. Wash spill site after material pick up is complete. Clean preferably with a detergent, do not use solvents. No smoking, sparks, flames or other sources of ignition near spillage.

6.4. Reference to other sections

| SECTION 7: Handling and storage 7.1. Precautions for safe handling | | |
|--|---|--|
| | | |
| 7.2. Conditions for safe stor | age, including any incompatibilities | |
| Storage precautions | Store in tightly-closed, original container in a dry, cool and well-ventilated place. | |
| 7.3. Specific end use(s) | | |
| SECTION 8: Exposure Controls/personal protection | | |
| 8.1. Control parameters | | |
| | Linalyl Acetate (CAS: 115-95-7) | |
| DNEL | Workers - Inhalation; Long term systemic effects: 2.75 mg/m³ Workers - Dermal; Long term systemic effects: 2.5 mg/kg, bw/day | |

General population - Inhalation; Long term systemic effects: 0.68 mg/m³ General population - Dermal; Long term systemic effects: 1.25 mg/kg, bw/day General population - Oral; Long term systemic effects: 0.2 bw/day, mg/kg

| PNEC | Fresh water; Short term 0.011 mg/l Intermittent release, Fresh water; 0.11 mg/l Marine water; Short term 0.001 mg/l STP; Short term 10 mg/l Sediment (Freshwater); Short term 0.609 mg/kg Sediment (Marinewater); Short term 0.061 mg/kg Soil; Short term 0.115 mg/kg |
|------|---|
| | Linalool (CAS: 78-70-6) |
| DNEL | Workers - Dermal; Short term systemic effects: 5 mg/kg Workers - Inhalation; Short term systemic effects: 16.5 mg/m ³ Workers - Dermal; Long term systemic effects: 2.5 mg/kg Workers - Inhalation; Long term systemic effects: 2.8 mg/m ³ General population - Oral; Short term systemic effects: 1.5 mg/kg General population - Dermal; Short term systemic effects: 2.5 mg/kg General population - Inhalation; Short term systemic effects: 4.1 mg/m ³ General population - Oral; Long term systemic effects: 0.2 mg/kg General population - Dermal; Long term systemic effects: 1.25 mg/kg General population - Inhalation; Long term systemic effects: 0.7 mg/m ³ -; : |
| PNEC | STP; Short term 10 mg/l Soil; Short term 0.327 mg/kg Intermittent release; Short term 2 mg/l Fresh water; Short term 0.2 mg/l Marine water; Short term 0.02 mg/l Sediment (Freshwater); Short term 2.22 mg/kg Sediment (Marinewater); Short term 0.222 mg/kg |
| | Geranyl Acetate (CAS: 105-87-3) |
| DNEL | Workers - Inhalation; Long term systemic effects: 62.59 mg/m ³ Workers - Dermal; Long term systemic effects: 35.5 bw/day, mg/kg General population - Inhalation; Long term systemic effects: 15.4 mg/m ³ General population - Dermal; Long term systemic effects: 17.75 bw/day, mg/kg General population - Oral; Long term systemic effects: 8.9 mg/kg, bw/day |
| PNEC | Fresh water; Short term 3.72 mg/l Intermittent release, Fresh water; 37.2 mg/l Marine water; Short term 0.372 mg/l STP; Short term 8 mg/l Sediment (Freshwater); Short term 0.442 mg/kg Sediment (Marinewater); Short term 0.044 mg/kg Soil; Short term 0.086 mg/kg |
| | p-menth-1-en-8-ol (CAS: 98-55-5) |
| PNEC | Fresh water; Short term 68 mg/l Marine water; Short term 6.8 mg/l STP; Short term 2.6 mg/l Sediment (Freshwater); Short term 1.85 mg/kg Sediment (Marinewater); Short term 0.185 mg/kg Soil; Short term 0.329 mg/kg |
| | Geraniol (CAS: 106-24-1) |

| DNEL | Workers - Inhalation; Long term systemic effects: 161.6 mg/m ³ Workers - Dermal; Long term systemic effects: 12.5 mg/kg, bw/day General population - Inhalation; Long term systemic effects: 47.8 mg/m ³ General population - Dermal; Long term systemic effects: 7.5 mg/kg, bw/day General population - Oral; Long term systemic effects: 13.75 bw/day, mg/kg |
|------|--|
| PNEC | Fresh water; Short term 0.011 mg/l Intermittent release, Fresh water; 0.108 mg/l Marine water; Short term 0.001 mg/l STP; Short term 0.7 mg/l Sediment (Freshwater); Short term 0.115 mg/kg Sediment (Marinewater); Short term 0.011 mg/kg Soil; Short term 0.017 mg/kg (R)-p-mentha-1,8-diene (CAS: 5989-27-5) |
| DNEL | Workers - Inhalation; Long term systemic effects: 33.3 mg/m³ General population - Oral; Long term systemic effects: 4.76 mg/kg |
| PNEC | - STP; 1.8 mg/l - Soil; 0.262 mg/kg - Fresh water; 0.0054 mg/l - Marine water; 0.00054 mg/l - Sediment (Freshwater); 1.32 mg/kg |

- Sediment (Marinewater); 0.13 mg/kg

8.2. Exposure controls

Protective equipment







| Appropriate engineering controls | Provide eyewash station Provide adequate ventilation. |
|------------------------------------|--|
| Personal protection | Use personal protection according to Directive 89/686/EEC |
| Eye/face protection | Approved safety goggles. |
| Hand protection | Chemical resistant gloves (PVC) |
| Other skin and body protection | Wear apron or protective clothing in case of contact. |
| Hygiene measures | Good personal hygiene procedures should be implemented. |
| Respiratory protection | Generally unnecessary in a well ventilated area. If ventilation is insufficient, respiratory protection must be worn. |
| Environmental exposure controls | Do not allow run-off fire fighting to enter drains or water courses. |

| SECTION 9: Physical and Chemical Properties | | | |
|---|--|--|--|
| 9.1. Information on basic phys | 9.1. Information on basic physical and chemical properties | | |
| Appearance | Liquid. | | |
| Colour | Colourless. to Yellow Brown. | | |
| Odour | Characteristic. Sweet herbaceous Ambery | | |
| Flash point | ≥ 79°C | | |
| Relative density | 0.890 - 0.908 @ 20°C | | |
| Solubility(ies) | Insoluble in water. | | |
| 9.2. Other information | | | |
| Refractive index | 1.456 - 1.466 @ 20°C | | |
| Optical Rotation | -26 to -8 | | |
| Hydrocarbon Content | | | |
| SECTION 10: Stability and rea | activity | | |
| 10.1. Reactivity | | | |
| Reactivity | No hazardous reactions if stored and handled as prescribed / indicated. | | |
| 10.2. Chemical stability | | | |
| Stability | Stable under the prescribed storage conditions. | | |
| 10.3. Possibility of hazardous | reactions | | |
| Possibility of hazardous reactions | No data available. | | |
| 10.4. Conditions to avoid | | | |
| Conditions to avoid | No data available. | | |
| 10.5. Incompatible materials | | | |
| Materials to avoid | No data available. | | |
| 10.6. Hazardous decomposition | on products | | |
| Hazardous decomposition products | Heating may generate the following products: Carbon dioxide (CO2). Carbon monoxide (CO). | | |
| SECTION 11: Toxicological information | | | |
| 11.1. Information on toxicolog | ical effects | | |
| <u>Acute toxicity - oral</u> Notes (oral LD₅o) | No information available. | | |
| Acute toxicity - dermal Notes (dermal LD50) | No information available. | | |
| Acute toxicity - inhalation Notes (inhalation LC_{50}) | No information available. | | |
| Skin corrosion/irritation Skin corrosion/irritation | Causes skin irritation. | | |

| Serious eye damage/irritation Serious eye damage/irritation | | | | |
|--|---|--|--|--|
| Skin sensitisation Skin sensitisation | May cause an allergic skin reaction. | | | |
| Aspiration hazard Aspiration hazard | No data available. | | | |
| SECTION 12: Ecological Info | mation | | | |
| 12.1. Toxicity | | | | |
| Toxicity | No data available. | | | |
| Toxicity to soil | No data available. | | | |
| 12.2. Persistence and degrad | ability | | | |
| Biodegradation | No information available. | | | |
| 12.3. Bioaccumulative potential 12.4. Mobility in soil | | | | |
| Mobility | No data available. | | | |
| 12.5. Results of PBT and vPvB assessment | | | | |
| 12.6. Other adverse effects | | | | |
| SECTION 13: Disposal consid | | | | |
| 13.1. Waste treatment methods | | | | |
| | — | | | |
| Disposal methods | Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Do not empty into drains. Avoid releasing into the environment. | | | |
| | Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Do not empty into drains. Avoid releasing into the environment. | | | |
| Disposal methods | Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Do not empty into drains. Avoid releasing into the environment. | | | |
| Disposal methods SECTION 14: Transport inform | Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Do not empty into drains. Avoid releasing into the environment. mation The product is not covered by international regulations on the transport of dangerous goods | | | |
| Disposal methods SECTION 14: Transport inform General | Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Do not empty into drains. Avoid releasing into the environment. mation The product is not covered by international regulations on the transport of dangerous goods | | | |
| Disposal methods SECTION 14: Transport inform General 14.1. UN number | Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Do not empty into drains. Avoid releasing into the environment. mation The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID). | | | |
| Disposal methods SECTION 14: Transport inform General 14.1. UN number Not applicable. | Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Do not empty into drains. Avoid releasing into the environment. mation The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID). | | | |
| Disposal methods SECTION 14: Transport inform General <u>14.1. UN number</u> Not applicable. <u>14.2. UN proper shipping nam</u> | Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Do not empty into drains. Avoid releasing into the environment. mation The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID). | | | |
| Disposal methods SECTION 14: Transport inform General <u>14.1. UN number</u> Not applicable. <u>14.2. UN proper shipping name</u> Not applicable. | Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Do not empty into drains. Avoid releasing into the environment. nation The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID). Ne es) | | | |
| Disposal methods SECTION 14: Transport inform General <u>14.1. UN number</u> Not applicable. <u>14.2. UN proper shipping name</u> Not applicable. <u>14.3. Transport hazard class(</u> | Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Do not empty into drains. Avoid releasing into the environment. nation The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID). Ne es) | | | |
| Disposal methods SECTION 14: Transport inform General <u>14.1. UN number</u> Not applicable. <u>14.2. UN proper shipping name</u> Not applicable. <u>14.3. Transport hazard class(</u> No transport warning sign req | Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Do not empty into drains. Avoid releasing into the environment. nation The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID). Ne es) | | | |
| Disposal methods SECTION 14: Transport inform General 14.1. UN number Not applicable. 14.2. UN proper shipping name Not applicable. 14.3. Transport hazard class(No transport warning sign required 14.4. Packing group | Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Do not empty into drains. Avoid releasing into the environment. nation The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID). Ne es) | | | |
| Disposal methods SECTION 14: Transport inform General 14.1. UN number Not applicable. 14.2. UN proper shipping name Not applicable. 14.3. Transport hazard class(No transport warning sign required 14.4. Packing group Not applicable. | Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Do not empty into drains. Avoid releasing into the environment. nation The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID). ne es) uired. | | | |

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

| EU legislation | Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). |
|----------------|--|
| Guidance | CHIP for everyone HSG228. |

15.2. Chemical safety assessment

SECTION 16: Other information

| Revision date | 08/11/2017 |
|---------------------------|---|
| Revision | 1 |
| SDS number | 5075 |
| Hazard statements in full | H226 Flammable liquid and vapour. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. |

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

MYSTIC M©MENTS Product Specification

| PRODUCT DETAILS | | | |
|--------------------------------------|---|------------------------------|--|
| Product Name | CLARY SAGE OIL ORGANIC | | |
| Product Code | OCCLARSAGE | | |
| Tariff Number | 33012941 | | |
| INCI Name | Salvia Sclarea Oil | | |
| Country of Origin | Bulgaria | | |
| Natural Status | We hereby declare, to the best of our knowledge and from information received from our | | |
| | supplier, that this product is in accordance to the requirements of Articles 3 (2) (d of Regulation (EC) 1334/2008 and therefore can be designated as natural. This product does not contain any solvents or additives. | | |
| Food Grade Status | We confirm, from information received from our supplier, that this product conforms with EU Regulations and can be used in food. | | |
| Kosher Certified | Yes | | |
| Halal Certified | Suitable | | |
| GMO Declaration | To the best of our knowledge and from information received from our supplier, this product does not derive from genetically modified starting raw material, or additives that are derived from genetically modifed organisms. | | |
| Manufacturing Process | Please request Flow Chart | | |
| Identification | CAS No:8016-63-5 | EINECS No: 283-911-8 | |
| | Alternative CAS: 84775-83-7 | FEMA: 2321 | |
| PHYSICAL AND CHEMICAL O | CHARACTERISTIC | | |
| Appearance | Liquid | | |
| Colour | Colourless to Yellow - Brown | | |
| Odour | Characteristic- Sweet, Herbaceous, Ambery | | |
| Relative Density @ 20°C | 0.890 - 0.908 | | |
| Refractive Index @ 20°C | 1.456 - 1.466 | | |
| Optical Rotation ° | -26 to -8' | | |
| Flash Point °C | ≥79 | | |
| Solubilities | Insoluble in water | | |
| FRAGRANCE ALLERGENS | | | |
| Citral (5392-40-5) < 1% | Geraniol (106-24-1) <2.4% | Linalool (78-70-6) 10 - 25% | |
| Benzyl Benzoate (120-51-4) < 1% | Hexyl Cinnamal (101-86-0) < 1% | Limonene (5989-27-5) < 2% | |
| FOOD ALLERGENS | | | |
| NONE PRESENT | | | |
| IFRA | | | |
| Sclareol (515-03-7) < 2.6% | Benzyl Benzoate (120-51-4) < 1% | Citral (5392-40-5) < 1% | |
| Hexyl Cinnamal (101-86-0) < 1% | Geraniol (106-24-1) < 2.4% | Benzaldehyde (100-52-7) <1% | |
| Carvone (99-49-0) < 1% | Trans-2-Hexanal (6728-26-3) < 1% | | |
| STORAGE AND SHELF LIFE | | | |
| Storage | Store in tightly closed container with minimum headspace in a cool, dark and dry place. | | |

DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the Company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitability of such information for his own particular use. Where MADAR Corporation make a declaration that allergenic material are not present in any product, this statement is made assuming reasonable levels of detection. It is impossible to guarantee the "absolute absolute absolute absolute at the utimate responsibility of the customer to ensure the safety of the intended final product containing this material, by carrying out additional tests if necessary.