bíOrígin	S
----------	---

# **Certificate of Analysis**

PRODUCT DETAILS						
Product Name		ROSEMARY OIL SPANISH ORGANIC				
Product Code (		OCROSESPAN				
INCI Name		Rosmarinus Officinalis Leafe O	Rosmarinus Officinalis Leafe Oil			
Batch/Lot Number		4378903				
Best Before End		November 2022				
Identification		CAS No: 84604-14-8		EINECS No:	283-201-0	
		Alternative Cas: 8000-25-7		LINECS NO.	203-231-3	
PHYSICAL AND CHEMICAL	HARACI	EKISTIC				
		SPECIFICATIO	N RANGE		RESU	LTS
Appearance		Liquid		Conforms		
Colour		Colourless to Pale Yellow		Conforms		
Odour		Characteristic		Conforms		
Relative Density @ 20°c		0.892 - 0.920		0.909		
Refractive Index @ 20°c		1.464 - 1.470		1.467		
Flash Point		>43°C		Conforms		
Angular Rotation (°)		-2 to +5'		0.9		
MAIN CONSTITUENTS						
CONSTITUENT RANGE	RESULTS	CONSTITUENT RANGE	RESULTS	CONSTIT	UENT RANGE	RESULTS
1,8 Cineole <b>38-55%</b>	44.26%	A-Pinene <b>9-14%</b>	12.27%	Camphor 5	-15%	10.33%
B-Pinene <b>4-9%</b>	7.68%	Camphene <b>2.5 -6%</b>	4.11%	Beta Caryo	phyllene <b>1-4%</b>	3.53%
(S)-p-mentha-1,8-diene <b>1.5-4.5%</b>	2.93%	p-menth-1-en-8-ol <b>1-3.5%</b>	1.89%			
STORAGE AND SHELF LIFE						
Storage		Store in tightly closed conta dry place.	iner with m	inimum hea	dspace in a coo	l, dark and

DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the Company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitability of such information for his own particular use. Where MADAR Corporation make a declaration that allergenic material are not present in any product, this statement is made assuming reasonable levels of detection. It is impossible to guarantee the "absolute absence" of any material. It is the ultimate responsibility of the customer to ensure the safety of the intended final product containing this material, by carrying out additional tests if necessary.



Product Name	ROSEMARY OIL SPANISH ORGANIC		
Product Code			
INCI Name	Rosmarinus Officinalis Leafe Oil		
Country of Origin	Spain		
Tariff Number	33012941		
		owledge and from information received from our supplier,	
	that this product is in accordance to the	requirements of Articles 3 (2) (d) of Regulation (EC)	
	1334/2008 and therefore can be designa	ted as natural.	
Food Grade Status	We confirm, from information received f	rom our supplier, that this product conforms with EU	
	Regulations and can be used in food.		
Kosher Certified	No but can be added		
Halal Certified	Suitable		
GMO Declaration	To the best of our knowledge and from information received from our supplier, this product does not derive from genetically modified starting raw material, or additives that are derived from genetically modified organisms.		
Manufacturing Process	Obtained by steam distillation		
Identification	CAS No: 84604-14-8	EINECS No: 283-291-9	
	Alternative Cas: 8000-25-7		
PHYSICAL AND CHEMICAL	CHARACTERISTIC		
Appearance	Liquid		
Colour	Colourless to Pale Yellow		
Odour	Characteristic		
Relative Density @ 20°c	0.892 - 0.920		
Refractive Index @ 20°c	1.464 - 1.470		
Flash Point	>43°C		
Angular Rotation (°)	-2 to +5'		
Melting Point °C	< - 20		
Boiling Point °C	158 - 210		
Auto-Ignition Temperature °C	>265		
HEAVY METALS			
Arsenic	< 3 ppm		
Lead	< 10 ppm		
Cadmium	<1 ppm		
Mercury	<1 ppm		
FRAGRANCE ALLERGENS			
Citral (5392-40-5) <b>0.02 - 0.1%</b>	Citronellol (106-22-9) Traces - 0.03%	l imonene (5989-27-5) <b>1.5 - 4.5%</b>	
Eugenol (97-53-0) Traces - 0.02%	Geraniol (106-24-1) Traces - 0.05%	Linalool (78-70-6) <b>0.5 - 1.0%</b>	
FOOD ALLERGENS			
None Present			
IFRA			
Citral (5392-40-5) <b>&lt;0.1%</b>	Eugenol (97-53-0) <0.02%	Geraniol ( 106-24-1) <0.05%	
Citronellol (106-22-9) <b>&lt;0.03%</b>	Methyl Eugenol (93-15-2) <0.0%		
STORAGE AND SHELF LIFE		l	
Storage	Store in tightly closed container with	minimum headspace in a cool, dark and dry place.	
Shelf Life	24 months unopened and stored as above.		

Company's knowledge and beliet, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy as to the suitability of such information for his own particular use. Where we make a declaration that allergenic material are not present in any product, this statement is made assuming reasonable levels of detection. It is impossible to guarantee the "absolute absence" of any material. It is the ultimate responsibility of the customer to ensure the safety of the intended final product containing this material, by carrying out additional tests if necessary.



### SAFETY DATA SHEET ROSEMARY OIL SPANISH ORGANIC

SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	ROSEMARY OIL SPANISH ORGANIC
Product number	OCROSESPAN
Synonyms; trade names	Rosmarinus Officinalis Leaf Oil Exempt
REACH registration notes	- Imports <1 tonne pa
CAS number	84604-14-8
Alternative Cas Number	8000-25-7
EC number	283-291-9
1.2. Relevant identified uses	of the substance or mixture and uses advised against
Identified uses	Industrial, only for professional use
1.3. Details of the supplier of	the safety data sheet
Supplier	MADAR Corporation Limited 19-20 Sandleheath Industrial Estate Fordingbridge Hampshire SP6 1PA Tel. +44 1425 655555 (Opening Hours Mon - Thurs 8.30am - 5.00pm, Fri 8.30am - 3.45pm)
1.4. Emergency telephone nu	e-mail sales@madarcorporation.co.uk

## SECTION 2: Hazards identification

Classification (EC 1272/2008)	
Physical hazards	Flam. Liq. 3 - H226
Health hazards	Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 STOT SE 2 - H371 Asp. Tox. 1 - H304
Environmental hazards	Aquatic Chronic 2 - H411
Human health	May be fatal if swallowed and enters airways. May cause an allergic skin reaction. May cause damage to organs if inhaled or swallowed. Causes serious eye irritation
Environmental	Very toxic to aquatic life with long lasting effects.
Physicochemical	Flammable liquid and vapour

EC number	283-291-9
Hazard pictograms	
Signal word	Danger
Hazard statements	<ul> <li>H226 Flammable liquid and vapour.</li> <li>H315 Causes skin irritation.</li> <li>H319 Causes serious eye irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H371 May cause damage to organs .</li> <li>H304 May be fatal if swallowed and enters airways.</li> <li>H411 Toxic to aquatic life with long lasting effects.</li> </ul>
Precautionary statements	<ul> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P270 Do not eat, drink or smoke when using this product.</li> <li>P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.</li> <li>P302+P352 IF ON SKIN: Wash with plenty of water.</li> <li>P331 Do NOT induce vomiting.</li> <li>P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.</li> <li>P501 Dispose of contents/ container in accordance with national regulations.</li> </ul>
Contains	1, 8 cineole, Alpha Pinene, Camphor, Beta Pinene, Beta Caryophyllene, (S)-p-mentha-1,8- diene
Contains Supplementary precautionary statements	

2.3. Other hazards

SECTION 3: Composition/information	n on ingredients	
3.2. Mixtures		
1, 8 cineole		38-55%
CAS number: 470-82-6	EC number: 207-431-5	50-50 //
	EC Humber: 207-431-3	
Classification		
Flam. Liq. 3 - H226		
Skin Sens. 1B - H317		
Alpha Pinene		9-14%
CAS number: 80-56-8	EC number: 201-291-9	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification		
Flam. Liq. 3 - H226		
Acute Tox. 4 - H302 Skin Irrit. 2 - H315		
Skin Int. 2 - H315 Skin Sens. 1 - H317		
Asp. Tox. 1 - H304		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		
Camphor		5-15%
CAS number: 76-22-2	EC number: 200-945-0	
Classification		
Flam. Sol. 2 - H228		
Acute Tox. 4 - H302		
Acute Tox. 4 - H332		
STOT SE 2 - H371		
Aquatic Chronic 2 - H411		
Beta Pinene		4-9%
CAS number: 127-91-3	EC number: 242-060-2	
M factor (Acute) = 1	M factor (Chronic) = 1	
	· · · ·	
Classification		
Flam. Liq. 3 - H226		
Skin Irrit. 2 - H315		
Skin Sens. 1 - H317		
Asp. Tox. 1 - H304		
Aquatic Acute 1, H400		
Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		

Camphene		2.5-6%
CAS number: 79-92-5	EC number: 201-234-8	
M factor (Chronic) = 1		
Classification		
Flam. Sol. 1 - H228		
Eye Irrit. 2 - H319		
Aquatic Chronic 1 - H410		
Beta Caryophyllene		1-4%
CAS number: 87-44-5	EC number: 201-746-1	
Classification		
Skin Sens. 1B - H317		
Asp. Tox. 1 - H304		
Aquatic Chronic 4 - H413		
(S)-p-mentha-1,8-diene		1.5-4.5%
CAS number: 5989-54-8	EC number: 227-815-6	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification		
Flam. Liq. 3 - H226		
Skin Irrit. 2 - H315		
Skin Sens. 1 - H317		
Asp. Tox. 1 - H304		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		
p-menth-1-en-8-ol		1-3.5%
CAS number: 98-55-5	EC number: 202-680-6	
Classification		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
The Full Text for all R-Phrases and	Hazard Statements are Displayed in Section 16.	

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Inhalation	Remove person to fresh air and keep comfortable for breathing. Get medical attention if any discomfort continues.
Ingestion	Rinse mouth thoroughly with water. Do not induce vomiting. Get medical attention.
Skin contact	Wash skin thoroughly with soap and water. Take off contaminated clothing. Get medical attention.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

4.2. Most important symptoms and effects, both acute and delayed		
4.3. Indication of any immedia	te medical attention and special treatment needed	
SECTION 5: Firefighting meas	sures	
5.1. Extinguishing media		
Suitable extinguishing media	Use alcohol-resistant foam, carbon dioxide or dry powder to extinguish.	
Unsuitable extinguishing media	For safety reasons do not use full water jet.	
5.2. Special hazards arising fro	om the substance or mixture	
Hazardous combustion products	Oxides of carbon.	
5.3. Advice for firefighters		
Protective actions during firefighting	Avoid breathing fire gases or vapours.	
Special protective equipment for firefighters	Wear full protective clothing	
SECTION 6: Accidental releas	e measures	
6.1. Personal precautions, pro	tective equipment and emergency procedures	
Personal precautions	Ensure adequate ventilation of the working area, evacuate personnel to safe area, wear suitable protective equipment. Avoid contact with skin, eyes and clothing. Avoid inhalation of vapours.	
6.2. Environmental precaution	S	
Environmental precautions	Do not discharge into drains or watercourses or onto the ground.	
6.3. Methods and material for	containment and cleaning up	
Methods for cleaning up	Cover with inert, inorganic, non-combustible material (e.g dry-lime, sand, soda ash). Place in covered containers and dispose of in accordance with local authority guidelines. Wash spill site after material pick up is complete.	
6.4. Reference to other section	15	
SECTION 7: Handling and sto	rage	
7.1. Precautions for safe hand	ling	
Usage precautions	Apply good manufacturing practice and industrial hygiene practices. Keep containers sealed when not in use. Avoid contact with skin and eyes. Avoid inhalation of vapours. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not eat, drink or smoke when using this product.	
7.2. Conditions for safe storag	e, including any incompatibilities	
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place.	
7.3. Specific end use(s)		
SECTION 8: Exposure control	s/Personal protection	
8.1. Control parameters Occupational exposure limits Camphor Long-term exposure limit (8-ho Short-term exposure limit (15-h	our TWA): WEL 2 ppm 13 mg/m³ minute): WEL 3 ppm 19 mg/m³	

WEL = Workplace Exposure Limit.

	1, 8 cineole (CAS: 470-82-6)
DNEL	Workers - Inhalation; Long term systemic effects: 7.05 mg/m <sup>3</sup> Workers - Dermal; Long term systemic effects: 2 bw/day, mg/kg General population - Inhalation; Long term systemic effects: 1.74 mg/m <sup>3</sup> General population - Dermal; Long term systemic effects: 1 mg/kg, bw/day General population - Oral; Long term systemic effects: 600 bw/day, mg/kg
PNEC	<ul> <li>Fresh water; Short term 5.7 mg/l</li> <li>Fresh water, Intermittent release; 0.57 mg/l</li> <li>marine water; Short term 5.7 mg/l</li> <li>STP; Short term 10 mg/l</li> <li>Sediment (Freshwater); Short term 1.425 mg/kg</li> <li>Sediment (Marinewater); Short term 0.142 mg/kg</li> <li>Soil; Short term 0.25 mg/kg</li> </ul>
	Alpha Pinene (CAS: 80-56-8)
DNEL	Workers - Inhalation; Long term systemic effects: 3.8 mg/m <sup>3</sup> Workers - Dermal; Long term systemic effects: 0.54 bw/day, mg/kg General population - Inhalation; Long term systemic effects: 0.67 mg/m <sup>3</sup> General population - Dermal; Long term systemic effects: 0.19 bw/day, mg/kg General population - Oral; Long term systemic effects: 0.19 mg/kg, bw/day
PNEC	<ul> <li>Fresh water; Short term 0.606 mg/l</li> <li>Fresh water, Intermittent release; 3.03 mg/l</li> <li>marine water; Short term 0.061 mg/l</li> <li>marine water, Intermittent release; 0.303 mg/l</li> <li>STP; Short term 0.2 mg/l</li> <li>Sediment (Freshwater); Short term 157 mg/kg</li> <li>Sediment (Marinewater); Short term 15.7 mg/kg</li> <li>Soil; Short term 31.7 mg/kg</li> </ul>
DNEL	Workers - Inhalation; Long term systemic effects: 17.632 mg/m <sup>3</sup> Workers - Dermal; Long term systemic effects: 10 mg/kg, bw/day General population - Inhalation; Long term systemic effects: 4.348 mg/m <sup>3</sup> General population - Dermal; Long term systemic effects: 5 bw/day, mg/kg General population - Oral; Long term systemic effects: 5 mg/kg, bw/day
PNEC	<ul> <li>Fresh water; Short term 9.303 mg/l</li> <li>Fresh water, Intermittent release; 93.03 mg/l</li> <li>marine water; Short term 0.93 mg/l</li> <li>Sediment (Freshwater); Short term 0.139 mg/kg</li> <li>Sediment (Marinewater); Short term 0.014 mg/kg</li> <li>Soil; Short term 2.17 mg/kg</li> </ul>

Beta Pinene (CAS: 127-91-3)

DNEL	Workers - Inhalation; Long term systemic effects: 5.69 mg/m <sup>3</sup> Workers - Dermal; Long term systemic effects: 0.8 bw/day, mg/kg General population - Inhalation; Long term systemic effects: 1 mg/m <sup>3</sup> General population - Dermal; Long term systemic effects: 0.3 mg/kg, bw/day General population - Oral; Long term systemic effects: 0.3 bw/day, mg/kg
PNEC	<ul> <li>Fresh water; Short term 1.004 mg/l</li> <li>Fresh water, Intermittent release; 5.02 mg/l</li> <li>marine water; Short term 0.1 mg/l</li> <li>STP; Short term 3.26 mg/l</li> <li>Sediment (Freshwater); Short term 0.337 mg/kg</li> <li>Sediment (Marinewater); Short term 0.034 mg/kg</li> <li>Soil; Short term 0.067 mg/kg</li> </ul>
	Camphene (CAS: 79-92-5)
DNEL	Workers - Inhalation; Long term systemic effects: 110.19 mg/m <sup>3</sup> Workers - Inhalation; Short term systemic effects: 110.19 mg/m <sup>3</sup> Workers - Dermal; Long term systemic effects: 0.21 bw/day, mg/kg Workers - Dermal; Short term systemic effects: 1.25 bw/day, mg/kg General population - Inhalation; Long term systemic effects: 54.3 mg/m <sup>3</sup> General population - Inhalation; Short term systemic effects: 54.3 mg/m <sup>3</sup> General population - Dermal; Long term systemic effects: 0.1 bw/day, mg/kg General population - Dermal; Long term systemic effects: 0.625 mg/kg, bw/day General population - Oral; Long term systemic effects: 0.1 bw/day, mg/kg General population - Oral; Short term systemic effects: 0.625 bw/day, mg/kg
PNEC	<ul> <li>Fresh water; Short term 0.001 mg/l</li> <li>Intermittent release, Fresh water; 0.001 mg/l</li> <li>marine water; Short term 0 mg/l</li> <li>STP; Short term 10 mg/l</li> <li>Sediment (Freshwater); Short term 0.026 mg/kg</li> <li>Sediment (Marinewater); Short term 0.003 mg/kg</li> <li>Soil; Short term 0.021 mg/kg</li> </ul>
	p-menth-1-en-8-ol (CAS: 98-55-5)
PNEC	<ul> <li>Fresh water; Short term 68 mg/l</li> <li>marine water; Short term 6.8 mg/l</li> <li>STP; Short term 2.6 mg/l</li> <li>Sediment (Freshwater); Short term 1.85 mg/kg</li> <li>Sediment (Marinewater); Short term 0.185 mg/kg</li> <li>Soil; Short term 0.329 mg/kg</li> </ul>
8.2. Exposure controls	
Protective equipment	

Appropriate engineering controls

Personal protection

Eye/face protection

Provide eyewash station Provide adequate ventilation.

Use personal protection according to Directive 89/686/EEC

Approved safety goggles.

Hand protection	Chemical resistant gloves (PVC)
Other skin and body protection	Wear apron or protective clothing in case of contact.
Hygiene measures	Good personal hygiene procedures should be implemented.
Respiratory protection	Generally unnecessary in a well ventilated area. If ventilation is insufficient, respiratory protection must be worn.
Environmental exposure controls	Avoid discharging into drains.

#### **SECTION 9: Physical and chemical properties**

SECTION 10: Stability and reactivity		
10.1. Reactivity		
Reactivity	No data available.	
10.2. Chemical stability		
Stability	Stable under the prescribed storage conditions.	
10.3. Possibility of hazardous	reactions	
10.4. Conditions to avoid		
Conditions to avoid	Avoid heat, flames and other sources of ignition.	

#### 10.5. Incompatible materials

#### 10.6. Hazardous decomposition products

**Hazardous decomposition** During combustion may form carbon monoxide and unidentified organic compounds. **products** 

#### SECTION 11: Toxicological information

11.1. Information on toxicolog	gical effects
Acute toxicity - oral	
ATE oral (mg/kg)	5,952.38
Acute toxicity - inhalation	
ATE inhalation (vapours mg/l	) 130.95
Skin corrosion/irritation	
Skin corrosion/irritation	Irritating to

#### SECTION 12: Ecological information

12.1 Toxicity		
12.1. Toxicity		
Toxicity	Very toxic to aquatic life with long lasting effects.	
Acute aquatic toxicity		
Acute toxicity - fish	LL50, 96 hours: 3.9 mg/l,	
Acute toxicity - aquatic invertebrates	EL50, 48 hours: 4.7 mg/l, Daphnia magna	
Acute toxicity - microorganisms	EL50, 72 hours: 5.6 mg/l,	
12.2. Persistence and degradability		
12.3. Bioaccumulative potential		
Partition coefficient	log Pow: 2.74	
12.4. Mobility in soil		
12.5. Results of PBT and vPvB assessment		
12.6. Other adverse effects		
SECTION 13: Disposal considerations		
13.1. Waste treatment methods		

**Disposal methods** 

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

14.1. UN number	
UN No. (ADR/RID)	1169
UN No. (IMDG)	1169
UN No. (ICAO)	1169
UN No. (ADN)	1169
14.2. UN proper shipping name	2
Proper shipping name (ADR/RID)	EXTRACTS, AROMATIC, LIQUID
Proper shipping name (IMDG)	EXTRACTS, AROMATIC, LIQUID
Proper shipping name (ICAO)	EXTRACTS, AROMATIC, LIQUID
Proper shipping name (ADN)	EXTRACTS, AROMATIC, LIQUID
14.3. Transport hazard class(e	<u>s)</u>
ADR/RID class	3
ADR/RID classification code	F1
ADR/RID label	3
IMDG class	3
ICAO class/division	3
ADN class	3

#### **Transport labels**



#### 14.4. Packing group

ADR/RID packing group	III
IMDG packing group	
ICAO packing group	
ADN packing group	

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user	
EmS	F-E, S-D
ADR transport category	3
Emergency Action Code	3Y
Hazard Identification Number (ADR/RID)	30
Tunnel restriction code	(D/E)

### **ROSEMARY OIL SPANISH ORGANIC**

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory inf	SECTION 15: Regulatory information	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).	
Guidance	CHIP for everyone HSG228.	
15.2. Chemical safety assess	sment	
SECTION 16: Other information	tion	
Revision date	11/03/2020	
Revision	2	
Supersedes date	08/06/2017	
SDS number	4933	
Hazard statements in full	<ul> <li>H226 Flammable liquid and vapour.</li> <li>H228 Flammable solid.</li> <li>H302 Harmful if swallowed.</li> <li>H304 May be fatal if swallowed and enters airways.</li> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H319 Causes serious eye irritation.</li> <li>H332 Harmful if inhaled.</li> <li>H371 May cause damage to organs .</li> <li>H400 Very toxic to aquatic life.</li> <li>H410 Very toxic to aquatic life with long lasting effects.</li> <li>H411 Toxic to aquatic life with long lasting effects.</li> <li>H413 May cause long lasting harmful effects to aquatic life.</li> </ul>	



# **Product Specification**

Product Name	ROSEMARY OIL SPANISH ORGANIC			
Chemo type	Cineol			
Product Code	OCROSESPAN			
INCI Name	Rosmarinus Officinalis Leafe Oil			
Country of Origin	Spain			
Tariff Number	33012941			
Natural Status		nowledge and from information received from our suppli		
	We hereby declare, to the best of our knowledge and from information received from our sup that this product is in accordance to the requirements of Articles 3 (2) (d) of Regulation (EC) 1334/2008 and therefore can be designated as natural.			
Food Grade Status	We confirm, from information received from our supplier, that this product conforms with EU Regulations and can be used in food.			
Kosher Certified	No but can be added			
Halal Certified	Suitable			
GMO Declaration	To the best of our knowledge and from information received from our supplier, this product does not derive from genetically modified starting raw material, or additives that are derived from genetically modified organisms.			
Manufacturing Process	Obtained by steam distillation			
Identification	CAS No: 84604-14-8	EINECS No: 283-291-9		
	Alternative Cas: 8000-25-7			
PHYSICAL AND CHEMICA	L CHARACTERISTIC			
Appearance	Liquid			
Colour	Colourless to Pale Yellow			
Odour	Characteristic			
Relative Density @ 20°c	0.892 - 0.920			
Refractive Index @ 20°c	1.464 - 1.470			
Flash Point	>43°C			
Angular Rotation (°)	-2 to +5'			
Melting Point °C	<- 20			
Boiling Point °C	158 - 210			
Auto-Ignition Temperature °C	>265			
	7205			
HEAVY METALS				
Arsenic	< 3 ppm			
Lead	< 10 ppm			
Cadmium	<10 ppm <1 ppm			
Mercury	<1 ppm			
,	•			
FRAGRANCE ALLERGENS		1		
Citral (5392-40-5) 0.02 - 0.1%	Citronellol (106-22-9) Traces - 0.039			
Eugenol (97-53-0) Traces - 0.029	6 Geraniol (106-24-1) Traces - 0.05%	Linalool (78-70-6) <b>0.5 - 1.0%</b>		
FOOD ALLERGENS				
None Present				
IFRA				
Citral (5392-40-5) <b>&lt;0.1%</b>	Eugenol (97-53-0) <b>&lt;0.02%</b>	Geraniol ( 106-24-1) <b>&lt;0.05%</b>		
Citronellol (106-22-9) <0.03%	Methyl Eugenol (93-15-2) <b>&lt;0.0%</b>			
STORAGE AND SHELF LIF	E	l		
Storage		h minimum headspace in a cool, dark and dry place.		
JUIUE	Store in ugnity closed container With	n minimum neauspace in a cool, uark and ury place.		

DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the Company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitability of such information fix on particular use. Where MADAR Corporation make a declaration that allergenic material are not present in any product, this statement is made assuming reasonable levels of detection. It is impossible to guarantee the "absolute absence" of any material. It is the **ultimate responsibility of the customer to ensure the safety of the intended final product containing this material, by carrying out additional tests if necessary.**