

Certificate of Analysis

PRODUCT DETAILS						
Product Name		ST JOHNS WORT OIL ORGANIC				
Batch/Lot Number		43755152				
Expiry Date		October 2022				
Invoice Number		PINV-17461				
Identification		CAS No: 68917-49-7	CAS No: 68917-49-7 Alternative C		CAS : 84082-80-4	
		EINECS No: 282-026-4				
PHYSICAL AND CHEN	MICAL CH	ARACTERISTIC				
		SPECIFICATIO	ON RANGE		RESU	LTS
Appearance		Liquid			Conforms	
Colour		Pale Yellow to Yellow			Conforms	
Odour		Spicy, Characterisitc		Conforms		
Relative Density @ 20°c		0.783 - 0.805		0.798		
Refractive Index @ 20°c		1.435 - 1.445		1.443		
Flash Point °C		≥31		Confo	rms	
Angular Rotation (°)		-5 to +10		+2.5	6	
Solubilities		Insoluble in Water, Soluable in Ethanol		Conforms		
MAIN CONSTITUENT	٢S					
CONSTITUENT RANGE	RESULTS	CONSTITUENT RANGE	RESULTS	CONSTITUENT RANGE RESULT		RESULTS
Alpha Pinene <25%	8.97%	Beta Pinene <15%	5.87%	Beta Caryophyllene <10% 6.78%		6.78%
Trans-ocimene <5%	3.44%	nonane <5%	3.45%			
STORAGE AND SHEL	F LIFE					
Storage		Store in tightly closed container with minimum headspace in a cool, dark and dry place.				
Shelf Life		24 months unopened and stored as above.				

DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the Company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitability of such information for his own particular use. Where Global Essence make a declaration that allergenic material are not present in any product, this statement is made assuming reasonable levels of detection. It is impossible to guarantee the "absolute absence" of any material. It is the ultimate responsibility of the customer to ensure the safety of the intended final product containing this material, by carrying out additional tests if necessary.




ALLERGEN STATEMENT

Compounds	C.A.S	% Natural	% Synthetic	% Total
Alpha-Hexyl cinnamic aldehyde (HCA)	101-86-0	-	-	-
Amyl cinnamic alcohol	101-85-9	-	-	-
Amyl cinnamic aldehyde (ACA)	122-40-7	-	-	-
Anisyl alcohol	105-13-5	-	-	-
Benzyl salicylate	118-58-1	-	-	-
Benzyl benzoate	120-51-4	-	-	-
Benzyl cinnamate	103-41-3	-	-	-
Benzyl alcohol	100-51-6	-	-	-
Cinnamic alcohol	104-54-1	-	-	-
Cinnamic aldehyde	104-55-2	-	-	-
Citral	5392-40-5	-	-	-
Citronellol	106-22-9	-	-	-
Coumarin (2p-1-benzopyran-2-one	91-64-5	-	-	-
D'limonene	5989-27-5	<0.50%	-	-
Eugenol	97-53-0	-	-	-
Farnesol	4602-84-0	-	-	-
Geraniol	106-24-1	-	-	-
Lyral (Hydroxymethylpentyl cyclohexene carbalde)	31906-04-4	-	-	-
Hydroxycitronellal	107-75-5	-	-	-
Isoeugenol	97-54-1	-	-	-
Alpha-Iso-methyl Ionone	127-51-5	-	-	-
Linalool	78-70-6	-	-	-
Methyl heptine carbonate	111-12-6	-	-	-
Oakmoss absolute	9000-50-4	-	-	-
p-tert-Butyl-alpha-methylhydrocinnamic a	80-54-6	-	-	-
Tree moss	68648-41-9	-	-	-

PRODUCT NAME: ST JOHN'S WORT ORGANIC



PROCESSING – ST JOHNS WORT ORGANIC FLOW CHART





IFRA CONFORMITY CERTIFICATE

Product:

ST JOHNS WORT ORGANIC

We, MADAR Corporation Limited, certify that to the best of our knowledge and from information received from our supplier, that the above compound is in compliance with the Standards of the INTERNATIONAL FRAGRANCE ASSOCIATION (IFRA - *47th* Amendment / published June, *2013*), provided it is used in the following class(es)) at a maximum concentration level of:

IFRA CLASS	Maximum concentration level in the final product (%)	IFRA CLASS	Maximum concentration level in the final product (%)
1A	100%	6	100%
1B	100%	7A	100%
2	100%	7B	100%
3A	100%	8A	100%
3B	100%	8B	100%
3C	100%	9A	100%
3D	100%	9B	100%
4A	100%	9C	100%
4B	100%	10A	100%
4C	100%	10B	100%
4D	100%	11A	100%
5	100%	11B	100%

For other kinds of application or use at higher concentration levels, a new evaluation may be needed; please contact *Supplier*.

The IFRA Standards regarding use restrictions are based on safety assessments by the Panel of Experts of the RESEARCH INSTITUTE FOR FRAGRANCE MATERIALS (RIFM) and are enforced by the IFRA Scientific Committee.

Evaluation of individual Fragrance ingredients is made according to the safety standards contained in the relevant section of the IFRA Code of Practice.

It is the ultimate responsibility of our customer to ensure the safety of the final product (containing this fragrance) by further testing if need be.

This essential oil of St John's Wort from Bulgaria conforms to IFRA Standards for Europe.

This essential oil of St John's Wort from Bulgaria is PROHIBITED by IFRA Standards for other countries (no FEMA number should be generally recognised as safe).



Finished product types	IFRA class
Toys; Lip Products of all types (solid and liquid lipsticks, balms, clear or colored etc)	Class 1
Deodorant and Antiperspirant products of all types (spray, stick, roll-on, under-arm and body etc)	Class 2
Hydroalcoholic products applied to recently shaved skin (EdT range)	Class 3.A
Hydroalcoholic products applied to recently shaved skin (fine fragrance range)	Class 3.B
Eye Products of all types (eye shadow, mascara, eyeliner, eye make-up, etc) including eye cream Men's Facial Creams and Balms	Class 3.C
Tampons	Class 3.D
Hydroalcoholic Products applied to unshaved skin (EdT range) Ingredients of Perfume Kits Scent Strips for Hydroalcoholic Products, "scratch and sniff", other paper products not mentioned elsewhere for which skin exposure is only incidental (e.g. spectacle cleaning tissues)	Class 4.A
Hydroalcoholic Products applied to unshaved skin (Fine Fragrance range)	Class 4.B
Hair Styling Aids and Hair Sprays of all types (pumps, aerosol sprays, etc); Hair Deodorant Body Creams, Oils, Lotions of all types (including baby creams, lotions, oils) Fragrance Compounds for Cosmetic Kits, Foot Care Products	Class 4.C
Fragrancing Cream	Class 4.D
Women's Facial Creams/Facial Make-up (excluding eye cream); Facial Masks; Hand Cream Wipes or refreshing tissues for Face, Neck, Hands, Body	Class 5
Mouthwash, Toothpaste	Class 6
Intimate Wipes; Baby Wipes	Class 7 A
Insect Repellent (intended to be applied to the skin)	Class 7 B
Make-up Removers of all types (not including face cleansers) Hair Styling Aids Non-Spray of all types (mousse, gels, leave-in conditioners etc) Nail Care All Powders & Talcs (including baby powders and talcs)	Class 8
Liquid Soap, Bar Soap (toilet soap); Depilatory; Conditioner (rinse-off), Shampoos of all types (including baby shampoos) Face Cleansers of all types (washes, gels, scrubs, etc) Shaving Creams of all types (stick, gels, foams, etc) Body Washes of all types (including baby washes) Shower Gels of all types; Bath Gels, Foams, Mousses, Salts, Oils and other products added to bathwater	Class 9.A
Feminine hygiene pads / liners	Class 9.B
'Other' Aerosols (including air fresheners sprays but not including deodorant/antiperspirants, hair styling aids spray)	Class 9.C
Hand wash/Machine wash Laundry Detergents of all types (liquid, powder, tablet, etc) including Laundry Bleaches Other Household Cleaning Products (fabric cleaners, soft surface cleaners, carpet cleaners etc) Dry Cleaning Kits Fabric Softeners of all types including fabric softener sheets Hand Dishwashing Detergent. Hard Surface Cleaners of all types (bathroom and kitchen cleansers, furniture polish etc) Shampoos for pets	Class 10.A
Diapers Toilet seat wipes	Class 10.B
All non-skin contact, including: Air Fresheners and fragrancing of all types (excluding aerosol products): plug-ins, solid substrate, membrane delivery; Toilet blocks; Joss Sticks, Incense; Insecticides (mosquito coil, paper, electrical, etcexcluding aerosols); Plastic articles (excluding toys); Candles; Fuels; Paints; Floor wax; Liquid refills for air fresheners (cartridge system)	Class 11.A
All incidental skin contact, including: Machine Dish wash Detergents and Deodorizers. Machine only Laundry Detergents (e.g. liquitabs) Deodorizers/Maskers (e.g. fabric drying machine deodorizers, carpet powder) Pot pourri, fragrancing sachets, liquid refills for air fresheners (non-cartridge systems), etc Shoe polishes; Cat Litter; Animal Sprays (excluding aerosols); Treated Textiles (e.g. starch sprays, fabric treated with fragrances after wash, deodorizers for textiles or fabrics, tights with moisturizers); Odored Distilled Water (that can be added to steam irons)	Class 11.B



SAFETY DATA SHEET ST JOHNS WORT OIL ORGANIC

SECTION 1: Identification of t	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	ST JOHNS WORT OIL ORGANIC
Product number	STJOHN1000
Synonyms; trade names	HYPERICUM PERFORATUM OIL
CAS number	68917-49-7
Alternative Cas Number	84082-80-4
EC number	282-026-4
1.2. Relevant identified uses	of the substance or mixture and uses advised against
Identified uses	Industrial, only for professional use
1.3. Details of the supplier of	the safety data sheet
Supplier	MADAR Corporation Limited 19 - 20 Sandleheath Industrial Estate Fordingbridge Hampshire SP6 1PA 01425 655555 technical@madarcorporation.co.uk
1.4. Emergency telephone nu SECTION 2: Hazards identified	
2.1. Classification of the subs Classification (EC 1272/2008) Physical hazards	tance or mixture
Health hazards	Skin Sens. 1 - H317 Asp. Tox. 1 - H304
Environmental hazards	Aquatic Chronic 1 - H410
Human health	May cause an allergic skin reaction. May be fatal if swallowed and enters airways.
Environmental	Very toxic to aquatic life with long lasting effects.
Physicochemical	Flammable liquid
2.2. Label elements	
EC number	282-026-4

Pictogram	
riologiani	



• •	
Signal word	Danger
Hazard statements	H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H317 May cause an allergic skin reaction. H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements	 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P302+P352 IF ON SKIN: Wash with plenty of water. P501 Dispose of contents/ container in accordance with national regulations.
Contains	Alpha Pinene, Beta Pinene, Beta Caryophyllene, trans-ocimene, nonane, undecane, 7- methyl-3-methyleneocta-1,6-diene, p-Cymene
Supplementary precautionary statements	 P240 Ground/ bond container and receiving equipment. P241 Use explosion-proof electrical equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour/ spray. P272 Contaminated work clothing should not be allowed out of the workplace. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P321 Specific treatment (see medical advice on this label). P331 Do NOT induce vomiting. P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

2.3. Other hazards

SECTION 3: Composition/informati	on on ingredients	
3.2. Mixtures		
Alpha Pinene		<25%
CAS number: 80-56-8	EC number: 201-291-9	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification		
Flam. Liq. 3 - H226 Acute Tox. 4 - H302		
Skin Irrit. 2 - H315		
Skin Sens. 1 - H317		
Asp. Tox. 1 - H304		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		
Data Discus		450/
Beta Pinene CAS number: 127-91-3	EC number: 242-060-2	<15%
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification		
Flam. Liq. 3 - H226		
Skin Irrit. 2 - H315		
Skin Sens. 1 - H317		
Asp. Tox. 1 - H304		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		
Beta Caryophyllene		<10%
CAS number: 87-44-5	EC number: 201-746-1	
Classification		
Skin Sens. 1B - H317		
Asp. Tox. 1 - H304		
undecane		<5%
CAS number: 1120-21-4	EC number: 214-300-6	
Classification		
Asp. Tox. 1 - H304		
trans-ocimene		<5%
CAS number: 13877-91-3	EC number: 237-641-2	
Classification		
Flam. Liq. 3 - H226		
Asp. Tox. 1 - H304		

nonane		<5%
CAS number: 111-84-2	EC number: 203-913-4	
M factor (Chronic) = 1		
Classification		
Flam. Liq. 3 - H226		
Skin Irrit. 2 - H315		
STOT SE 3 - H336		
Asp. Tox. 1 - H304		
Aquatic Chronic 1 - H410		
p-Cymene		<3%
CAS number: 99-87-6	EC number: 202-796-7	
CAS humber. 99-07-0	EC Humber. 202-790-7	
Classification		
Flam. Liq. 3 - H226		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
Asp. Tox. 1 - H304		
7-methyl-3-methyleneocta-1,6-di	ane	<3%
CAS number: 123-35-3	EC number: 204-622-5	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification		
Flam. Liq. 3 - H226		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
Skin Sens. 1 - H317		
Asp. Tox. 1 - H304		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		
The Full Text for all R-Phrases an	d Hazard Statements are Displayed in Section 16.	
SECTION 4: First aid measures		
4.1. Description of first aid measur	es	

Inhalation	Remove person to fresh air and keep comfortable for breathing. Get medical attention.
Ingestion	Rinse mouth thoroughly with water. Aspiration hazard if swallowed. Do not induce vomiting. Get medical attention.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Continue to rinse for at least 15 minutes. Get medical attention.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.
4.2. Most important symp	toms and effects, both acute and delayed
General information	No further information available at this time.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media Use alcohol-resistant foam, carbon dioxide or dry powder to extinguish. Unsuitable extinguishing For safety reasons do not use full water jet. media 5.2. Special hazards arising from the substance or mixture Specific hazards In case of fire, toxic fumes like carbon monoxide and carbon dioxide may be liberated. Burning produces heavy smoke. 5.3. Advice for firefighters Protective actions during Avoid breathing fire gases or vapours. firefighting Special protective equipment Wear full protective clothing for firefighters SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures Personal precautions No smoking, sparks, flames or other sources of ignition near spillage. Avoid contact with skin, eyes and clothing. Avoid inhalation of vapours. Use suitable respiratory protection if ventilation is inadequate. Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. 6.2. Environmental precautions **Environmental precautions** Do not discharge into drains or watercourses or onto the ground. 6.3. Methods and material for containment and cleaning up Methods for cleaning up Absorb with liquid binding material (e.g sand, diatomaceous earth, acid or universal binding agents). Collect in closed and suitable containers for disposal. Wash spill site after material pick up is complete. No smoking, sparks, flames or other sources of ignition near spillage. 6.4. Reference to other sections SECTION 7: Handling and storage 7.1. Precautions for safe handling Usage precautions Apply good manufacturing practice and industrial hygiene practices. Keep containers sealed when not in use. Do not get in eyes, on skin, or on clothing. Avoid breathing vapours. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not eat, drink or smoke when using this product. 7.2. Conditions for safe storage, including any incompatibilities Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. 7.3. Specific end use(s)

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters	
	Alpha Pinene (CAS: 80-56-8)
DNEL	Workers - Inhalation; Long term systemic effects: 3.8 mg/m ³ Workers - Dermal; Long term systemic effects: 0.54 mg/kg, bw/day General population - Inhalation; Long term systemic effects: 0.67 mg/m ³ General population - Dermal; Long term systemic effects: 0.19 mg/kg, bw/day General population - Oral; Long term systemic effects: 0.19 mg/kg, bw/day
PNEC	 Fresh water; Short term 0.606 mg/l Fresh water, Intermittent release; 3.03 mg/l Marine water; Short term 0.061 mg/l Intermittent release, Marine water; 0.303 mg/l STP; Short term 0.2 mg/l Sediment (Freshwater); Short term 157 mg/kg Sediment (Marinewater); Short term 15.7 mg/kg Soil; Short term 31.7 mg/kg
	Beta Pinene (CAS: 127-91-3)
DNEL	Workers - Inhalation; Long term systemic effects: 5.69 mg/m ³ Workers - Dermal; Long term systemic effects: 0.8 mg/kg, bw/day General population - Inhalation; Long term systemic effects: 1 mg/m ³ General population - Dermal; Long term systemic effects: 0.3 bw/day, mg/kg General population - Oral; Long term systemic effects: 0.3 mg/kg, bw/day
PNEC	 Fresh water; Short term 1.004 mg/l Intermittent release, Fresh water; 5.02 mg/l Marine water; Short term 0.1 mg/l STP; Short term 3.26 mg/l Sediment (Freshwater); Short term 0.337 mg/kg Sediment (Marinewater); Short term 0.034 mg/kg Soil; Short term 0.067 mg/kg
	nonane (CAS: 111-84-2)
DNEL	Workers - Inhalation; Long term systemic effects: 2.035 mg/m ³ Workers - Dermal; Long term systemic effects: 773 mg/kg, bw/day General population - Inhalation; Long term systemic effects: 608 mg/m ³ General population - Dermal; Long term systemic effects: 699 bw/day, mg/kg General population - Oral; Long term systemic effects: 699 bw/day, mg/kg
PNEC	 Fresh water; Short term 3.6 mg/l Marine water; Short term 3.6 mg/l STP; Short term 54 mg/l Sediment (Freshwater); Short term 0.62 mg/kg Sediment (Marinewater); Short term 0.62 mg/kg Soil; Short term 0.25 mg/kg

undecane (CAS: 1120-21-4)

PNEC	 Fresh water; Short term 0.92 mg/l Marine water; Short term 0.92 mg/l STP; Short term 14 mg/l Sediment (Freshwater); Short term 1 mg/kg Sediment (Marinewater); Short term 1 mg/kg Soil; Short term 1 mg/kg 7-methyl-3-methyleneocta-1,6-diene (CAS: 123-35-3)
DNEL	Workers - Dermal; Long term systemic effects: 0.83 mg/kg Workers - Inhalation; Long term systemic effects: 5.83 mg/m ³ General population - Dermal; Long term systemic effects: 0.42 mg/kg General population - Inhalation; Long term systemic effects: 1.25 mg/m ³
PNEC	- STP; 0.2 mg/l - Soil; 1.015 mg/kg - Fresh water; 0.00028 mg/l - Marine water; 0.0008 mg/l - Sediment (Freshwater); 5.022 mg/kg - Sediment (Marinewater); 0.502 mg/kg
8.2. Exposure controls Protective equipment	
Appropriate engineering	Provide eyewash station Provide adequate ventilation.

controls

Personal protection

Eye/face protection

Hand protection

Other skin and body protection

Hygiene measures

Respiratory protection

Environmental exposure controls

Use personal protection according to Directive 89/686/EEC Approved safety goggles. Chemical resistant gloves (PVC) Wear apron or protective clothing in case of contact.

Good personal hygiene procedures should be implemented.

Generally unnecessary in a well ventilated area. If ventilation is insufficient, respiratory protection must be worn.

Avoid discharging into drains.

SECTION 9: Physical and Ch	emical Properties	
9.1. Information on basic phys		
Appearance	Liquid.	
Colour	Pale yellow to yellow	
Odour	Spicy Characteristic.	
Flash point	≥ 31°C	
Relative density	0.783 - 0.805 @ 20°C	
Solubility(ies)	Soluble in ethanol. Insoluble in water.	
9.2. Other information		
Refractive index	1.435 - 1.445 @ 20°C	
Optical Rotation	-5 to +10	
Hydrocarbon Content		
SECTION 10: Stability and reactivity		
10.1. Reactivity		
Reactivity	The substance is stable under normal storage and handling conditions.	
10.2. Chemical stability		
Stability	Stable under the prescribed storage conditions.	
10.3. Possibility of hazardous	reactions	
Possibility of hazardous reactions	No data available.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid heat, flames and other sources of ignition.	
10.5. Incompatible materials		
Materials to avoid	No data available.	
10.6. Hazardous decomposition products		
Hazardous decomposition products	No dangerous decomposition products expected by intended use.	
SECTION 11: Toxicological ir	Iformation	
11.1. Information on toxicolog	ical effects	
Toxicological effects	No data available.	
Acute toxicity - dermal Notes (dermal LD₅₀)	No data available.	
Acute toxicity - inhalation Notes (inhalation LC_{50})	No data available.	
Skin sensitisation Skin sensitisation	May cause an allergic skin reaction.	
Aspiration hazard BiOrigins, 19-20 Sandleheath Industrial Estate, Fordingbridge, Hampshire, SP6 1PA, UK Tel: 01425 655555 Email: technical@madarcorporation.co.uk Page 8		

Aspiration hazard

May be fatal if swallowed and enters airways.

SECTION 12: Ecological Information		
12.1. Toxicity		
Toxicity	Very toxic to aquatic life with long lasting effects.	
Acute toxicity - terrestrial	No data available.	
-		
12.2. Persistence and degrada		
Persistence and degradability		
12.3. Bioaccumulative potentia	No data available.	
Bioaccumulative potential	No data avalladie.	
<u>12.4. Mobility in soil</u> 12.5. Results of PBT and vPvE	a accommont	
12.6. Other adverse effects		
SECTION 13: Disposal conside	erations	
13.1. Waste treatment methods		
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the	
	local Waste Disposal Authority. Do not empty into drains.	
SECTION 14: Transport information		
14.1. UN number		
UN No. (ADR/RID)	1169	
UN No. (IMDG)	1169	
UN No. (ICAO)	1169	
UN No. (ADN)	1169	
14.2. UN proper shipping name		
Proper shipping name (ADR/RID)	EXTRACTS, AROMATIC, LIQUID	
Proper shipping name (IMDG)	EXTRACTS, AROMATIC, LIQUID	
Proper shipping name (ICAO)	EXTRACTS, AROMATIC, LIQUID	
Proper shipping name (ADN)	EXTRACTS, AROMATIC, LIQUID	
14.3. Transport hazard class(es)		
ADR/RID class	3	
ADR/RID classification code	F1	
ADR/RID label	3	
IMDG class	3	
ICAO class/division	3	
ADN class	3	

Transport labels



3	
14.4. Packing group	
ADR/RID packing group	III
IMDG packing group	III
ICAO packing group	III
ADN packing group	III
14.5. Environmental hazards	
Environmentally hazardous su No.	bstance/marine pollutant
14.6. Special precautions for u	Iser
EmS	F-E, S-D
ADR transport category	3
Emergency Action Code	3Y
Hazard Identification Number	30
(ADR/RID)	
(ADR/RID) Tunnel restriction code	(D/E) ing to Annex II of MARPOL and the IBC Code
(ADR/RID) Tunnel restriction code 14.7. Transport in bulk accordi SECTION 15: Regulatory infor	ng to Annex II of MARPOL and the IBC Code
(ADR/RID) Tunnel restriction code 14.7. Transport in bulk accordi SECTION 15: Regulatory infor	ing to Annex II of MARPOL and the IBC Code mation
(ADR/RID) Tunnel restriction code <u>14.7. Transport in bulk accordi</u> SECTION 15: Regulatory infor 15.1. Safety, health and enviro	ing to Annex II of MARPOL and the IBC Code mation mental regulations/legislation specific for the substance or mixture Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as
(ADR/RID) Tunnel restriction code <u>14.7. Transport in bulk accordi</u> SECTION 15: Regulatory infor 15.1. Safety, health and enviro EU legislation	Ing to Annex II of MARPOL and the IBC Code mation mental regulations/legislation specific for the substance or mixture Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). CHIP for everyone HSG228.
(ADR/RID) Tunnel restriction code <u>14.7. Transport in bulk accordi</u> <u>SECTION 15: Regulatory infor</u> <u>15.1. Safety, health and enviro</u> <u>EU legislation</u> Guidance	ing to Annex II of MARPOL and the IBC Code mation mental regulations/legislation specific for the substance or mixture Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). CHIP for everyone HSG228. ment
(ADR/RID) Tunnel restriction code <u>14.7. Transport in bulk accordi</u> <u>SECTION 15: Regulatory infor</u> <u>15.1. Safety, health and enviro</u> <u>EU legislation</u> Guidance <u>15.2. Chemical safety assessr</u>	ing to Annex II of MARPOL and the IBC Code mation mental regulations/legislation specific for the substance or mixture Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). CHIP for everyone HSG228. ment
(ADR/RID) Tunnel restriction code 14.7. Transport in bulk accordi SECTION 15: Regulatory infor 15.1. Safety, health and enviro EU legislation Guidance <u>15.2. Chemical safety assessr</u> SECTION 16: Other informatio	ing to Annex II of MARPOL and the IBC Code mation mental regulations/legislation specific for the substance or mixture Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). CHIP for everyone HSG228. ment
(ADR/RID) Tunnel restriction code 14.7. Transport in bulk accordi SECTION 15: Regulatory infor 15.1. Safety, health and enviro EU legislation Guidance 15.2. Chemical safety assess SECTION 16: Other informatic Revision date	ing to Annex II of MARPOL and the IBC Code mation mental regulations/legislation specific for the substance or mixture Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). CHIP for everyone HSG228. ment on 07/07/2017

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.



Product Specification

PRODUCT DETAILS	
Product Name	ST JOHNS WORT OIL ORGANIC
Country of Origin	Bulgaria
Tariff Number	33012941
Natural Status	We hereby declare, to the best of our knowledge and from information received from our supplier, that this product is in accordance to the requirements of Articles 3 (2) (d) of Regulation (EC) 1334/2008 and therefore can be designated as natural.
Food Grade Status	We confirm, from information received from our supplier, that this product conforms with EU
	Regulations and can be used in food.
Kosher Certified	No
Halal Certified	Not Certified
GMO Declaration	To the best of our knowledge and from information received from our supplier, this product doe not derive from genetically modified starting raw material, or additives that are derived from genetically modifed organisms.
Identification	CAS No: 68917-49-7 Alternative CAS : 84082-80-4
	EINECS No: 282-026-4
PHYSICAL AND CHEMICA	AL CHARACTERISTIC
Appearance	Liquid
Colour	Pale Yellow to Yellow
Odour	Spicy, Characterisitc
Relative Density @ 20°c	0.783 - 0.805
Refractive Index @ 20°c	1.435 - 1.445
Flash Point °C	≥31
Angular Rotation (°)	-5 to +10
Solubilities	Insoluble in Water, Soluable in Ethanol
FRAGRANCE ALLERGENS	5
Limonene (5989-27-5) <0.5%	
FOOD ALLERGENS	
NONE PRESENT	
IFRA	
NONE PRESENT	
STORAGE AND SHELF LIF	FE
Storage	Store in tightly closed container with minimum headspace in a cool, dark and dry place.
Shelf Life	24 months unopened and stored as above.
	c material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of the Compa

DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the Company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitability of such information for his own particular use. Where Global Essence make a declaration that allergenic material are not present in any product, this statement is made assuming reasonable levels of detection. It is impossible to guarantee the "absolute absence" of any material. It is the ultimate responsibility of the customer to ensure the safety of the intended final product containing this material, by carrying out additional tests if necessary.