


Certificate of Analysis

PRODUCT DETAILS							
Product Name		ST JOHNS WORT OIL ORGANIC					
Batch/Lot Number		43755152					
Expiry Date		October 2022					
Invoice Number		PINV-17461					
Identification		CAS No: 68917-49-7 Alterna			native CAS : 84082-80-4		
		EINECS No: 282-026-4					
PHYSICAL AND CHEI	MICAL CH	ARACTERISTIC					
		SPECIFICATION RANGE			RESULTS		
Appearance		Liquid			Conforms		
Colour		Pale Yellow to Yellow			Conforms		
Odour		Spicy, Characterisitc			Conforms		
MAIN CONSTITUEN	ΓS						
CONSTITUENT RANGE	RESULTS	CONSTITUENT RANGE	RESULTS	CONSTITUENT RANGE RESULTS		RESULTS	
Alpha Pinene <25 %	18.97%	Beta Pinene <15%	6.27%	Myrcene <3% 1.06%		1.06%	
Trans-ocimene <5%	0.42%	nonane <5%	3.55%				
STORAGE AND SHEL	F LIFE						
Storage		Store in tightly closed container with minimum headspace in a cool, dark and dry place.					
Shelf Life		24 months unopened and stored as above.					

DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the Company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitability of such information for his own particular use. Where Global Essence make a declaration that allergenic material are not present in any product, this statement is made assuming reasonable levels of detection. It is impossible to guarantee the "absolute absence" of any material. It is the ultimate responsibility of the customer to ensure the safety of the intended final product containing this material, by carrying out additional tests if necessary.



PROCESSING – ST JOHNS WORT ORGANIC FLOW CHART





SAFETY DATA SHEET ST JOHNS WORT OIL ORGANIC

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name ST JOHNS WORT OIL ORGANIC

Product number

Synonyms; trade names HYPERICUM PERFORATUM OIL

CAS number 68917-49-7 **Alternative Cas Number** 84082-80-4

EC number 282-026-4

1.2. Relevant identified uses of the substance or mixture and uses advised against

Industrial, only for professional use

1.3. Details of the supplier of the safety data sheet

Supplier

MADAR Corporation Limited 19 - 20 Sandleheath Industrial Estate

Fordingbridge Hampshire SP6 1PA 01425 655555

technical@madarcorporation.co.uk

1.4. Emergency telephone number - 01425 655555

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Flam. Liq. 3 - H226

Health hazards Skin Sens. 1 - H317 Asp. Tox. 1 - H304

Environmental hazards Aquatic Chronic 1 - H410

Human health May cause an allergic skin reaction. May be fatal if swallowed and enters airways.

Environmental Very toxic to aquatic life with long lasting effects.

Physicochemical Flammable liquid

2.2. Label elements

EC number 282-026-4

ST JOHNS WORT OIL ORGANIC

Pictogram









Signal word

Danger

Hazard statements

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed. P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P302+P352 IF ON SKIN: Wash with plenty of water.

P501 Dispose of contents/ container in accordance with national regulations.

Contains

Alpha Pinene, Beta Pinene, Beta Caryophyllene, trans-ocimene, nonane, undecane, 7-

methyl-3-methyleneocta-1,6-diene, p-Cymene

Supplementary precautionary

statements

P240 Ground/ bond container and receiving equipment.

P241 Use explosion-proof electrical equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing vapour/ spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/ shower.

P321 Specific treatment (see medical advice on this label).

P331 Do NOT induce vomiting.

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

P391 Collect spillage.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

2.3. Other hazards

ST JOHNS WORT OIL ORGANIC

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Alpha Pinene <25%

CAS number: 80-56-8 EC number: 201-291-9

M factor (Acute) = 1 M factor (Chronic) = 1

Classification

Flam. Liq. 3 - H226 Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

Beta Pinene <15%

CAS number: 127-91-3 EC number: 242-060-2

M factor (Acute) = 1 M factor (Chronic) = 1

Classification

Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

Beta Caryophyllene <10%

CAS number: 87-44-5 EC number: 201-746-1

Classification

Skin Sens. 1B - H317 Asp. Tox. 1 - H304

undecane <5%

CAS number: 1120-21-4 EC number: 214-300-6

Classification

Asp. Tox. 1 - H304

trans-ocimene <5%

CAS number: 13877-91-3 EC number: 237-641-2

Classification

Flam. Liq. 3 - H226 Asp. Tox. 1 - H304

ST JOHNS WORT OIL ORGANIC

nonane <5%

CAS number: 111-84-2 EC number: 203-913-4

M factor (Chronic) = 1

Classification

Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 STOT SE 3 - H336 Asp. Tox. 1 - H304 Aquatic Chronic 1 - H410

p-Cymene <3%

CAS number: 99-87-6 EC number: 202-796-7

Classification

Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Asp. Tox. 1 - H304

7-methyl-3-methyleneocta-1,6-diene <3%

CAS number: 123-35-3 EC number: 204-622-5 M factor (Acute) = 1 M factor (Chronic) = 1

Classification

Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Remove person to fresh air and keep comfortable for breathing. Get medical attention.

Ingestion Rinse mouth thoroughly with water. Aspiration hazard if swallowed. Do not induce vomiting.

Get medical attention.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. Continue to

rinse for at least 15 minutes. Get medical attention.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General information No further information available at this time.

4.3. Indication of any immediate medical attention and special treatment needed

ST JOHNS WORT OIL ORGANIC

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use alcohol-resistant foam, carbon dioxide or dry powder to extinguish.

Unsuitable extinguishing

media

For safety reasons do not use full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards In case of fire, toxic fumes like carbon monoxide and carbon dioxide may be liberated.

Burning produces heavy smoke.

5.3. Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapours.

Special protective equipment Wear full protective clothing

for firefighters

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions No smoking, sparks, flames or other sources of ignition near spillage. Avoid contact with skin,

> eyes and clothing. Avoid inhalation of vapours. Use suitable respiratory protection if ventilation is inadequate. Wear suitable protective equipment, including gloves, goggles/face shield,

respirator, boots, clothing or apron, as appropriate.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb with liquid binding material (e.g sand, diatomaceous earth, acid or universal binding

> agents). Collect in closed and suitable containers for disposal. Wash spill site after material pick up is complete. No smoking, sparks, flames or other sources of ignition near spillage.

6.4. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Apply good manufacturing practice and industrial hygiene practices. Keep containers sealed

> when not in use. Do not get in eyes, on skin, or on clothing. Avoid breathing vapours. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

ST JOHNS WORT OIL ORGANIC

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Alpha Pinene (CAS: 80-56-8)

DNEL Workers - Inhalation; Long term systemic effects: 3.8 mg/m³

Workers - Dermal; Long term systemic effects: 0.54 mg/kg, bw/day General population - Inhalation; Long term systemic effects: 0.67 mg/m³ General population - Dermal; Long term systemic effects: 0.19 mg/kg, bw/day General population - Oral; Long term systemic effects: 0.19 mg/kg, bw/day

PNEC - Fresh water; Short term 0.606 mg/l

- Fresh water, Intermittent release; 3.03 mg/l

- Marine water; Short term 0.061 mg/l

- Intermittent release, Marine water; 0.303 mg/l

- STP; Short term 0.2 mg/l

Sediment (Freshwater); Short term 157 mg/kgSediment (Marinewater); Short term 15.7 mg/kg

- Soil; Short term 31.7 mg/kg

Beta Pinene (CAS: 127-91-3)

DNEL Workers - Inhalation; Long term systemic effects: 5.69 mg/m³

Workers - Dermal; Long term systemic effects: 0.8 mg/kg, bw/day General population - Inhalation; Long term systemic effects: 1 mg/m³

General population - Dermal; Long term systemic effects: 0.3 bw/day, mg/kg General population - Oral; Long term systemic effects: 0.3 mg/kg, bw/day

PNEC - Fresh water; Short term 1.004 mg/l

- Intermittent release, Fresh water; 5.02 mg/l

- Marine water; Short term 0.1 mg/l

- STP; Short term 3.26 mg/l

Sediment (Freshwater); Short term 0.337 mg/kgSediment (Marinewater); Short term 0.034 mg/kg

- Soil; Short term 0.067 mg/kg

nonane (CAS: 111-84-2)

DNEL Workers - Inhalation; Long term systemic effects: 2.035 mg/m³

Workers - Dermal; Long term systemic effects: 773 mg/kg, bw/day General population - Inhalation; Long term systemic effects: 608 mg/m³ General population - Dermal; Long term systemic effects: 699 bw/day, mg/kg General population - Oral; Long term systemic effects: 699 bw/day, mg/kg

PNEC - Fresh water; Short term 3.6 mg/l

- Marine water; Short term 3.6 mg/l

- STP; Short term 54 mg/l

Sediment (Freshwater); Short term 0.62 mg/kgSediment (Marinewater); Short term 0.62 mg/kg

- Soil; Short term 0.25 mg/kg

undecane (CAS: 1120-21-4)

ST JOHNS WORT OIL ORGANIC

PNEC - Fresh water; Short term 0.92 mg/l

- Marine water; Short term 0.92 mg/l

- STP; Short term 14 mg/l

Sediment (Freshwater); Short term 1 mg/kgSediment (Marinewater); Short term 1 mg/kg

- Soil; Short term 1 mg/kg

7-methyl-3-methyleneocta-1,6-diene (CAS: 123-35-3)

DNEL Workers - Dermal; Long term systemic effects: 0.83 mg/kg

Workers - Inhalation; Long term systemic effects: 5.83 mg/m³

General population - Dermal; Long term systemic effects: 0.42 mg/kg General population - Inhalation; Long term systemic effects: 1.25 mg/m³

PNEC - STP; 0.2 mg/l

- Soil; 1.015 mg/kg

- Fresh water; 0.00028 mg/l - Marine water; 0.0008 mg/l

Sediment (Freshwater); 5.022 mg/kgSediment (Marinewater); 0.502 mg/kg

8.2. Exposure controls

Protective equipment









Appropriate engineering controls

Provide eyewash station Provide adequate ventilation.

Personal protection Use personal protection according to Directive 89/686/EEC

Eye/face protection Approved safety goggles.

Hand protection Chemical resistant gloves (PVC)

Other skin and body

protection

Wear apron or protective clothing in case of contact.

Hygiene measures Good personal hygiene procedures should be implemented.

Respiratory protection Generally unnecessary in a well ventilated area.

If ventilation is insufficient, respiratory protection must be worn.

Environmental exposure

controls

Avoid discharging into drains.

ST JOHNS WORT OIL ORGANIC

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Pale yellow to yellow

Odour Spicy Characteristic.

Flash point $\geq 31^{\circ}\text{C}$

Relative density 0.783 - 0.805 @ 20°C

Solubility(ies) Soluble in ethanol. Insoluble in water.

9.2. Other information

Refractive index 1.435 - 1.445 @ 20°C

Optical Rotation -5 to +10

Hydrocarbon Content

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity The substance is stable under normal storage and handling conditions.

10.2. Chemical stability

Stability Stable under the prescribed storage conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

No data available.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid No data available.

10.6. Hazardous decomposition products

Hazardous decomposition

No dangerous decomposition products expected by intended use.

products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects No data available.

Acute toxicity - dermal

Notes (dermal LD₅₀) No data available.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) No data available.

Skin sensitisation

Skin sensitisation May cause an allergic skin reaction.

Aspiration hazard

ST JOHNS WORT OIL ORGANIC

Aspiration hazard

May be fatal if swallowed and enters airways.

ST JOHNS WORT OIL ORGANIC

SECTION 12: Ecological Information

12.1. Toxicity

Toxicity Very toxic to aquatic life with long lasting effects.

Acute toxicity - terrestrial No data available.

12.2. Persistence and degradability

Persistence and degradability No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available.

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. Do not empty into drains.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 1169

UN No. (IMDG) 1169

UN No. (ICAO) 1169

UN No. (ADN) 1169

14.2. UN proper shipping name

Proper shipping name

EXTRACTS, AROMATIC, LIQUID

(ADR/RID)

Proper shipping name (IMDG) EXTRACTS, AROMATIC, LIQUID

Proper shipping name (ICAO) EXTRACTS, AROMATIC, LIQUID

Proper shipping name (ADN) EXTRACTS, AROMATIC, LIQUID

14.3. Transport hazard class(es)

ADR/RID class 3

ADR/RID classification code F1

ADR/RID label 3

IMDG class 3

ICAO class/division 3

ADN class 3

ST JOHNS WORT OIL ORGANIC

Transport labels



14.4. Packing group

ADR/RID packing group Ш IMDG packing group Ш ICAO packing group Ш ADN packing group Ш

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

EmS F-E, S-D

ADR transport category 3

Emergency Action Code 3Y

Hazard Identification Number

(ADR/RID)

Tunnel restriction code (D/E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

30

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Guidance CHIP for everyone HSG228.

15.2. Chemical safety assessment

SECTION 16: Other information

Revision date 07/07/2017

Revision 1

SDS number 4982

Hazard statements in full H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

Revision date: 07/07/2017 Revision: 1 ST JOHNS WORT OIL ORGANIC This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.



Product Specification

PRODUCT DETAILS					
Product Name	ST JOHNS WORT OIL ORGANIC				
Country of Origin	Bulgaria				
Tariff Number	33012941				
Natural Status	We hereby declare, to the best of our knowledge and from information received from our supplier, that this product is in accordance to the requirements of Articles 3 (2) (d) of Regulation (EC) 1334/2008 and therefore can be designated as natural.				
Food Grade Status	We confirm, from information received from our supplier, that this product conforms with EU Regulations and can be used in food.				
Kosher Certified	No				
Halal Certified	Not Certified				
GMO Declaration	To the best of our knowledge and from information received from our supplier, this product does not derive from genetically modified starting raw material, or additives that are derived from genetically modifed organisms.				
Identification	CAS No: 68917-49-7	Alternative CAS: 84082-80-4			
	EINECS No: 282-026-4				
PHYSICAL AND CHEMICA	L CHARACTERISTIC				
Appearance	Liquid				
Colour	Pale Yellow to Yellow				
Odour	Spicy, Characterisitc				
Relative Density @ 20°c	0.783 - 0.805				
Refractive Index @ 20°c	1.435 - 1.445				
Flash Point °C	≥31				
Angular Rotation (°)	-5 to +10				
Solubilities	Insoluble in Water, Soluable in Ethanol				
FRAGRANCE ALLERGENS					
Limonene (5989-27-5) <0.5%					
FOOD ALLERGENS					
NONE PRESENT					
IFRA					
NONE PRESENT					
STORAGE AND SHELF LIF	E				
Storage	Store in tightly closed container with minimum headspace in a cool, dark and dry place.				
Shelf Life	24 months unopened and stored as above.				
	1				

DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the Company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitability of such information for his own particular use. Where Global Essence make a declaration that allergenic material are not present in any product, this statement is made assuming reasonable levels of detection. It is impossible to guarantee the "absolute absence" of any material. It is the ultimate responsibility of the customer to ensure the safety of the intended final product containing this material, by carrying out additional tests if necessary.