

# Certificate of Analysis

# **PUMICE STONE FACE EXFOLIANT**

Pumice is a natural alumino-silicate of volcanic origin. Being inert and extremely brittle with a sharp conchoidal fracture, pumice is recommended as a mild abrasive.

:	4335503
:	September 2021
:	Pumice
:	1332-09-8
:	Powder
:	5 to 6
:	> 1000
:	7 to 8
:	2.3 to 2.4
	<u>% Passing</u>
:	90 to 95
:	85 to 90
:	55 to 65
:	30 to 40



VERSION: 1.2, 12/02/2018

## GENETICALLY MODIFIED/ ENGINEERED MATERIALS

## PUMICE STONE (SUPERFINE FOR FACE)

Whilst the above product supplied by MADAR Corporation is considered GM free, no assurances can be given to this effect due to the possibility of cross-contamination or inadvertent contact with GM materials, which is beyond our control.



DATE OF ISSUE: 23/ 10/2008

### SECTION 1: PRODUCT & COMPANY IDENTIFICATION

### PRODUCT NAME: PUMICE STONE (SUPERFINE FOR FACE)

PRODUCT CODE: **EXFOPUMIFACE** COMPANY NAME: MADAR Corporation Limited ADDRESS: 19-20 Sandleheath Industrial Estate Fordingbridge Hampshire SP6 1PA Approved Sellers Mystic Moments, New Directions, World of Moulds SECTION 2: COMPOSITION INCI LISTING: Pumice SECTION 3: HAZARDS IDENTIFICATION ENVIRONMENTAL HAZARDS: None known at present. Not considered a hazard under normal conditions of use. Although no specific hazard has been identified, HUMAN HEALTH HAZARDS: prolonged inhalation of dust could possibly cause lung injury and should be treated as a 'Nuisance Particulate'.

INHALATION:	Remove to fresh air. Seek medical advice if any breathing difficulty.
SKIN CONTACT:	Wash with soap and water and seek medical advice if irritation persists.
EYE CONTACT:	Wash with copious amounts of water. Seek medical advice if irritation/redness/swelling persists.
INGESTION:	Seek medical advice in serious cases.

### SECTION 5: FIRE FIGHTING MEASURES

SECTION 4: FIRST AID

USE: Standard firefighting media. AVOID: No known firefighting media to be avoided. COMMENTS: None known.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

 PERSONAL PRECAUTIONS:
 Wear suitable protective clothing (see section 8).

 ENVIRONMENTAL PRECAUTIONS:
 Use appropriate containment to avoid environmental contamination.

 METHODS FOR CLEANING UP:
 Sweep up into containers. Dispose of to an authorised waste collection point.

### SECTION 7: HANDLING & STORAGE

HANDLING PRECAUTIONS:Wear suitable protective clothing. Handle carefully to avoid high concentrations of dust.STORAGE CONDITIONS:Keep container tightly closed. Store in a cool, dry place.

### SECTION 8: EXPOSURE CONTROLS

EXPOSURE CONTROLS:Avoid excessive exposure to material.RESPIRATORY PROTECTION:Suitable dust mask advised. If insufficient ventilation, suitable respiratory protection must be worn.SKIN PROTECTION:Wear gloves and protective clothing.EYE PROTECTION:Wear protective goggles.



## **Material Safety Data Sheet**

### SECTION 9: PHYSICAL & CHEMICAL PROPERTIES

APPEARANCE: ODOUR: pH VALUE: MELTING POINT (°C): SOLUBILITY: Grey granules None. 7.5 to 8.0 1500 Insoluble in water.

This is not a sales specification.

### SECTION 10: STABILITY & REACTIVITY

STABILITY: REACTIVITY: Stable under normal conditions. None known.

### SECTION 11: TOXICOLOGICAL INFORMATION

TOXICITY COMMENTS:

No detailed toxicological data available.

### SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL COMMENTS: No known ecotoxicological effects.

### SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with local regulations.

### SECTION 14: TRANSPORT INFORMATION

UN NUMBER:	N/A
UN HAZARD CLASS:	N/A
UN PACKING GROUP:	N/A

### SECTION 15: REGULATORY INFORMATION

HAZARD SYMBOLS:	None
RISK PHRASES:	None
SAFETY PHRASES:	None

### SECTION 16: ADDITIONAL INFORMATION

REVISION DATE:

23/10/2008

THE INFORMATION CONTAINED HEREIN IS PROVIDED IN GOOD FAITH BUT DOES NOT CONSTITUTE A SPECIFICATION. SINCE THE USE OF THIS INFORMATION AND THE CONDITIONS OF USE OF THE PRODUCT ARE NOT WITHIN THE CONTROL OF MADAR CORPORATION LTD IT IS THE USER'S OBLIGATION TO DETERMINE CONDITIONS OF SAFE USE OF THIS PRODUCT.



### PUMICE STONE FACE EXFOLIANT

Pumice is a natural alumino-silicate of volcan i cofigin. Being inert and extremely brittle with a sh-arp concholdal fradure, pumice is recommended as a mild abrasive.

INCI LISTING	Pumice
CAS NUMBER	1332-09-8
APPEARANCE	Powder
TYPICAL PROPERTIES	
HARDNESS (Mohs)	5106
MELTING POINT ( <sup>°</sup> C)	> 100
pH VALUE	0 7 to 8
TRUE DENSITY (g/cm')	2.3 to 2.4
TYPICAL SIEVE ANALYSIS	<u>G/, Passing</u>
(MICRONS) 88	90 to95
74	85 1090
44	55 to65
20	30 1040