

Certificate of Analysis

PUMICE STONE FACE EXFOLIANT

Pumice is a natural alumino-silicate of volcanic origin. Being inert and extremely brittle with a sharp conchoidal fracture, pumice is recommended as a mild abrasive.

BATCH NUMBER : 4504109

BEST BEFORE END : April 2026

INCI LISTING : Pumice

CAS NUMBER : 1332-09-8

We hereby certify that the goods supplied with the above quoted batch no. and product name conform to the Sales Specification issued by ourselves.



VERSION: 1.2, 12/02/2018

GENETICALLY MODIFIED/ ENGINEERED MATERIALS

PUMICE STONE (SUPERFINE FOR FACE)

Whilst the above product supplied by MADAR Corporation is considered GM free, no assurances can be given to this effect due to the possibility of cross-contamination or inadvertent contact with GM materials, which is beyond our control.



Product Data Profile Sheet

REVISION: 28/04/2023

PUMICE GROUND 19

Function Cosmetic ingredient for topical use

Shelf Life 60 months (when unopened and stored correctly)

This product has never been tested on animals either by us, or **Animal Testing**

on our behalf

Derivation Mineral

EU / UK REACH Exempt under Annex V (paragraph 7)

Carcinogenic, mutagenic or reprotoxic ingredients not used or **CMR**

expected to be present

Substances of Very High Concern listed on SPEC or MSDS **SVHC**

where applicable/available

Relevant levels of the 26 EC-specified fragrance allergens not **Allergens**

expected

Intentionally-manufactured nanoparticles not expected to be **Nanoparticles**

present

Based on our current knowledge, this product is not expected to **PROP 65**

contain any chemicals listed by the OEHHA as carcinogenic or

reprotoxic

Palm oil derivatives None

Additives None

No testing is carried out to determine an absolute absence **Nuts / derivatives**

but, unless listed as an ingredient, nuts are not expected to be

present in this product

No animal-derivatives * were used in the manufacture of this **Animal derivatives**

material or its ingredients at any stage, neither is there any

risk of cross-contamination

Not derived from wheat, rye or barley and gluten protein is Gluten

therefore is not expected to be present

N/A (product contains no animal-derived materials) **BSE/TSE**

Pesticides Not expected to be present

This product is free from animal-derived ingredients and Halal

alcohol, and is not at risk of contamination by any of the above

Natural index $(I_n) = 1$ Organic index $(I_0) = 0$ ISO 16128

Natural origin index $(I_{no}) = 1$ Organic origin index $(I_{oo}) = 0$

^{*!}Includes all vertebrates and multi-cellular invertebrates



Material Safety Data Sheet

DATE OF ISSUE: 23/10/2008

SECTION 1: PRODUCT & COMPANY IDENTIFICATION

PRODUCT NAME: PUMICE STONE (SUPERFINE FOR FACE)

PRODUCT CODE:
COMPANY NAME:
ADDRESS:

EXFOPUMIFACE
MADAR Corporation Limited
19-20 Sandleheath Industrial Estate

Fordingbridge Hampshire SP6 1PA

Approved Sellers Mystic Moments, New Directions, World of Moulds

SECTION 2: COMPOSITION

INCI LISTING: Pumice

SECTION 3: HAZARDS IDENTIFICATION

ENVIRONMENTAL HAZARDS: None known at present.

HUMAN HEALTH HAZARDS: Not considered a hazard under normal conditions of use. Although no specific hazard has been identified,

prolonged inhalation of dust could possibly cause lung injury and should be treated as a 'Nuisance Particulate'.

SECTION 4: FIRST AID

INHALATION: Remove to fresh air. Seek medical advice if any breathing difficulty. SKIN CONTACT: Wash with soap and water and seek medical advice if irritation persists.

EYE CONTACT: Wash with copious amounts of water. Seek medical advice if irritation/redness/swelling persists.

INGESTION: Seek medical advice in serious cases.

SECTION 5: FIRE FIGHTING MEASURES

USE: Standard firefighting media.

AVOID: No known firefighting media to be avoided.

COMMENTS: None known.

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: Wear suitable protective clothing (see section 8).

ENVIRONMENTAL PRECAUTIONS: Use appropriate containment to avoid environmental contamination.

METHODS FOR CLEANING UP: Sweep up into containers. Dispose of to an authorised waste collection point.

SECTION 7: HANDLING & STORAGE

HANDLING PRECAUTIONS: Wear suitable protective clothing. Handle carefully to avoid high concentrations of dust.

STORAGE CONDITIONS: Keep container tightly closed. Store in a cool, dry place.

SECTION 8: EXPOSURE CONTROLS

EXPOSURE CONTROLS: Avoid excessive exposure to material.

RESPIRATORY PROTECTION: Suitable dust mask advised. If insufficient ventilation, suitable respiratory protection must be worn.

SKIN PROTECTION: Wear gloves and protective clothing.

EYE PROTECTION: Wear protective goggles.



Material Safety Data Sheet

SECTION 9: PHYSICAL & CHEMICAL PROPERTIES

 APPEARANCE:
 Grey granules

 ODOUR:
 None.

 pH VALUE:
 7.5 to 8.0

 MELTING POINT (°C):
 1500

SOLUBILITY: Insoluble in water.

This is not a sales specification.

SECTION 10: STABILITY & REACTIVITY

STABILITY: Stable under normal conditions.

REACTIVITY: None known.

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICITY COMMENTS: No detailed toxicological data available.

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL COMMENTS: No known ecotoxicological effects.

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with local regulations.

SECTION 14: TRANSPORT INFORMATION

UN NUMBER: N/A
UN HAZARD CLASS: N/A
UN PACKING GROUP: N/A

SECTION 15: REGULATORY INFORMATION

HAZARD SYMBOLS: None RISK PHRASES: None SAFETY PHRASES: None

SECTION 16: ADDITIONAL INFORMATION

REVISION DATE: 23/10/2008

THE INFORMATION CONTAINED HEREIN IS PROVIDED IN GOOD FAITH BUT DOES NOT CONSTITUTE A SPECIFICATION. SINCE THE USE OF THIS INFORMATION AND THE CONDITIONS OF USE OF THE PRODUCT ARE NOT WITHIN THE CONTROL OF MADAR CORPORATION LTD IT IS THE USER'S OBLIGATION TO DETERMINE CONDITIONS OF SAFE USE OF THIS PRODUCT.



PUMICE STONE FACE EXFOLIANT

Pumice is a natural alumino-silicate of volcan i cofigin. Being inert and extremely brittle with a sh-arp concholdal fradure, pumice is recommended a:s a mild abrasive.

Pumice

INCI LISTING

1332-09-8
Powder
5106
> 100
0 7 to 8
2.3 to 2.4
G/, Passing
90 to95
85 1090
55 to65
30 1040