

# **Certificate of Analysis**

## **VOLCANIC ASH**

**BATCH NO: 4315109** 

**BEST BEFORE END: FEBRUARY 2021** 

INCI LISTING:	Pumice	Complies	
CAS NUMBER:	1332-09-8	Complies	
APPEARANCE:	Powder	Complies	

#### TYPICAL PROPERTIES

HARDNESS (Mohs):	5 to 6	Complies
MELTING POINT (°C):	> 1000	Complies
pH VALUE:	7 to 8	Complies
TRUE DENSITY (g/cm³):	2.3 to 2.4	Complies

#### TYPICAL SIEVE ANALYSIS (MICRONS)

88:	90 to 95	Complies
74:	85 to 90	Complies
44:	55 to 65	Complies
20:	30 to 40	Complies



VERSION: 1.2, 12/02/2018

## GENETICALLY MODIFIED/ ENGINEERED MATERIALS

#### **VOLCANIC ASH**

Whilst the above product supplied by MADAR Corporation is considered GM free, no assurances can be given to this effect due to the possibility of cross-contamination or inadvertent contact with GM materials, which is beyond our control.



## **Material Safety Data Sheet**

**DATE OF ISSUE: 23/10/2008** 

**SECTION 1: PRODUCT & COMPANY IDENTIFICATION** 

PRODUCT NAME: VOLCANIC ASH

PRODUCT CODE: RMVOLC

COMPANY NAME:
ADDRESS:

MADAR Corporation Limited

19-20 Sandleheath Industrial Estate

Fordingbridge Hampshire SP6 1PA

Approved Sellers Mystic Moments, New Directions, World of Moulds

**SECTION 2: COMPOSITION** 

INCI LISTING: Pumice
COUNTRY OF ORIGIN: Mixed locations

**SECTION 3: HAZARDS IDENTIFICATION** 

ENVIRONMENTAL HAZARDS: None known at present.

HUMAN HEALTH HAZARDS: Not considered a hazard under normal conditions of use. Although no specific hazard has been identified,

prolonged inhalation of dust could possibly cause lung injury and should be treated as a 'Nuisance Particulate'.

**SECTION 4: FIRST AID** 

INHALATION: Remove to fresh air. Seek medical advice if any breathing difficulty. SKIN CONTACT: Wash with soap and water and seek medical advice if irritation persists.

EYE CONTACT: Wash with copious amounts of water. Seek medical advice if irritation/redness/swelling persists.

INGESTION: Seek medical advice in serious cases.

**SECTION 5: FIRE FIGHTING MEASURES** 

USE: Standard firefighting media.

AVOID: No known firefighting media to be avoided.

COMMENTS: None known

**SECTION 6: ACCIDENTAL RELEASE MEASURES** 

PERSONAL PRECAUTIONS: Wear suitable protective clothing (see section 8).

ENVIRONMENTAL PRECAUTIONS: Use appropriate containment to avoid environmental contamination.

METHODS FOR CLEANING UP: Sweep up into containers. Dispose of to an authorised waste collection point.

SECTION 7: HANDLING & STORAGE

HANDLING PRECAUTIONS: Wear suitable protective clothing. Handle carefully to avoid high concentrations of dust.

STORAGE CONDITIONS: Keep container tightly closed. Store in a cool, dry place.

**SECTION 8: EXPOSURE CONTROLS** 

EXPOSURE CONTROLS: Avoid excessive exposure to material.

RESPIRATORY PROTECTION: Suitable dust mask advised. If insufficient ventilation, suitable respiratory protection must be worn.

SKIN PROTECTION: Wear gloves and protective clothing.

EYE PROTECTION: Wear protective goggles.



## **Material Safety Data Sheet**

#### **SECTION 9: PHYSICAL & CHEMICAL PROPERTIES**

 APPEARANCE:
 Grey granules

 ODOUR:
 None.

 pH VALUE:
 7.5 to 8.0

 MELTING POINT (°C):
 1500

SOLUBILITY: Insoluble in water.

This is not a sales specification.

#### **SECTION 10: STABILITY & REACTIVITY**

STABILITY: Stable under normal conditions.

REACTIVITY: None known.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

TOXICITY COMMENTS: No detailed toxicological data available.

#### **SECTION 12: ECOLOGICAL INFORMATION**

ECOTOXICOLOGICAL COMMENTS: No known ecotoxicological effects.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Dispose of in accordance with local regulations.

#### **SECTION 14: TRANSPORT INFORMATION**

UN NUMBER: N/A
UN HAZARD CLASS: N/A
UN PACKING GROUP: N/A

#### **SECTION 15: REGULATORY INFORMATION**

HAZARD SYMBOLS: None RISK PHRASES: None SAFETY PHRASES: None

#### SECTION 16: ADDITIONAL INFORMATION

REVISION DATE: 23/10/2008

THE INFORMATION CONTAINED HEREIN IS PROVIDED IN GOOD FAITH BUT DOES NOT CONSTITUTE A SPECIFICATION. SINCE THE USE OF THIS INFORMATION AND THE CONDITIONS OF USE OF THE PRODUCT ARE NOT WITHIN THE CONTROL OF MADAR CORPORATION LTD IT IS THE USER'S OBLIGATION TO DETERMINE CONDITIONS OF SAFE USE OF THIS PRODUCT.



## **Product Specification**

**REVISION: 23/10/2008** 

> 1000

### **VOLCANIC ASH**

Pumice is a natural alumino-silicate of volcanic origin. Being inert and extremely brittle with a sharp conchoidal fracture, pumice is recommended as a mild abrasive.

INCI LISTING : Pumice

CAS NUMBER : 1332-09-8

APPEARANCE : Powder

**TYPICAL PROPERTIES** 

**MELTING POINT (°C)** 

HARDNESS (Mohs) : 5 to 6

pH VALUE : 7 to 8

TRUE DENSITY (g/cm³) : 2.3 to 2.4

 TYPICAL SIEVE ANALYSIS (MICRONS)
 % Passing

 88
 :
 90 to 95

 74
 :
 85 to 90

 44
 :
 55 to 65

 20
 :
 30 to 40



# Information Sheet VOLCANIC ASH

Powder, Sand, Granules

Volcanish Ash is a natural alumino-silicate of volcanic origin with a sharp conchoidal fracture that makes it ideally suitable for use as a mild abrasive. It consists largely of silica and aluminium oxide.

Raw material is crushed and sorted into various different sizes, from large pebbles or stones down to very fine powder. As well as being used in cosmetics for exfoliation, different grades of pumice granules are also used in a variety of industrial applications.

The Volcanic Ash sold by MADAR Corporation is typically sourced from the volcanic regions of Europe or North America. In hardness terms, it falls near the middle of the *Mohs* scale with a value of around 5 to 6, which is similar to glass (Talc is 1 and Diamond is 10).

TYPICAL CHEMICAL ANALYSIS		
Chemical	Typical Percentage	
Silica (SiO <sub>2</sub> )	70 to 75	
Aluminium Oxide (Al <sub>2</sub> O <sub>3</sub> )	11 to 16	
Sodium Oxide (Na <sub>2</sub> O)	3 to 5	
Potassium Oxide (K <sub>2</sub> O)	3 to 5	
Combined Water (H2O+)	3 to 5	
Ferric Oxide (Fe <sub>2</sub> O <sub>3</sub> )	0.5 to 1.5	
Ferrous Oxide (FeO)	< 1	
Magnesium Oxide (MgO)	< 1	
Calcium Oxide (CaO)	< 1	
Manganese Oxide (MnO)	< 1	
Titanium Dioxide (Ti <sub>2</sub> O)	< 1	
Phosphorous Pentoxide (P <sub>2</sub> O <sub>5</sub> )	< 1	
Carbon Dioxide (CO <sub>2</sub> )	< 1	
Sulphur Trioxide (SO <sub>3</sub> )	< 1	

TYPICAL TRACE METAL ANALYSIS		
Metal	Typical content (mg/kg)	
Arsenic (As)	< 1	
Cadmium (Cd)	< 1	
Chromium (Cr)	< 1	
Lead (Pb)	< 1	