

# **Certificate of Analysis**

# **VOLCANIC ASH**

BATCH NO: 4362704

### **BEST BEFORE END: JUNE 2022**

INCI LISTING:	Pumice	Complies	
CAS NUMBER:	1332-09-8	Complies	
APPEARANCE:	Powder	Complies	
TYPICAL PROPERTIES			
HARDNESS (Mohs):	5 to 6	Complies	
MELTING POINT (°C):	> 1000	Complies	
pH VALUE:	7 to 8	Complies	
TRUE DENSITY (g/cm <sup>3</sup> ):	2.3 to 2.4	Complies	
TYPICAL SIEVE ANALYSIS (MI	CRONS)		
88:	90 to 95	Complies	
74:	85 to 90	Complies	
44:	55 to 65	Complies	
20:	30 to 40	Complies	



VERSION: 1.2, 12/02/2018

### GENETICALLY MODIFIED/ ENGINEERED MATERIALS

### **VOLCANIC ASH**

Whilst the above product supplied by MADAR Corporation is considered GM free, no assurances can be given to this effect due to the possibility of cross-contamination or inadvertent contact with GM materials, which is beyond our control.



DATE OF ISSUE: 23/ 10/2008

### SECTION 1: PRODUCT & COMPANY IDENTIFICATION

PRODUCT NAME:
PRODUCT CODE:
COMPANY NAME:
ADDRESS:

### VOLCANIC ASH

RMVOLC MADAR Corporation Limited 19-20 Sandleheath Industrial Estate Fordingbridge Hampshire SP6 1PA Mystic Moments, New Directions, World of Moulds

### SECTION 2: COMPOSITION

Approved Sellers

INCI LISTING: COUNTRY OF ORIGIN:

Pumice Mixed locations

### SECTION 3: HAZARDS IDENTIFICATION

ENVIRONMENTAL HAZARDS:	None known at present.
HUMAN HEALTH HAZARDS:	Not considered a hazard under normal conditions of use. Although no specific hazard has been identified,
	prolonged inhalation of dust could possibly cause lung injury and should be treated as a 'Nuisance Particulate'.

### SECTION 4: FIRST AID

INHALATION:	Remove to fresh air. Seek medical advice if any breathing difficulty.
SKIN CONTACT:	Wash with soap and water and seek medical advice if irritation persists.
EYE CONTACT:	Wash with copious amounts of water. Seek medical advice if irritation/redness/swelling persists.
INGESTION:	Seek medical advice in serious cases.

#### SECTION 5: FIRE FIGHTING MEASURES

USE:	Standard firefighting media.
AVOID:	No known firefighting media to be avoided.
COMMENTS:	None known.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:	Wear suitable protective clothing (see section 8).
ENVIRONMENTAL PRECAUTIONS:	Use appropriate containment to avoid environmental contamination.
METHODS FOR CLEANING UP:	Sweep up into containers. Dispose of to an authorised waste collection point

#### SECTION 7: HANDLING & STORAGE

HANDLING PRECAUTIONS:	Wear suitable protective clothing. Handle carefully to avoid high concentrations of dust.
STORAGE CONDITIONS:	Keep container tightly closed. Store in a cool, dry place.

### SECTION 8: EXPOSURE CONTROLS

EXPOSURE CONTROLS:Avoid excessive exposure to material.RESPIRATORY PROTECTION:Suitable dust mask advised. If insufficient ventilation, suitable respiratory protection must be worn.SKIN PROTECTION:Wear gloves and protective clothing.EYE PROTECTION:Wear protective goggles.



## **Material Safety Data Sheet**

### SECTION 9: PHYSICAL & CHEMICAL PROPERTIES

APPEARANCE: ODOUR: pH VALUE: MELTING POINT (°C): SOLUBILITY: Grey granules None. 7.5 to 8.0 1500 Insoluble in water.

This is not a sales specification.

### SECTION 10: STABILITY & REACTIVITY

STABILITY: REACTIVITY: Stable under normal conditions. None known.

### SECTION 11: TOXICOLOGICAL INFORMATION

TOXICITY COMMENTS:

No detailed toxicological data available.

### SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL COMMENTS: No known ecotoxicological effects.

### SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with local regulations.

#### SECTION 14: TRANSPORT INFORMATION

UN NUMBER:	N/A
UN HAZARD CLASS:	N/A
UN PACKING GROUP:	N/A

### SECTION 15: REGULATORY INFORMATION

HAZARD SYMBOLS:	None
RISK PHRASES:	None
SAFETY PHRASES:	None

### SECTION 16: ADDITIONAL INFORMATION

REVISION DATE:

23/10/2008

THE INFORMATION CONTAINED HEREIN IS PROVIDED IN GOOD FAITH BUT DOES NOT CONSTITUTE A SPECIFICATION. SINCE THE USE OF THIS INFORMATION AND THE CONDITIONS OF USE OF THE PRODUCT ARE NOT WITHIN THE CONTROL OF MADAR CORPORATION LTD IT IS THE USER'S OBLIGATION TO DETERMINE CONDITIONS OF SAFE USE OF THIS PRODUCT.



# **Product Specification**

**REVISION: 23/10/2008** 

# **VOLCANIC ASH**

Pumice is a natural alumino-silicate of volcanic origin. Being inert and extremely brittle with a sharp conchoidal fracture, pumice is recommended as a mild abrasive.

INCI LISTING	:	Pumice
CAS NUMBER	:	1332-09-8
APPEARANCE	:	Powder
TYPICAL PROPERTIES		
HARDNESS (Mohs)	:	5 to 6
MELTING POINT (°C)	:	> 1000
pH VALUE	:	7 to 8
TRUE DENSITY (g/cm <sup>3</sup> )	:	2.3 to 2.4
TYPICAL SIEVE ANALYSIS (MICRONS)		<u>% Passing</u>
88	:	90 to 95
74	:	85 to 90
44	:	55 to 65
20	:	30 to 40



# Information Sheet **VOLCANIC ASH**

Powder, Sand, Granules

Volcanish Ash is a natural alumino-silicate of volcanic origin with a sharp conchoidal fracture that makes it ideally suitable for use as a mild abrasive. It consists largely of silica and aluminium oxide.

Raw material is crushed and sorted into various different sizes, from large pebbles or stones down to very fine powder. As well as being used in cosmetics for exfoliation, different grades of pumice granules are also used in a variety of industrial applications.

The Volcanic Ash sold by MADAR Corporation is typically sourced from the volcanic regions of Europe or North America. In hardness terms, it falls near the middle of the *Mohs* scale with a value of around 5 to 6, which is similar to glass (Talc is 1 and Diamond is 10).

TYPICAL CHEMICAL ANALYSIS		
Chemical	Typical Percentage	
Silica (SiO <sub>2</sub> )	70 to 75	
Aluminium Oxide (Al <sub>2</sub> O <sub>3</sub> )	11 to 16	
Sodium Oxide (Na <sub>2</sub> O)	3 to 5	
Potassium Oxide (K <sub>2</sub> O)	3 to 5	
Combined Water (H2O+)	3 to 5	
Ferric Oxide (Fe <sub>2</sub> O <sub>3</sub> )	0.5 to 1.5	
Ferrous Oxide (FeO)	< 1	
Magnesium Oxide (MgO)	< 1	
Calcium Oxide (CaO)	< 1	
Manganese Oxide (MnO)	< 1	
Titanium Dioxide (Ti <sub>2</sub> O)	< 1	
Phosphorous Pentoxide (P <sub>2</sub> O <sub>5</sub> )	< 1	
Carbon Dioxide (CO <sub>2</sub> )	< 1	
Sulphur Trioxide (SO <sub>3</sub> )	< 1	

TYPICAL TRACE METAL ANALYSIS		
Metal	Typical content (mg/kg)	
Arsenic (As)	< 1	
Cadmium (Cd)	< 1	
Chromium (Cr)	< 1	
Lead (Pb)	< 1	