MYSTIC MOMENTS

CERTIFICATE OF ANALYSIS

Product Name		Bergamot		
Product Type		Fragrance Oil		
Product Code		OFBERG		
Batch No		4547007		
Production Da	ate	May ₂₀₂₄		
Best Before E	nd	May 2027		
Tests		Specifications	Results	
Odour		According to Standard	Conforms	
Appearance		Colourless to pale green oily liquid	Conforms	
Solubility in w	vater (10%)	Insoluble	Conforms	
-		Soluble in Ethyl alcohol ntainers in cool, dry, dark place. Ideal temp nde (59-70 degrees Fahrenheit).	Conforms erature between	
Shelf Life Shelf life of this product depends very much on storage conditions, particularly temperature and exposure to light and air. Shelf life must be considered as subjective - the shelf life given here is based on the best of our knowledge and experience of the material when stored under recommended conditions in origin unopened containers. Due to the natural ingredients contained in many of our products, there may be a slight batch to batch variation in the colour, odour or consistency. However we ensure that this does not effect the quality and effica of the products in any way.			dered as wledge and itions in original nany of our ur, odour or lity and efficacy	

19-20 Sandleheath Industrial Estate, Fordingbridge, Hampshire, SP6 1PA, UK Tel: 01425 655555 Email: technical@madarcorporation.co.uk Page

Page 1 (1) Issue date: 18/09/2019 Version: 1 (18/09/2019)

MYSTIC MOMENTS

ALLERGEN DECLARATION

We hereby confirm that the following item contains the components listed below. Stated are the total levels added plus levels from natural ingredients. The information is supplied to enable compliance with Cosmetic and Detergent regulations.

Bergamot Madar Corp

Ingredient	CAS	EC	Concentration (%)
Geraniol	106-24-1	203-377-1	0.012%
Linalool	78-70-6	201-134-4	3.08%
d-Limonene	5989-27-5	227-813-5	4.8%

Regulatory Affairs Department

Page 1

MYSTIC MOMENTS

CERTIFICATE OF CONFORMITY WITH IFRA STANDARDS

This Certificate assesses the conformity of the fragrance mixture with IFRA Standards and provides restrictions for use as necessary. It is based only on those materials subject to IFRA Standards for the toxicity endpoints described in each Standard.

This Certificate does therefore not replace a comprehensive safety assessment of the fragrance mixture.

CERTIFYING PARTY:

MADAR Corporation Limited 19-20 Sandleheath Industrial Estate, Fordingbridge, Hampshire, SP6 1PA **CERTIFICATE DELIVERED TO:**

MADAR Corporation Limited

SCOPE OF THE CERTIFICATE:

Bergamot Madar Corp

COMPULSORY INFORMATION:

We certify that the above mixture is in compliance with the Standards of the INTERNATIONAL FRAGRANCE ASSOCIATION (IFRA), up to and including the 49th Amendment to the IFRA Code of Practice (published January 2020), provided it is used in the following categories at a maximum concentration level of:

IFRA Categories [see Annex 1 below for details]	Maximum Level of use (%)		
IFRA Category 1	Not approved		
IFRA Category 2	3.33%		
IFRA Category 3	3.33%		
IFRA Category 4	3.33%		
IFRA Category 5A	3.33%		
IFRA Category 5B	3.33%		
IFRA Category 5C	3.33%		
IFRA Category 5D	3.33%		
IFRA Category 6	Not approved		
IFRA Category 7A	3.33%		
IFRA Category 7B	3.33%		
IFRA Category 8	3.33%		
IFRA Category 9	3.33%		
IFRA Category 10A	3.33%		
IFRA Category 10B	3.33%		
IFRA Category 11A	4.75%		
IFRA Category 11B	3.33%		
IFRA Category 12	Not limited		

For other kinds of application or use at higher concentration levels, a new evaluation can be needed; please contact MADAR Corporation Limited

ADDITIONAL INFORMATION ABOUT INGREDIENTS

Information about presence and concentration of fragrance ingredients subject to IFRA Limits in the fragrance mixture Bergamot Madar Corp is as follows:

Page 2

Materials with an IFRA limit:	CAS number(s):	Concentration (%) in the fragrance mixture
1-(1,2,3,4,5,6,7,8-Octahydro- 2,3,8,8tetramethyl-2-naphthalenyl)ethanone	54464-57-2	4.0000%
Bergapten		0.0450%
Citral	5392-40-5, 141-27-5, 106-26-3	0.0840%
Geraniol	106-24-1	0.0120%

Regulatory Affairs Department

ANNEX 1

Below is an extract of information provided by IFRA in relation to types of application present in each IFRA Category. Additional information about IFRA Categories can be found in the Guidance to IFRA Standards, issued by IFRA.

IFRA Category	Product Type		
IFRA Category 1	Products applied to the lips: Lip products e.g. lipstick, lip balm; Childrens toys		
IFRA Category 2	Products applied to the axillae: Deodorant and antiperspirant products of all types; Body sprays/mists		
IFRA Category 3	Products applied to the face/body using fingertips: Eye products e.g. eye make-up, eye moisturizer; Facial make-up; Make-up remover; Nose pore strips; Wipes for face, neck, hands, body; Facial masks; Body and face paint		
IFRA Category 4	Products related to fine fragrance: Hydroalcoholic and non-hydroalcoholic fine fragrance of all types e.g. Eau de Toilette, Parfum, Cologne, solid perfume, fragrancing cream, aftershaves of all types; Ingredients of perfume and fragrance mixtures for cosmetic kits; Scent pads; Scent strips		
IFRA Category 5A	Body lotion products applied to the body using the hands (palms), primarily leave on: Foot care products e.g. creams, powders; Insect repellent for application to the skin; All powders and talc (excluding baby powders and talc)		
IFRA Category 5B	Face moisturizer products applied to the face using the hands (palms), primarily leave on: Facial toner; Facial moisturizers and creams		
IFRA Category 5C	Hand cream products applied to the hands using the hands (palms), primarily leave on: Hand cream; Nail care products including cuticle creams; Hand sanitizers		
IFRA Category 5D	Baby creams, baby oils and baby talc: Baby cream/lotion, baby oil, baby powders and talc		
IFRA Category 6	Products with oral and lip exposure: Toothpaste; Mouthwash, including breath sprays; Toothpowder, strips, mouthwash tablets		
IFRA Category 7A	Rinse-off products applied to the hair with some hand contact: Hair permanent or other hair chemical treatments (rinse-off) e.g. relaxers, including rinse-off hair dyes		
IFRA Category 7B	Leave-on products applied to the hair with some hand contact: Hair sprays of all types e.g. pumps, aerosol sprays; Hair styling aids non sprays e.g. mousse, leave- on conditioners; Hair permanent or other hair chemical treatments (leave-on) e.g. relaxers, including leave-on hair dyes; Shampoo - Dry (waterless shampoo); Hair deodorizer		
IFRA Category 8	Products with significant anogenital exposure: Intimate wipes; Tampons; Baby wipes; Toilet paper (wet)		
IFRA Category 9	Products with body and hand exposure, primarily rinse off: Bar soap; Liquid soap; Shampoo of all type; Conditioner (rinse-off); Body washes and shower gels of all types; Baby wash, bath, shampoo; Bath gels, foams, mousses, salts, oils and other products added to bathwater; Cleanser for face (rinse-off); Shaving creams of all types e.g. stick, gels, foams; All depilatories (including facial) and waxes for mechanical hair removal; Foot care products (feet are placed in a bath for soaking); Shampoos for pets		
IFRA Category 10A	Household care excluding aerosol / spray products: Hand wash laundry detergent; Laundry pre-treatment of all types e.g. paste, sprays, sticks; Machine laundry detergents with skin contact e.g. liquids, powders; Fabric softeners of all types including fabric softener sheets; Ironing water; Hand dishwashing detergent; Hard surface cleaners of all types e.g. bathroom, kitchen cleansers, furniture polish; Toilet seat wipes; Household cleaning products, other types including fabric cleaners, carpet cleaners, furniture polishes sprays and wipes, stain removers, treatment products for textiles e.g. starch sprays; Floor wax; Dry cleaning kits; Fragranced oil for lamp ring, reed diffusers, pot-pourri, liquid refills for air fresheners (noncartridge systems), etc.		
IFRA Category 10B	Household aerosol/spray products: Animal sprays applied to animals; Air freshener sprays, manual, including aerosol and pump; Aerosol/spray insecticides		
IFRA Category 11A	Products with intended skin contact but minimal transfer of fragrance to skin from inert substrate without UV exposure: Feminine hygiene conventional pads, liners, interlabial pads; Diapers (baby and adult); Adult incontinence pant, pad; Toilet paper (dry)		
IFRA Category 11B	Products with intended skin contact but minimal transfer of fragrance to skin from inert substrate with potential UV exposure: Tights with moisturizers; Scented socks, gloves; Facial tissues (dry tissues); Napkins; Paper towels; Wheat bags; Facial masks (paper/protective) e.g. surgical masks not used as medical device; Fertilizers, solid (pellet or powder)		

IFRA Category 12	Products not intended for direct skin contact, minimal or insignificant transfer to skin: Candles of all types ; Laundry detergents for machine wash with minimal skin contact (e.g. Liquid tabs, pods); Automated air fresheners and fragrancing of all types e.g. concentrated aerosol with metered doses, plug-ins, electrical, incense, liquid refills (cartridge); Air delivery systems; Cat litter; Cell phone cases; Deodorizers/maskers not intended for skin contact e.g. fabric drying machine deodorizers, carpet powders; Fuels; Insecticides e.g. mosquito coil, paper, electrical, for clothing, excluding aerosols/sprays; Joss sticks or incense sticks; Dishwash detergent and deodorizers - for machine wash; Olfactive board games; Paints; Plastic articles (excluding toys); Scratch and sniff; Scent pack; Scent delivery system (using dry air technology); Shoe
	polishes; Rim blocks (Toilet)

1

Version: 1 (18/09/2019)

MYSTIC MOMENTS

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Bergamot Madar Corp

Version: 1 <u>Sec</u>	tion 1. Identification of the substance or the mixture and of the supplier
1.1 Product Identifier	
Product identifier:	Bergamot Madar Corp (Contains:1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2naphthalenyl)ethanone, Linalool, Linalyl acetate, d-Limonene)
Other identifiers:	None
1.2 Relevant identified	uses of the substance of mixture and uses advised against
Product uses:	Fragrances
 1.3 Details of the supp Company name: Company address: Contact: E-Mail address: Company phone: 1.4 Emergency telephote 	lier of the safety data sheet MADAR Corporation Limited 19-20 Sandleheath Industrial Estate, Fordingbridge, Hampshire, SP6 1PA Pat technical@madarcorporation.co.uk 01425 655555 one number
Emergency phone:	01425 655555

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

Class and category of Flammable Liquid, Hazard Category 3

Page (9) Issue date: 18/09/2019

2

Version: 1 (18/09/2019)

MYSTIC MOMENTS

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: danger:	Bergamot Madar Corp Skin Corrosion / Irritation Category 2
	Sensitization - Skin Category 1
	Hazardous to the Aquatic Environment - Long-term Hazard Category 2 H226, Flammable liquid and vapour.
	H315, Causes skin irritation.
	H317, May cause an allergic skin reaction.
	H411, Toxic to aquatic life with long lasting effects.

2.2 Label elements

Signal word:	Warning
Hazard statements:	H226, Flammable liquid and vapour. H315, Causes skin irritation.
	H317, May cause an allergic skin reaction.

Version: 1

SupplementalH411, Toxic to aquatic life with long lasting effects.SupplementalEUH208, Contains alpha-Pinene, beta-Pinene. May produce an allergic reaction.Information:Information:

MYSTIC MOMENTS

Version: 1 (18/09/2019)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product:	Bergamot Madar Corp
Precautionary	P210, Keep away from heat, sparks, open flames and hot surfaces No smoking.
statements:	P233, Keep container tightly closed.
	P240, Ground/bond container and receiving equipment.
	P241, Use explosion-proof electrical, ventilating and lighting equipment.
	P242, Use only non-sparking tools.
	P243, Take precautionary measures against static discharge.
	P261, Avoid breathing vapour or dust.
	P264, Wash hands and other contacted skin thoroughly after handling.
	P272, Contaminated work clothing should not be allowed out of the workplace.
	P273, Avoid release to the environment.
	P280, Wear protective gloves/eye protection/face protection.
	P303/361/353, IF ON SKIN (or hair): Remove/take off immediately all contaminated
	clothing.
	Rinse skin with water/shower. P333/313, If skin irritation or rash occurs: Get medical advice/attention.
	P362, Take off contaminated clothing and wash before reuse.
	P302, Take on containinated clothing and wash before redse. P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
	P370/376, in case of file. Use carbon dioxide, dry chemical, foarn for extinction. P391, Collect spillage.
	P403/235, Store in a well-ventilated place. Keep cool.
	P501, Dispose of contents/container to approved disposal site, in accordance with local
	regulations.
Pictograms:	
Other hazards	s: None

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

			DEACH Devictuation		Cleasification for
			REACH Registration		Classification for
Nama	040	ГО	_	0/	
Name	CAS	EC		70	
			Na		(OLD) 4070/0000
			NO.		(CLP) 12/2/2000

MYSTIC MOMENTS

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Ber Version: 1	gamot Mad	ar Corp		
d-Limonene	5989-27-5	227-813-5	1-<5%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226- H304-H315-H317- H410,-
1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone	54464-57-2	259-174-3	1-<5%	SCI 2-SS 1B-EH C1; H315-H317-H410,-
Linalyl acetate	115-95-7	204-116-4	1-<5%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-
Linalool	78-70-6	201-134-4	1-<5%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-
Amyl salicylate	2050-08-0	218-080-2	1-<5%	ATO 4-EH A1-EH C1; H302-H410,-
Benzyl acetate	140-11-4	205-399-7	1-<5%	EH C3;H412,-
Decanal	112-31-2	203-957-4	1-<5%	EDI 2-EH C3;H319- H412,-
beta-Pinene	127-91-3	204-872-5	0.1-<1%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226- H304-H315-H317- H410,-
alpha-Pinene	80-56-8	201-291-9	0.1-<1%	FL 3-ATO 4-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226-H302-H304- H315-H317-H410,-
Myrcene	123-35-3	204-622-5	0.1-<1%	FL 3-SCI 2-EDI 2-AH 1-EH A1-EH C2;H226- H304-H315-H319- H400-H411,-

Substances with Community workplace exposure limits:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%: Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

Page (9) Issue date: 18/09/2019

Version: 1 (18/09/2019)

MYSTIC MOMENTS

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Bergamot Madar Corp Version: 1

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

7.2 Conditions for safe storage, including any incompatibilities:

Ground/bond container and receiving equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:

Not Applicable

MYSTIC M©MENTS

Page (9) Issue date: 18/09/2019

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Bergamot Madar Corp Version: 1

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material. Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:		Clear	pale yellow		
Odour:		Floral	I		
Odour threshold:	Not determined pH:	Not dete	rmined		
Melting point / freezin	g point:	Not d	Not determined		
Initial boiling point / r	ange:	Not d	Not determined		
Flash point:		64.5<	64.5< °C		
Evaporation rate:		Not d	etermined		
Flammability (solid, gas):		Not d	Not determined		
Upper/lower flammability or explosive limits:		Produ	Product does not present an explosion hazard		
Vapour pressure:		Not determined			
Vapour density:	<i>r</i> : Not determined		etermined		
Relative density:	0.98025 - 0.99025 Solu	bility(ies): Not determined		
Partition coefficient:	n-octanol/water:	Not	determined		
Auto-ignition tempera	ature:	Not	determined		
Decomposition temperature:		Not	determined		
Viscosity:		Not	determined		
Explosive properties:		Not e	xpected		
Oxidising properties:			xpected		
Refractive Index:			93 - 1.45113		
Optical Rotation:		4.33°			

9.2 Other information: None available

MYSTIC MOMENTS

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Bergamot Madar Corp Version: 1

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity:	Based on available data the classification criteria are not met. >5000
Acute Toxicity Oral Acute Toxicity Dermal	Not Applicable
Acute Toxicity Inhalation	Not Available
Skin corrosion/irritation:	Skin Corrosion / Irritation Category 2
Serious eye damage/irritation:	Based on available data the classification criteria are not met.
Respiratory or skin sensitisation:	Sensitization - Skin Category 1
Germ cell mutagenicity:	Based on available data the classification criteria are not met.
Carcinogenicity:	Based on available data the classification criteria are not met.
Reproductive toxicity:	Based on available data the classification criteria are not met.
STOT-single exposure:	Based on available data the classification criteria are not met.
STOT-repeated exposure:	Based on available data the classification criteria are not met.
Aspiration hazard:	Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
Amyl salicylate	2050-08-0	218-080-2	2000	Not available	Not available	Not available
						7

MYSTIC MOMENTS

Page (9) Issue date: 18/09/2019

8

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product:Bergamot Madar CorpVersion:1

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available

12.3 Bioaccumulative potential: Not available 12.4

Mobility in soil: Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects:

Section 13. Disposal considerations

Not available

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

	Section 14. Transport information
14.1 UN number:	UN1169
14.2 UN Proper Shipping Name:	EXTRACTS, AROMATIC, LIQUID
14.3 Transport hazard class(es):	3
Sub Risk:	-
14.4. Packing Group:	III
14.5 Environmental hazards:	This is an environmentally hazardous substance.
14.6 Special precautions for user:	None additional
14.7 Transport in bulk according to A	nnex II of MARPOL73/78 and the IBC Code:

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

	Section 16. Other information
Concentration % Limits:	EH C2=19.52% EH C3=1.94% SCI 2=65.62% SS 1=20.83%
Total Fractional Values:	EH C2=5.12 EH C3=51.43 SCI 2=1.52 SS 1=4.80
Key to revisions:	

MYSTIC MOMENTS

Issue date: 18/09/2019

Page

(9)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product:	Bergamot Madar Corp
Version:	1

Not applicable

Key to abbreviations:

ATO 4 Acute Toxicity - Oral Category 4 EDI 2 Eye Damage / Irritation Category 2 ETA 1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EH C2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 EH C3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 H226 Flammable Liquid, Hazard Category 3 H302 Harmful If swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes serious eye initiation. H317 May cause an allergic skin reaction. H319 Causes serious eye initiation. H410 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H214 Harmful to aquatic life with long lasting effects. H215 Keep container lightly closed. P210 Keep container lightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion- proof electrical, ventilating and lighting equipment. P242 Use only non-sparking toxis.<	Abbreviation	Meaning
EDI2 Eye Damage / Irritation Category 2 EHA1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 EH C2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 EH C3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Flammable Liquid, Hazard Category 3 Flammable Liquid, Hazard Category 3 H3226 Flammable Liquid, Hazard Category 3 H304 May be fatal if swallowed. H304 May cases an allergic skin reaction. H315 Causes serious eye irritation. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P240 Ground/bond container and receiving equipment. P242 Use environment period electrical, ventilating and lighting equipment. P243 Take precautionary measures against static discharge. P244 Wash hands and other contacted skin thoroughly after handling. P272 Contatininer ding should not be	AH 1	Aspiration Hazard Category 1
EH A1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EH C2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 EH C3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Flarmable Liquid, Hazard Category 3 H226 Flarmable Liquid, Hazard Category 3 H302 Harmfull if swallowed. H302 Harmfull if swallowed. H304 May be fatal if swallowed. H304 May be fatal if swallowed. H305 Causes as kin irritation. H315 Causes an allergic skin reaction. H317 May cause an allergic skin reaction. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P240 Ground/bond container and receiving equipment. P241 Use environment receiving equipment. P242 Use ontrainer and receiving equipment. P243 Take precautionary measures against static discharge.	ATO 4	Acute Toxicity - Oral Category 4
EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EH C2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 EH C3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 H226 Flammable Liquid, Hazard Category 3 H304 May be fatal if swallowed. H304 May be fatal if swallowed and enters ainways. H315 Causes set in irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Hamful to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P244 Use container tightly closed. P245 Jake precautionary measures against static discharge. P246 Wash hands and other contacted skin thoroughly after handling. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P244<	EDI 2	Eye Damage / Irritation Category 2
EH C2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 EH C3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H212 Harmful to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P244 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P244 Wash hands and other contacted skin throughly after handling. P245 Do not eat, drink or smoke when using this product. P246 Wash hands and other contacted skin throughly after handling. P247 Do not eat, drink or smoke when using this product. P272 <td>EH A1</td> <td>Hazardous to the Aquatic Environment - Acute Hazard Category 1</td>	EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
EH C3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P244 Wash hands and other contacted skin throroughly after handling. P261 Avoid breathing vapour or dust. P262 Contaminated work clothing should not be allowed out of the workplace. P270 Do not eat, drink or smeke when using this product. P272 Contaminated work clothing should not be allowed out of the workpl	EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
FL 3 Flammable Liquid, Hazard Category 3 H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P242 Use explosion-proof electrical, ventilating and lighting equipment. P243 Take precautionary measures against static discharge. P244 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Contaminated work clothing should not be allowed out of the workplace. P272 Contaminated work clothing should not be allowed out of the workplace. P	EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
H226Flammable liquid and vapour.H302Harmful if swallowed.H304May be fatal if swallowed and enters airways.H315Causes skin irritation.H317May cause an allergic skin reaction.H319Causes serious eye irritation.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P244Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P301/312IF SWALLOWED: call a POISON CENTER or doctor/physician.	EH C3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
H302Harmful if swallowed.H304May be fatal if swallowed and enters airways.H315Causes skin irritation.H317May cause an allergic skin reaction.H319Causes serious eye irritation.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P301/312IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	FL 3	Flammable Liquid, Hazard Category 3
H304May be fatal if swallowed and enters airways.H315Causes skin irritation.H317May cause an allergic skin reaction.H319Causes serious eye irritation.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P244Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P301/312IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	H226	Flammable liquid and vapour.
H315Causes skin irritation.H317May cause an allergic skin reaction.H319Causes serious eye irritation.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H412Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	H302	Harmful if swallowed.
H317May cause an allergic skin reaction.H319Causes serious eye irritation.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.H412Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P301/312IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	H304	May be fatal if swallowed and enters airways.
H319Causes serious eye irritation.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.P271Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection./face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician if you feel unwell.	H315	Causes skin irritation.
H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.P271Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P301/312IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	H317	May cause an allergic skin reaction.
H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P270Do not eat, drink or smoke when using this product.P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P301/312IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	H319	Causes serious eye irritation.
H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P270Do not eat, drink or smoke when using this product.P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	H400	Very toxic to aquatic life.
H412Harmful to aquatic life with long lasting effects.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.P273Avoid release to the environment.P280Wear protective gloves/eye protection./face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P301/312IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	H410	Very toxic to aquatic life with long lasting effects.
P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P301/312IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	H411	Toxic to aquatic life with long lasting effects.
P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P301/312IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	H412	Harmful to aquatic life with long lasting effects.
P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician if you feel unwell.	P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P301/312IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	P233	Keep container tightly closed.
P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician if you feel unwell.	P240	Ground/bond container and receiving equipment.
P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P301/312IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	P241	Use explosion-proof electrical, ventilating and lighting equipment.
P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P301/312IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	P242	Use only non-sparking tools.
P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P301/312IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	P243	Take precautionary measures against static discharge.
P270Do not eat, drink or smoke when using this product.P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P301/312IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	P261	Avoid breathing vapour or dust.
P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P301/312 IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	P264	Wash hands and other contacted skin thoroughly after handling.
P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P301/312 IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	P270	Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P301/312 IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	P272	Contaminated work clothing should not be allowed out of the workplace.
P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P301/312 IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	P273	Avoid release to the environment.
P301/312 IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	P280	Wear protective gloves/eye protection/face protection.
	P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302/352 IF ON SKIN: Wash with plenty of soap and water.	P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
	P302/352	IF ON SKIN: Wash with plenty of soap and water.

MYSTIC MOMENTS

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product:	Bergamot Madar Corp
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P330	Rinse mouth.
P331	Do not induce vomiting.
	9

Version: 1	
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
SCI 2	Skin Corrosion / Irritation Category 2
SS 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.

MYSTIC MOMENTS

GMO, Vegetarian & Vegan Suitability Statement

MADAR Corporation Limited can confirm that the above listed product has not been tested in animals and does not contain dairy or any other animal product, by product or derivative and is therefore suitable for vegetarian and vegan use.

We hereby state and certify that the the above is also not derived/ produced from a raw material that has been genetically modified.

18/03/2022