

#### CERTIFICATE OF ANALYSIS

Product Name	Earl Grey	
Product Type	Fragrance Oil	
Product Code	OFEARLGREY	
Batch No	4396406	
Production Date	May 2020	
Best Before End	May 2023	
Tests	Specifications	Results
Odour	According to Standard	Conforms

Appearance	Yellow - orange oily liquid	Conforms
Solubility in water (10%)	Insoluble	Conforms
Solubility in other solvents (10%)	Soluble in Ethyl alcohol	Conforms

Yellow - orange oilv liquid

Storage Store in well sealed containers in cool, dry, dark place. Ideal temperature between 15-20 degrees Centigrade (59-70 degrees Fahrenheit).

Shelf Life Shelf life of this product depends very much on storage conditions, particularly temperature and exposure to light and air. Shelf life must be considered as subjective the shelf life given here is based on the best of our knowledge and experience of the material when stored under recommended conditions in original unopened containers. Due to the natural ingredients contained in many of our products, there may be a slight batch to batch variation in the colour, odour or consistency. However we ensure that this does not effect the quality and efficacy of the products in any way.

## ALLERGEN DECLARATION

We hereby confirm that the following item contains the components listed below. Stated are the total levels added plus levels from natural ingredients. The information is supplied to enable compliance with Cosmetic and Detergent regulations.

### Earl Grey Tea Madar Corp

Ingredient	CAS	EC	Concentration (%)
Citral	5392-40-5	226-394-6	1.004%
Geraniol	106-24-1	203-377-1	3.0067%
Linalool	78-70-6	201-134-4	10.0242%
alpha-Hexylcinnamaldehyde	101-86-0	202-983-3	4%
d-Limonene	5989-27-5	227-813-5	8.398%

#### **Regulatory Affairs Department**

Page 1 (10) Issue date: 24/07/2019 Version: 1 (24/07/2019)

### SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Earl Grey Tea Madar Corp

1

Version:

#### Section 1. Identification of the substance or the mixture and of the supplier

**1.1 Product Identifier** 

Product identifier:Earl Grey Tea Madar Corp (Contains:Geraniol, Linalool, Linalyl acetate, d-Limonene)Other identifiers:None

#### 1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

#### 1.3 Details of the supplier of the safety data sheet

Company name:	MADAR Corporation Limited	
Company address: Contact:	19-20 Sandleheath Industrial Estate, Fordingbridge, Hampshire, SP6 1PA Pat	
E-Mail address:	technical@madarcorporation.co.uk	
Company phone:	01425 655555	
1.4 Emergency telephone number		
Emergency phone:	01425 655555	

#### Section 2. Hazards identification

#### 2.1 Classification of the substance or mixture

#### Classification under Regulation (EC) No 1272/2008

Class and category of danger:	Flammable Liquid, Hazard Category 3
dungen	Skin Corrosion / Irritation Category 2
	Eye Damage / Irritation Category 1
	Sensitization - Skin Category 1
	Aspiration Hazard Category 1
	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
	H226, Flammable liquid and vapour.
	H304, May be fatal if swallowed and enters airways.
	H315, Causes skin irritation.
	H317, May cause an allergic skin reaction.
	H318, Causes serious eye damage.
	H411, Toxic to aquatic life with long lasting effects.

Page 2 (10) Issue date: 24/07/2019 Version: 1 (24/07/2019)

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: E	arl Grey Tea	Madar Corp
------------	--------------	------------


1

- Version:
- 2.2 Label elements

Signal word: Danger Hazard statements: H226, Flammable liquid and vapour. H304, May be fatal if swallowed and enters airways. H315, Causes skin irritation. H317, May cause an allergic skin reaction. H318, Causes serious eye damage. H411, Toxic to aquatic life with long lasting effects. **Supplemental** EUH208, Contains 2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde, 2-Methyl-3-(p-Information: isopropylphenyl)propionaldehyde, Citral, Eucalyptol, Terpinolene, alpha-Hexylcinnamaldehyde, alpha-Pinene, beta-Pinene. May produce an allergic reaction. Precautionary P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking. statements: P233, Keep container tightly closed. P240, Ground/bond container and receiving equipment. P241, Use explosion-proof electrical, ventilating and lighting equipment. P242, Use only non-sparking tools. P243, Take precautionary measures against static discharge. P261, Avoid breathing vapour or dust. P264, Wash hands and other contacted skin thoroughly after handling. P272, Contaminated work clothing should not be allowed out of the workplace. P273, Avoid release to the environment. P280, Wear protective gloves/eye protection/face protection. P301/310, IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P303/361/353, IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310, Immediately call a POISON CENTER or doctor/physician. P331, Do not induce vomiting. P333/313, If skin irritation or rash occurs: Get medical advice/attention. P362, Take off contaminated clothing and wash before reuse. P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391, Collect spillage. P403/235, Store in a well-ventilated place. Keep cool. P405, Store locked up. P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

### SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006



### Section 3. Composition / information on ingredients

#### 3.2 Mixtures

#### **Contains:**

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008
Linalyl acetate	115-95-7	204-116-4		10-<20%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-
Linalool	78-70-6	201-134-4		10-<20%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-
d-Limonene	5989-27-5	227-813-5		5-<10%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226- H304-H315-H317- H410,-
alpha- Hexylcinnamaldehyde	101-86-0	202-983-3		1-<5%	SS 1B-EH A1-EH C2; H317-H400-H411,-
Geraniol	106-24-1	203-377-1		1-<5%	SCI 2-EDI 1-SS 1; H315-H317-H318,-
alpha-Pinene	80-56-8	201-291-9		1-<5%	FL 3-ATO 4-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226-H302-H304- H315-H317-H410,-
beta-lonone	14901-07-6	238-969-9		1-<5%	EH C2;H411,-
Phenethyl alcohol	60-12-8	200-456-2		1-<5%	ATO 4-EDI 2;H302- H319,-
4-tert-Butylcyclohexanol	98-52-2	202-676-4		1-<5%	EDI 2;H319,-
2-Methyl-3-(p- isopropylphenyl) propionaldehyde	103-95-7	203-161-7		1-<5%	SCI 2-SS 1B-EH C3; H315-H317-H412,-
beta-Pinene	127-91-3	204-872-5		1-<5%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226- H304-H315-H317- H410,-
Citral	5392-40-5	226-394-6		1-<5%	SCI 2-EDI 2-SS 1-SS 1B;H315-H317-H319,-
Eucalyptol	470-82-6	207-431-5		0.1-<1%	FL 3-SS 1B;H226- H317,-
2,4-Dimethyl-3- cyclohexen-1- carboxaldehyde	68039-49-6	268-264-1		0.1-<1%	SCI 2-EDI 2-SS 1B-EH C2;H315-H317-H319- H411,-
Myrcene	123-35-3	204-622-5		0.1-<1%	FL 3-SCI 2-EDI 2-AH 1-EH A1-EH C2;H226- H304-H315-H319- H400-H411,-
Terpinolene	586-62-9	209-578-0		0.1-<1%	SS 1B-AH 1-EH A1-EH C1;H304-H317-H410,-

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Earl Grey Tea Madar Corp

1

#### Version:

Longifolene 475-20-7 207-491-2	<0.1%	SS 1B-AH 1-EH A1-EH C1:H304-H317-H410
--------------------------------	-------	--

#### Substances with Community workplace exposure limits:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

#### Section 4. First-aid measures

#### 4.1 Description of first aid measures

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye damage.

#### 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

#### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

#### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

#### Section 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

Page 5 (10) Issue date: 24/07/2019 Version: 1 (24/07/2019)

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Earl Grey Tea Madar Corp

Version:

6.2 Environmental precautions:

1

Keep away from drains, surface and ground water, and soil.

#### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

#### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

#### Section 7. Handling and storage

#### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

#### 7.2 Conditions for safe storage, including any incompatibilities:

Ground/bond container and receiving equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

#### 7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

#### Section 8. Exposure controls/personal protection

#### 8.1 Control parameters

Workplace exposure limits: Not Applicable

### 8.2 Exposure Controls

### Eye / Skin Protection

Wear protective gloves/eye protection/face protection

### **Respiratory Protection**

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Page 6 (10) Issue date: 24/07/2019 Version: 1 (24/07/2019)

### SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Earl Grey Tea Madar Corp

1

Version:

#### Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance:	Not determined
Odour:	Not determined
Odour threshold:	Not determined
pH:	Not determined
Melting point / freezing point:	Not determined
Initial boiling point / range:	Not determined
Flash point:	53 °C
Evaporation rate:	Not determined
Flammability (solid, gas):	Not determined
Upper/lower flammability or explosive limits:	Product does not present an explosion hazard
Vapour pressure:	Not determined
Vapour density:	Not determined
Relative density:	Not determined
Solubility(ies):	Not determined
Partition coefficient: n-octanol/water:	Not determined
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Viscosity:	Not determined
Explosive properties:	Not expected
Oxidising properties:	Not expected

9.2 Other information:

None available

#### Section 10. Stability and reactivity

#### 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

#### 10.2 Chemical stability:

Good stability under normal storage conditions.

### 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

### 10.4 Conditions to avoid:

Avoid extreme heat.

### 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Earl Grey Tea Madar Corp

1

Version:

#### 10.6 Hazardous decomposition products:

Not expected.

#### Section 11. Toxicological information

#### 11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity:	Based on available data the classification criteria are not met.
Acute Toxicity Oral	>5000
Acute Toxicity Dermal	>5000
Acute Toxicity Inhalation	Not Available
Skin corrosion/irritation:	Skin Corrosion / Irritation Category 2
Serious eye damage/irritation:	Eye Damage / Irritation Category 1
Respiratory or skin sensitisation:	Sensitization - Skin Category 1
Germ cell mutagenicity:	Based on available data the classification criteria are not met.
Carcinogenicity:	Based on available data the classification criteria are not met.
Reproductive toxicity:	Based on available data the classification criteria are not met.
STOT-single exposure:	Based on available data the classification criteria are not met.
STOT-repeated exposure:	Based on available data the classification criteria are not met.
Aspiration hazard:	Aspiration Hazard Category 1

#### Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
Phenethyl alcohol	60-12-8	200-456-2	1610	2500	Not available	Not available

Refer to Sections 2 and 3 for additional information.

#### Section 12. Ecological information

#### 12.1 Toxicity:

Toxic to aquatic life with long lasting effects. **12.2 Persistence and degradability:** Not

- 12.2 Persistence and degradability:Not available12.3 Bioaccumulative potential:Not available
- **12.4 Mobility in soil:** Not available
- 12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects: Not available

Page 8 (10) Issue date: 24/07/2019 Version: 1 (24/07/2019)

### SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Earl Grey Tea Madar Corp

Version:

#### Section 13. Disposal considerations

#### 13.1 Waste treatment methods:

1

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

#### Section 14. Transport information

14.1 UN number:	UN1169		
14.2 UN Proper Shipping Name:	EXTRACTS, AROMATIC, LIQUID		
14.3 Transport hazard class(es):	3		
Sub Risk:	-		
14.4. Packing Group:	III		
14.5 Environmental hazards:	This is an environmentally hazardous substance.		
14.6 Special precautions for user:	None additional		
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:			

Not applicable

#### Section 15. Regulatory information

#### **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** None additional

#### **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment has not been carried out for this product.

#### Section 16. Other information

Concentration % Limits:	EH C2=19.36% EH C3=1.93% SCI 2=23.18% EDI 1=99.78% EDI 2=16. 64% SS 1=6.67% AH 1=72.10%
Total Fractional Values:	EH C2=5.17 EH C3=51.74 SCI 2=4.31 EDI 1=1.00 EDI 2=6.01 SS 1=15.00 AH 1=1.39

#### Key to revisions:

Not applicable

#### Key to abbreviations:

Abbreviation	Meaning
AH 1	Aspiration Hazard Category 1
ATO 4	Acute Toxicity - Oral Category 4
EDI 1	Eye Damage / Irritation Category 1
EDI 2	Eye Damage / Irritation Category 2
EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2

Page 9 (10) Issue date: 24/07/2019 Version: 1 (24/07/2019)

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

### Product: Earl Grey Tea Madar Corp

1

#### Version:

EH C3   Hazardous to the Aquatic Environment - Long-term Hazard Category 3     FL 3   Flammable Liquid, Hazard Category 3     H226   Flammable liquid and vapour.     H302   Harmful if swallowed.     H304   May be fatal if swallowed and enters airways.     H315   Causes skin irritation.     H317   May cause an allergic skin reaction.     H318   Causes serious eye damage.     H319   Causes serious eye irritation.     H410   Very toxic to aquatic life.     H411   Toxic to aquatic life with long lasting effects.     H412   Harmful to aquatic life with long lasting effects.     H412   Harmful to aquatic life with long lasting effects.     H412   Harmful to aquatic life with long lasting effects.     H414   Toxic to aquatic life with long lasting effects.     P210   Keep away from heat, sparks, open flames and hot surfaces No smoking.     P233   Keep container tightly closed.     P240   Ground/bond container and receiving equipment.     P241   Use explosion-proof electrical, ventilating and lighting equipment.     P242   Use only non-sparking tools.     P243   Take precautionary measures against static discharge.	· · · · · · · · · · · · · · · · · · ·	
H226   Flammable liquid and vapour.     H302   Harmful if swallowed.     H304   May be fatal if swallowed and enters airways.     H315   Causes skin irritation.     H317   May cause an allergic skin reaction.     H318   Causes serious eye damage.     H319   Causes serious eye damage.     H410   Very toxic to aquatic life.     H410   Very toxic to aquatic life.     H411   Toxic to aquatic life with long lasting effects.     H412   Harmful to aquatic life with long lasting effects.     H412   Harmful to aquatic life with long lasting effects.     P210   Keep container tightly closed.     P240   Ground/bond container and receiving equipment.     P241   Use explosion-proof electrical, ventilating and lighting equipment.     P242   Use only non-sparking tools.     P243   Take precautionary measures against static discharge.     P244   Wash hands and other contacted skin thoroughly after handling.     P270   Do not eat, drink or smoke when using this product.     P272   Contaminated work clothing should not be allowed out of the workplace.     P272   Contaminated work clothing should not be allowed out of the workplace. <		Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Harmful if swallowed.     H304   May be fatal if swallowed and enters airways.     H315   Causes skin irritation.     H317   May cause an allergic skin reaction.     H318   Causes serious eye damage.     H319   Causes serious eye irritation.     H400   Very toxic to aquatic life.     H411   Toxic to aquatic life with long lasting effects.     H412   Harmful to aquatic life with long lasting effects.     H412   Harmful to aquatic life with long lasting effects.     P210   Keep away from heat, sparks, open flames and hot surfaces No smoking.     P233   Keep container tightly closed.     P240   Ground/bond container and receiving equipment.     P241   Use explosion-proof electrical, ventilating and lighting equipment.     P242   Use only non-sparking tools.     P243   Take precautionary measures against static discharge.     P264   Wash hands and other contacted skin thoroughly after handling.     P270   Do not eat, drink or smoke when using this product.     P272   Contaminated work clothing should not be allowed out of the workplace.     P273   Avoid release to the environment.     P280   Wear protective gloves/eye protection/face prot	FL 3	Flammable Liquid, Hazard Category 3
H304   May be fatal if swallowed and enters airways.     H315   Causes skin irritation.     H317   May cause an allergic skin reaction.     H318   Causes serious eye damage.     H319   Causes serious eye irritation.     H400   Very toxic to aquatic life.     H410   Very toxic to aquatic life with long lasting effects.     H411   Toxic to aquatic life with long lasting effects.     H412   Harmful to aquatic life with long lasting effects.     P210   Keep away from heat, sparks, open flames and hot surfaces No smoking.     P233   Keep container tightly closed.     P240   Ground/bond container and receiving equipment.     P241   Use explosion-proof electrical, ventilating and lighting equipment.     P242   Use only non-sparking tools.     P243   Take precautionary measures against static discharge.     P261   Avoid breathing vapour or dust.     P270   Do not eat, drink or smoke when using this product.     P272   Contaminated work clothing should not be allowed out of the workplace.     P273   Avoid release to the environment.     P280   Wear protective gloves/eye protection/face protection.     P301/310   IF SWALLOWED: Imme	H226	Flammable liquid and vapour.
H315   Causes skin irritation.     H317   May cause an allergic skin reaction.     H318   Causes serious eye damage.     H319   Causes serious eye irritation.     H400   Very toxic to aquatic life.     H410   Very toxic to aquatic life with long lasting effects.     H411   Toxic to aquatic life with long lasting effects.     H412   Harmful to aquatic life with long lasting effects.     P210   Keep away from heat, sparks, open flames and hot surfaces No smoking.     P233   Keep container tightly closed.     P240   Ground/bond container and receiving equipment.     P241   Use explosion-proof electrical, ventilating and lighting equipment.     P242   Use only non-sparking tools.     P243   Take precautionary measures against static discharge.     P251   Avoid breathing vapour or dust.     P264   Wash hands and other contacted skin thoroughly after handling.     P270   Do not eat, drink or smoke when using this product.     P272   Contaminated work clothing should not be allowed out of the workplace.     P273   Avoid release to the environment.     P280   Wear protective gloves/eye protection./face protection.     P301/310	H302	Harmful if swallowed.
H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P301/312IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	H304	May be fatal if swallowed and enters airways.
H318   Causes serious eye damage.     H319   Causes serious eye irritation.     H400   Very toxic to aquatic life.     H410   Very toxic to aquatic life with long lasting effects.     H411   Toxic to aquatic life with long lasting effects.     H412   Harmful to aquatic life with long lasting effects.     P210   Keep away from heat, sparks, open flames and hot surfaces No smoking.     P233   Keep container tightly closed.     P240   Ground/bond container and receiving equipment.     P241   Use explosion-proof electrical, ventilating and lighting equipment.     P242   Use only non-sparking tools.     P243   Take precautionary measures against static discharge.     P261   Avoid breathing vapour or dust.     P264   Wash hands and other contacted skin thoroughly after handling.     P264   Wash hands and other contacted skin thoroughly after handling.     P270   Do not eat, drink or smoke when using this product.     P272   Contaminated work clothing should not be allowed out of the workplace.     P273   Avoid release to the environment.     P280   Wear protective gloves/eye protection/face protection.     P301/310   IF SWALLOWED: Immediately call a POISON CENTER or doc	H315	Causes skin irritation.
H319   Causes serious eye irritation.     H400   Very toxic to aquatic life.     H410   Very toxic to aquatic life with long lasting effects.     H411   Toxic to aquatic life with long lasting effects.     H412   Harmful to aquatic life with long lasting effects.     P210   Keep away from heat, sparks, open flames and hot surfaces No smoking.     P233   Keep container tightly closed.     P240   Ground/bond container and receiving equipment.     P241   Use explosion-proof electrical, ventilating and lighting equipment.     P242   Use only non-sparking tools.     P243   Take precautionary measures against static discharge.     P261   Avoid breathing vapour or dust.     P270   Do not eat, drink or smoke when using this product.     P272   Contaminated work clothing should not be allowed out of the workplace.     P273   Avoid release to the environment.     P280   Wear protective gloves/eye protection/face protection.     P301/310   IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.     P301/312   IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	H317	May cause an allergic skin reaction.
H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.H412Harmful to aquatic life with long lasting effects.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P301/312IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	H318	Causes serious eye damage.
H410   Very toxic to aquatic life with long lasting effects.     H411   Toxic to aquatic life with long lasting effects.     H412   Harmful to aquatic life with long lasting effects.     P210   Keep away from heat, sparks, open flames and hot surfaces No smoking.     P233   Keep container tightly closed.     P240   Ground/bond container and receiving equipment.     P241   Use explosion-proof electrical, ventilating and lighting equipment.     P242   Use only non-sparking tools.     P243   Take precautionary measures against static discharge.     P261   Avoid breathing vapour or dust.     P264   Wash hands and other contacted skin thoroughly after handling.     P270   Do not eat, drink or smoke when using this product.     P272   Contaminated work clothing should not be allowed out of the workplace.     P273   Avoid release to the environment.     P280   Wear protective gloves/eye protection/face protection.     P301/310   IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.     P301/312   IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	H319	Causes serious eye irritation.
H411   Toxic to aquatic life with long lasting effects.     H412   Harmful to aquatic life with long lasting effects.     P210   Keep away from heat, sparks, open flames and hot surfaces No smoking.     P233   Keep container tightly closed.     P240   Ground/bond container and receiving equipment.     P241   Use explosion-proof electrical, ventilating and lighting equipment.     P242   Use only non-sparking tools.     P243   Take precautionary measures against static discharge.     P261   Avoid breathing vapour or dust.     P264   Wash hands and other contacted skin thoroughly after handling.     P270   Do not eat, drink or smoke when using this product.     P272   Contaminated work clothing should not be allowed out of the workplace.     P273   Avoid release to the environment.     P280   Wear protective gloves/eye protection/face protection.     P301/310   IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.     P301/312   IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	H400	Very toxic to aquatic life.
H412Harmful to aquatic life with long lasting effects.P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P301/312IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	H410	Very toxic to aquatic life with long lasting effects.
P210Keep away from heat, sparks, open flames and hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P301/312IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	H411	Toxic to aquatic life with long lasting effects.
P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P301/312IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	H412	Harmful to aquatic life with long lasting effects.
P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical, ventilating and lighting equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P301/312IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P241   Use explosion-proof electrical, ventilating and lighting equipment.     P242   Use only non-sparking tools.     P243   Take precautionary measures against static discharge.     P261   Avoid breathing vapour or dust.     P264   Wash hands and other contacted skin thoroughly after handling.     P270   Do not eat, drink or smoke when using this product.     P272   Contaminated work clothing should not be allowed out of the workplace.     P273   Avoid release to the environment.     P280   Wear protective gloves/eye protection/face protection.     P301/310   IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.     P301/312   IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	P233	Keep container tightly closed.
P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P301/312IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	P240	Ground/bond container and receiving equipment.
P243Take precautionary measures against static discharge.P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P301/312IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	P241	Use explosion-proof electrical, ventilating and lighting equipment.
P261Avoid breathing vapour or dust.P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P301/312IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	P242	Use only non-sparking tools.
P264Wash hands and other contacted skin thoroughly after handling.P270Do not eat, drink or smoke when using this product.P272Contaminated work clothing should not be allowed out of the workplace.P273Avoid release to the environment.P280Wear protective gloves/eye protection/face protection.P301/310IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.P301/312IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	P243	Take precautionary measures against static discharge.
P270   Do not eat, drink or smoke when using this product.     P272   Contaminated work clothing should not be allowed out of the workplace.     P273   Avoid release to the environment.     P280   Wear protective gloves/eye protection/face protection.     P301/310   IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.     P301/312   IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	P261	Avoid breathing vapour or dust.
P272   Contaminated work clothing should not be allowed out of the workplace.     P273   Avoid release to the environment.     P280   Wear protective gloves/eye protection/face protection.     P301/310   IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.     P301/312   IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	P264	Wash hands and other contacted skin thoroughly after handling.
P273   Avoid release to the environment.     P280   Wear protective gloves/eye protection/face protection.     P301/310   IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.     P301/312   IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	P270	Do not eat, drink or smoke when using this product.
P280   Wear protective gloves/eye protection/face protection.     P301/310   IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.     P301/312   IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	P272	Contaminated work clothing should not be allowed out of the workplace.
P301/310   IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.     P301/312   IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	P273	Avoid release to the environment.
P301/312 IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	P280	Wear protective gloves/eye protection/face protection.
	P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302/352 IF ON SKIN: Wash with plenty of soap and water.	P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
	P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower	P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor/physician.	P310	Immediately call a POISON CENTER or doctor/physician.
P330 Rinse mouth.	P330	Rinse mouth.
P331 Do not induce vomiting.	P331	Do not induce vomiting.
P332/313 If skin irritation occurs: Get medical advice/attention.	P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313 If skin irritation or rash occurs: Get medical advice/attention.	P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313 If eye irritation persists: Get medical advice/attention.	P337/313	If eye irritation persists: Get medical advice/attention.
P362 Take off contaminated clothing and wash before reuse.	P362	Take off contaminated clothing and wash before reuse.
P363 Wash contaminated clothing before reuse.	P363	Wash contaminated clothing before reuse.
P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction.	P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391 Collect spillage.	P391	Collect spillage.
P403/235 Store in a well-ventilated place. Keep cool.	P403/235	Store in a well-ventilated place. Keep cool.

Page 10 (10) Issue date: 24/07/2019 Version: 1 (24/07/2019)

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

#### Product: Earl Grey Tea Madar Corp

1

#### Version:

P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
SCI 2	Skin Corrosion / Irritation Category 2
SS 1	Sensitization - Skin Category 1
SS 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.

## IFRA CONFORMITY CERTIFICATE

#### Customer: MADAR Corporation Limited

#### Product: Earl Grey Tea Madar Corp

We certify that the above item is in compliance with the Standards of the INTERNATIONAL FRAGRANCE ASSOCIATION (IFRA - 48th Amendment / published June 2015), provided it is used in the following classes at a maximum concentration level of:

IFRA classes [see annex for detail]	Maximum level of use (%)
IFRA Class 1 Limit	Not approved
IFRA Class 2 Limit	4.36%
IFRA Class 3.A Limit	17.47%
IFRA Class 3.B Limit	17.47%
IFRA Class 3.C Limit	17.47%
IFRA Class 3.D Limit	17.47%
IFRA Class 4.A Limit	29.85%
IFRA Class 4.B Limit	29.85%
IFRA Class 4.C Limit	29.85%
IFRA Class 4.D Limit	29.85%
IFRA Class 5 Limit	26.2%
IFRA Class 6 Limit	Not approved
IFRA Class 7.A Limit	8.73%
IFRA Class 7.B Limit	8.73%
IFRA Class 8.A Limit	29.85%
IFRA Class 8.B Limit	50%
IFRA Class 9.A Limit	100%
IFRA Class 9.B Limit	100%
IFRA Class 9.C Limit	29.85%
IFRA Class 10.A Limit	62.5%
IFRA Class 10.B Limit	62.5%
IFRA Class 11 Limit	100%

## **IFRA CONFORMITY CERTIFICATE**

For other kinds of application or use at higher concentration levels, a new evaluation may be needed; please contact MADAR Corporation Limited.

Contains the following substances restricted by the current IFRA Standards:-

Ingredient	CAS	Concentration (%)
2-Methyl-3-(p-isopropylphenyl)propionaldehyde	103-95-7	2%
Citral	5392-40-5, 141-27-5, 106-26-3	1.1447%
Dimethylcyclohex-3-ene-1-carbaldehyde (mixed isomers)	68737-61-1, 68039-49-6, 68039- 48-5, 27939-60-2, 67801-65-4, 36635-35-5, 68084-52-6, 35145- 02-9	
Geraniol	106-24-1	3.0067%
Lemon oil cold pressed	8008-56-8	6.7%
alpha-Hexylcinnamaldehyde	101-86-0	4%

The IFRA Standards regarding use restrictions are based on safety assessments by the Panel of Experts of the RESEARCH INSTITUTE FOR FRAGRANCE MATERIALS (RIFM) and are enforced by the IFRA Scientific Committee.

Evaluation of individual Fragrance ingredients is made according to the safety standards contained in the relevant section of the IFRA Code of Practice.

It is the ultimate responsibility of our customer to ensure the safety of the final product (containing this fragrance) by further testing if need be.

**Regulatory Affairs Department** 

## IFRA CONFORMITY CERTIFICATE

#### **ANNEX: Definition of IFRA Classes**

Finished product types	IFRA class
ip Products of all types (solid and liquid lipsticks, balms, clear or colored, etc.); Children's Toys	IFRA Class 1 Limit
Deodorant and Antiperspirant Products of all types including any product with intended or reasonably oreseeable use on the axillae or labelled as such (spray, stick, roll-on, under-arm, deo-cologne and body spray, etc.); Nose pore strips; Fragranced Bracelets	IFRA Class 2 Limit
Hydroalcoholic Products Applied To Recently Shaved Skin (includes After Shave) (Edt range)	IFRA Class 3.A Limit
lydroalcoholic Products Applied To Recently Shaved Skin (includes After Shave) (Fine fragrance range)	IFRA Class 3.B Limit
Eye Products of all types (eye shadow, mascara, eyeliner, eye make-up, etc.) including eye care; Men's Facial Creams and Balms; Baby Creams, Lotions, Oils; Body Paint for Children	IFRA Class 3.C Limit
Tampons	IFRA Class 3.D Limit
Hydroalcoholic Products applied to unshaved skin (includes aqueous based, alcoholic based and hydroalcoholic) like Cologne, eau de cologne, Eau de Parfum or Parfum (Edt range); Ingredients of Perfume (its; Scent Pads, Foil packs; Scent Strips for hydroalcoholic products	IFRA Class 4.A Limit
Hydroalcoholic Products applied to unshaved skin (includes aqueous based, alcoholic based and hydroalcoholic) like Cologne, eau de cologne, Eau de Parfum or Parfum (Fine fragrance range)	IFRA Class 4.B Limit
Hair Styling Aids Sprays of all types (pumps, aerosol sprays, etc.); Body Creams, Oils, Lotions of all types except baby creams, lotions and oils); Body sprays (including Body Mist) with no intended or reasonably oreseeable use on the axillae; Fragrance Compounds for Cosmetic Kits; Foot Care Products; Hair leodorant; Body Paint (except those for children)	IFRA Class 4.C Limit
ragrancing Cream; Solid perfumes	IFRA Class 4.D Limit
Nomen's Facial Creams/Facial Make-up; Hand Cream; Hand sanitizers; Facial Masks; Baby Powder and Falc; Hair Permanent and other hair chemical treatments (e.g. relaxers) but not hair dyes; Wipes or Refreshing Tissues for Face, Neck, Hands, Body; Dry Shampoo or Waterless Shampoo	IFRA Class 5 Limit
Nouthwash, including Breath Sprays; Toothpaste	IFRA Class 6 Limit
ntimate Wipes; Baby Wipes	IFRA Class 7.A Limit
nsect Repellent (intended to be applied to the skin)	IFRA Class 7.B Limit
Make-up Removers of all types (not including face cleansers); Hair Styling Aids Non-Spray of all types mousse, gels, leave-in conditioners, etc.); Nail Care; Powders and talcs, all types (except baby powders and talcs)	IFRA Class 8.A Limit
lair Dyes	IFRA Class 8.B Limit
Conditioner (Rinse-Off); Liquid Soap; Shampoos of all types (including baby shampoos); Face Cleansers of all types (washes, gels, scrubs, etc.); Shaving Creams of all types (stick, gels, foams, etc.); All Depilatories including waxes for mechanical hair removal); Body Washes of all types (including baby washes) and Shower Gels of all types; Bar Soap (Toilet Soap); Bath Gels, Foams, Mousses, Salts, Oils and Other Products added to bathwater	IFRA Class 9.A Limit
eminine hygiene - pads, liners; Toilet paper; Wheat bags	IFRA Class 9.B Limit
acial tissues; Napkins; Paper towels; Other Aerosols (including air freshener sprays and air freshener ump sprays, but not including deodorants/antiperspirants, hair styling aids sprays); Fragranced Face /lasks (not intended to be used as medical device)	IFRA Class 9.C Limit
Handwash Laundry Detergents of all types including concentrates; Fabric Softeners of all types including abric softener sheets; Household Cleaning Products, Other Types (fabric cleaners, soft surface cleaners, arpet cleaners, etc.); Machine Wash Laundry Detergents (liquids, powders, tablets, etc.) including laundry bleach and concentrates; Hand Dishwashing Detergent including concentrates; Hard Surface Cleaners of all ypes (bathroom and kitchen cleansers, furniture polish, etc.); Shampoos for pets; Dry cleaning kits; Scented ploves, socks, tights with moisturizers	IFRA Class 10.A Limit
Diapers; Toilet seat wipes	IFRA Class 10.B Limit
All non-skin contact or incidental skin contact including: Candles; Air Fresheners and Fragrancing of all ypes (concentrated aerosol with metered doses (range 0.05-0.5mL/spray), plug-ins, solid substrate, nembrane delivery, electrical); Air Delivery Systems; Cell phone cases; Pot pourri, powders, fragrancing sachets, liquid refills for air fresheners (non-cartridge systems), Reed diffusers; Liquid refills for air resheners (cartridge systems); Shoe Polishes; Deodorizers/Maskers not intended for skin contact (e.g. abric drying machine deodorizers, carpet powders); Insecticides (mosquito coil, paper, electrical, for clothing etc.) excluding aerosols; Scent delivery system using a dry air technology that releases a fragrance vithout sprays, aerosols or heated oils (technology of nebulization); Air freshening crystals; Toilet Blocks; loss Sticks or Incense Sticks; Machine Dishwash Detergent and Deodorizers; Machine-only Laundry Detergent (e.g. liquitabs); Plastic articles (excluding toys); Fuels; Fragranced lamp ring; Scent pack; Scratch and Sniff (sampling technology); Paints; Cat litter; Animal sprays (all types); Treatment products for textiles e.g. starch sprays, fabric treated with fragrances after wash, deodorizers for textiles or fabrics); Floor wax;	IFRA Class 11 Limit



# Vegetarian & Vegan Suitability Statement

PRODUCT NAME: EARL GREY FRAGRANCE

MADAR Corporation Limited can confirm that the above listed product has not been tested in animals and does not contain dairy or any other animal product, by product or derivative and is therefore suitable for vegetarian and vegan use.

11/09/19