

#### **CERTIFICATE OF ANALYSIS**

Product: Peach Blossom Fragrant Oil Product Code: OFPEACBLOS

Batch No: 4389902

Date Of Manufacture: March 2020

Best Before Date: March 2023

**RESULT** 

**DESCRIPTION** 

Specific Gravity @ 20°C 1.0286

Refractive Index @ 20°C 1.4919

Appearance Colourless to Very Pale Yellow Liquid

Odour Characteristic

Flash Point >61



Version: 1 (21/06/2017)

## **ALLERGEN DECLARATION**

We hereby confirm that the following item contains the ingredients listed below. Stated are the total levels added plus levels from natural ingredients. The information is supplied to enable compliance with the Seventh Amendment to the EU Cosmetics Directive (76/768/EEC) and the EU Detergents Directive (648/2004/EC).


## PEACH BLOSSOM FRAGRANT OIL

Ingredient	CAS	EC	Concentration (%)
Benzyl Alcohol	100-51-6	202-859-9	1%
Citral	5392-40-5	226-394-6	0.03%
Limonene	5989-27-5	227-813-5	5.60004%
Linalool	78-70-6	201-134-4	0.25%

**Regulatory Affairs Department** 



## FLOW DIAGRAM INDICATING THE CRITICAL CONTROL POINTS PEACH BLOSSOM FRAGRANCE OIL



DISPATCH



# GMO STATEMENT PEACH BLOSSOM FRAGRANT OIL

Our Supplier of this product does not knowingly or intentionally use GMO derived materials (according to EC Regulation 1829/2003 and 1830/2003) in the manufacture of their products. It is their policy to only manufacture and sell products that are GMO free within the current limits of detection and in the knowledge that adventitious contamination cannot be excluded.

The company requires from all relevant suppliers, written assurances that materials supplied to our Supplier are free from Genetically Modified Organisms and derivatives thereof. To the best of their knowledge all products manufactured and sold by our Supplier are GMO free.



Version: 1 (21/06/2017)

## IFRA CONFORMITY CERTIFICATE

Product: PEACH BLOSSOM FRAGRANT OIL

We certify that the above item is in compliance with the Standards of the INTERNATIONAL FRAGRANCE ASSOCIATION (IFRA - 48th Amendment / published June 2015), provided it is used in the following classes at a maximum concentration level of:

IFRA classes [see annex for detail]	Maximum level of use (%)
IFRA Class 1 Limit	Not approved
IFRA Class 2 Limit	20%
IFRA Class 3.A Limit	90%
IFRA Class 3.B Limit	90%
IFRA Class 3.C Limit	90%
IFRA Class 3.D Limit	90%
IFRA Class 4.A Limit	100%
IFRA Class 4.B Limit	100%
IFRA Class 4.C Limit	100%
IFRA Class 4.D Limit	100%
IFRA Class 5 Limit	100%
IFRA Class 6 Limit	Not approved
IFRA Class 7.A Limit	40%
IFRA Class 7.B Limit	40%
IFRA Class 8.A Limit	100%
IFRA Class 8.B Limit	100%
IFRA Class 9.A Limit	100%
IFRA Class 9.B Limit	100%
IFRA Class 9.C Limit	100%
IFRA Class 10.A Limit	100%
IFRA Class 10.B Limit	100%
IFRA Class 11 Limit	100%



Version: 1 (21/06/2017)

## IFRA CONFORMITY CERTIFICATE

For other kinds of application or use at higher concentration levels, a new evaluation may be needed; please contact MADAR Corporation Ltd.

The IFRA Standards regarding use restrictions are based on safety assessments by the Panel of Experts of the RESEARCH INSTITUTE FOR FRAGRANCE MATERIALS (RIFM) and are enforced by the IFRA Scientific Committee.

Evaluation of individual Fragrance ingredients is made according to the safety standards contained in the relevant section of the IFRA Code of Practice.

It is the ultimate responsibility of our customer to ensure the safety of the final product (containing this fragrance) by further testing if need be.

**Regulatory Affairs Department** 



Version: 1 (21/06/2017)

## IFRA CONFORMITY CERTIFICATE

## **ANNEX: Definition of IFRA Classes**

Finished product types	IFRA class
Lip Products of all types (solid and liquid lipsticks, balms, clear or colored, etc.); Children's Toys	IFRA Class 1 Limit
Deodorant and Antiperspirant Products of all types including any product with intended or reasonably foreseeable use on the axillae or labelled as such (spray, stick, roll-on, under-arm, deo-cologne and body spray, etc.); Nose pore strips; Fragranced Bracelets	IFRA Class 2 Limit
Hydroalcoholic Products Applied To Recently Shaved Skin (includes After Shave) (Edt range)	IFRA Class 3.A Limit
Hydroalcoholic Products Applied To Recently Shaved Skin (includes After Shave) (Fine fragrance range)	IFRA Class 3.B Limit
Eye Products of all types (eye shadow, mascara, eyeliner, eye make-up, etc.) including eye care; Men's Facial Creams and Balms; Baby Creams, Lotions, Oils; Body Paint for Children	IFRA Class 3.C Limit
Tampons	IFRA Class 3.D Limit
Hydroalcoholic Products applied to unshaved skin (includes aqueous based, alcoholic based and hydroalcoholic) like Cologne, eau de cologne, Eau de Parfum or Parfum (Edt range); Ingredients of Perfume Kits; Scent Pads, Foil packs; Scent Strips for hydroalcoholic products	IFRA Class 4.A Limit
Hydroalcoholic Products applied to unshaved skin (includes aqueous based, alcoholic based and hydroalcoholic) like Cologne, eau de cologne, Eau de Parfum or Parfum (Fine fragrance range)	IFRA Class 4.B Limit
Hair Styling Aids Sprays of all types (pumps, aerosol sprays, etc.); Body Creams, Oils, Lotions of all types (except baby creams, lotions and oils); Body sprays (including Body Mist) with no intended or reasonably foreseeable use on the axillae; Fragrance Compounds for Cosmetic Kits; Foot Care Products; Hair deodorant; Body Paint (except those for children)	IFRA Class 4.C Limit
Fragrancing Cream; Solid perfumes	IFRA Class 4.D Limit
Women's Facial Creams/Facial Make-up; Hand Cream; Hand sanitizers; Facial Masks; Baby Powder and Talc; Hair Permanent and other hair chemical treatments (e.g. relaxers) but not hair dyes; Wipes or Refreshing Tissues for Face, Neck, Hands, Body; Dry Shampoo or Waterless Shampoo	IFRA Class 5 Limit
Mouthwash, including Breath Sprays; Toothpaste	IFRA Class 6 Limit
Intimate Wipes; Baby Wipes	IFRA Class 7.A Limit
Insect Repellent (intended to be applied to the skin)	IFRA Class 7.B Limit
Make-up Removers of all types (not including face cleansers); Hair Styling Aids Non-Spray of all types (mousse, gels, leave-in conditioners etc); Nail Care; All Powders & Talcs (including baby powders and talcs)	IFRA Class 8.A Limit
Hair Dyes	IFRA Class 8.B Limit
Conditioner (Rinse-Off); Liquid Soap; Shampoos of all types (including baby shampoos); Face Cleansers of all types (washes, gels, scrubs, etc.); Shaving Creams of all types (stick, gels, foams, etc.); All Depilatories (including waxes for mechanical hair removal); Body Washes of all types (including baby washes) and Shower Gels of all types; Bar Soap (Toilet Soap); Bath Gels, Foams, Mousses, Salts, Oils and Other Products added to bathwater	IFRA Class 9.A Limit
Feminine hygiene - pads, liners; Toilet paper; Wheat bags	IFRA Class 9.B Limit
Facial tissues; Napkins; Paper towels; 'Other' Aerosols (incl. air freshener sprays and air freshener pump sprays, but not deodorants / antiperspirants, hair styling aids spray and animal sprays)	IFRA Class 9.C Limit
Handwash Laundry Detergents of all types including concentrates; Fabric Softeners of all types including fabric softener sheets; Household Cleaning Products, Other Types (fabric cleaners, soft surface cleaners, carpet cleaners, etc.); Machine Wash Laundry Detergents (liquids, powders, tablets, etc.) including laundry bleach and concentrates; Hand Dishwashing Detergent including concentrates; Hard Surface Cleaners of all types (bathroom and kitchen cleansers, furniture polish, etc.); Shampoos for pets; Dry cleaning kits; Scented gloves, socks, tights with moisturizers	IFRA Class 10.A Limit
Diapers; Toilet seat wipes	IFRA Class 10.B Limit
All non-skin contact or incidental skin contact including: Candles; Air Fresheners and Fragrancing of all types (concentrated aerosol with metered doses (range 0.05-0.5mL/spray), plug-ins, solid substrate, membrane delivery, electrical); Air Delivery Systems; Cell phone cases; Pot pourri, powders, fragrancing sachets, liquid refills for air fresheners (non-cartridge systems), Reed diffusers; Liquid refills for air fresheners (cartridge systems); Shoe Polishes; Deodorizers/Maskers not intended for skin contact (e.g. fabric drying machine deodorizers, carpet powders); Insecticides (mosquito coil, paper, electrical, for clothing etc.) excluding aerosols; Scent delivery system using a dry air technology that releases a fragrance without sprays, aerosols or heated oils (technology of nebulization); Air freshening crystals; Toilet Blocks; Joss Sticks or Incense Sticks; Machine Dishwash Detergent and Deodorizers; Machine-only Laundry Detergent (e.g. liquitabs); Plastic articles (excluding toys); Fuels; Fragranced lamp ring; Scent pack; Scratch and Sniff (sampling technology); Paints; Cat litter; Animal sprays (all types); Treatment products for textiles (e.g. starch sprays, fabric treated with fragrances after wash, deodorizers for textiles or fabrics); Floor wax; Odored Distilled Water (that can be added to steam irons)	IFRA Class 11 Limit



Version: 2 (21/06/2017)

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

PRODUCT: PEACH BLOSSOM FRAGRANT OIL

Version: 2

## Section 1. Identification of the substance or the mixture and of the supplier

#### 1.1 Product Identifier

Product identifier: PEACH BLOSSOM FRAGRANT OIL (Contains:2-Phenylethanol, 4-tert-

utylcyclohexyl acetate, Amyl salicylate, Limonene)

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: For manufacturing purposes only.

1.3 Details of the supplier of the safety data sheet

MADAR Corporation Ltd Company name:

Company address: 19-20 Sandleheath Industrial Estate

> Fordingbridge SP6 1PA

Approved sellers: Cosmetic Butters, New Directions, Mystic Moments, World of Moulds

Company phone: +44 (0) 1425 655555

1.4 Emergency telephone number

Office hours: +44 (0) 1425 655555

#### Section 2. Hazards identification

#### 2.1 Classification of the substance or mixture

#### Classification under Regulation (EC) No 1272/2008

danger:

Class and category of Acute Toxicity - Oral Category 4

Eye Damage / Irritation Category 2 Sensitization - Skin Category 1

Hazardous to the Aquatic Environment - Long-term Hazard Category 2

H302, Harmful if swallowed.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H411, Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

Signal word: Warning

**Hazard statements:** H302, Harmful if swallowed.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

BiOrigins, 19-20 Sandleheath Industrial Estate, Fordingbridge, Hampshire, SP6 1PA, UK

Tel: 01425 655555 Email: technical@madarcorporation.co.uk



Version: 2 (21/06/2017)

## **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**PRODUCT:** PEACH BLOSSOM FRAGRANT OIL

Version: 2

H411, Toxic to aquatic life with long lasting effects.

Supplemental Information:

EUH208, Contains b-Pinene, Ethyl 2,3-epoxy-3-phenylbutyrate, Linalool, 7-Methyl-3-

methyleneocta-1,6-diene. May produce an allergic reaction.

Precautionary statements:

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P270, Do not eat, drink or smoke when using this product.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection.

P301/312, IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.

P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P330, Rinse mouth.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention.

P363, Wash contaminated clothing before reuse.

P391, Collect spillage.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.



Pictograms:

Other hazards: None

#### Section 3. Composition / information on ingredients

#### 3.2 Mixtures

#### Contains:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008
Benzyl acetate	140-11-4	205-399-7		10-<20%	EH C3;H412,-
4-tert-Butylcyclohexyl acetate	32210-23-4	250-954-9		10-<20%	SS 1B-EH C2;H317- H411,-
2-Phenylethanol	60-12-8	200-456-2		10-<20%	ATO 4-EDI 2;H302- H319,-



Version: 2 (21/06/2017)

## **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

PRODUCT: PEACH BLOSSOM FRAGRANT OIL

Version: 2

Limonene	5989-27-5	227-813-5	5-<10%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226- H304-H315-H317- H400-H410,-
Amyl salicylate	2050-08-0	218-080-2	5-<10%	ATO 4-EH A1-EH C1; H302-H410,-
gamma-Undecalatone	104-67-6	203-225-4	1-<5%	EH C3;H412,-
Benzyl Alcohol	100-51-6	202-859-9	1-<5%	ATO 4-ATI 4-EDI 2; H302-H319-H332,-
Allyl hexanoate	123-68-2	204-642-4	0.1-<1%	ATO 3-ATD 3-SCI 2- EDI 2;H301-H311- H315-H319,-
b-Pinene	127-91-3	204-872-5	0.1-<1%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226- H304-H315-H317- H400-H410,-
Linalool	78-70-6	201-134-4	0.1-<1%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-
Allyl heptanoate	142-19-8	205-527-1	0.1-<1%	ATO 3-ATD 3-ATI 3-EH A1-EH C3;H301-H311- H331-H400-H412,-
7-Methyl-3- methyleneocta-1,6- diene	123-35-3	204-622-5	0.1-<1%	FL 3-SCI 2-EDI 2-SS 1- AH 1-EH C3;H226- H304-H315-H317- H319-H412
Ethyl 2,3-epoxy-3- phenylbutyrate	77-83-8	201-061-8	0.1-<1%	SS 1B-EH C2;H317- H411,-
p-Mentha-1,4-diene	99-85-4	202-794-6	<0.1%	FL 3-AH 1;H226-H304, -
a-Pinene	80-56-8	201-291-9	<0.1%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226- H304-H315-H317- H410,-
6-Methyl-2-(4- methylcyclohex-3-enyl) hept-1,5-diene	495-62-5	207-805-8	<0.1%	SCI 2-SS 1B-AH 1; H304-H315-H317,-
p-Mentha-1,3-diene	99-86-5	232-268-1	<0.1%	FL 3-ATO 4-AH 1-EH C2;H226-H302-H304- H411,-
beta-Caryophyllene	87-44-5	201-746-1	<0.1%	AH 1;H304,-
beta-Caryophyllene	87-44-5	201-746-1	<0.1%	<i>'</i>

## **Substances with Community workplace exposure limits:**

Name	CAS	EC	%
Butylated hydroxytoluene	128-37-0	204-881-4	<0.1%
Diethyl phthalate	84-66-2	201-550-6	20-<50%

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

#### Section 4. First-aid measures

#### 4.1 Description of first aid measures

IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.

IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.



Version: 2 (21/06/2017)

#### SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

PRODUCT: PEACH BLOSSOM FRAGRANT OIL

Version: 2

#### 4.2 Most important symptoms and effects, both acute and delayed

Harmful if swallowed.

May cause an allergic skin reaction.

Causes serious eye irritation.

## 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

#### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

#### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

#### Section 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

#### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

#### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

#### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

#### Section 7. Handling and storage

#### 7.1 Precautions for safe handling:

Do not eat, drink or smoke when using this product.



Version: 2 (21/06/2017)

#### SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

PRODUCT: PEACH BLOSSOM FRAGRANT OIL

Version: 2

#### 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 7.3 Specific end use(s):

Use in accordance with good manufacturing and industrial hygiene practices.

#### Section 8. Exposure controls/personal protection

#### 8.1 Control parameters

Workplace exposure limits:

Ingredient	CAS	EC	Description	Value
Butylated hydroxytoluene	128-37-0	204-881-4	Long-term exposure limit (8-hour TWA) (mg/m3)	10
Diathyl phtholata	84-66-2 201-55		Long-term exposure limit (8-hour TWA) (mg/m3)	5
Diethyl phthalate	04-00-2		Short-term exposure limit (15- minute) (mg/m3)	10

#### **8.2 Exposure Controls**

#### **Eve / Skin Protection**

Wear protective gloves/eye protection/face protection

#### **Respiratory Protection**

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

#### Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance: Colourless To Very Pale Yellow Liquid

Odour: Characteristic
Odour threshold: Not determined
pH: Not determined



Version: 2 (21/06/2017)

#### SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

PRODUCT: PEACH BLOSSOM FRAGRANT OIL

Version: 2

Melting point / freezing point:

Initial boiling point / range:

Not determined

Flash point: > 61 °C

**Evaporation rate:** Not determined **Flammability (solid, gas):** Not determined

Upper/lower flammability or explosive limits: Product does not present an explosion hazard

Vapour pressure: Not determined Vapour density: Not determined Relative density: 1.0240 - 1.0360 Solubility(ies): Not determined Partition coefficient: n-octanol/water: Not determined Not determined **Auto-ignition temperature:** Not determined **Decomposition temperature: Viscosity:** Not determined **Explosive properties:** Not expected Oxidising properties: Not expected

**9.2 Other information:** None available

#### Section 10. Stability and reactivity

#### 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

#### 10.2 Chemical stability:

Good stability under normal storage conditions.

#### 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

#### 10.4 Conditions to avoid:

Avoid extreme heat.

## 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

#### 10.6 Hazardous decomposition products:

Not expected.



Version: 2 (21/06/2017)

#### SAFETY DATA SHEET

#### In accordance with REACH Regulation EC No.1907/2006

PRODUCT: PEACH BLOSSOM FRAGRANT OIL

Version: 2

#### Section 11. Toxicological information

#### 11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity: Acute Toxicity - Oral Category 4

Acute Toxicity Oral 1825
Acute Toxicity Dermal >5000

Acute Toxicity Inhalation Not Available

**Skin corrosion/irritation:**Based on available data the classification criteria are not met.

Serious eye damage/irritation: Eye Damage / Irritation Category 2
Respiratory or skin sensitisation: Sensitization - Skin Category 1

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Carcinogenicity:

Based on available data the classification criteria are not met.

Reproductive toxicity:

Based on available data the classification criteria are not met.

STOT-single exposure:

Based on available data the classification criteria are not met.

STOT-repeated exposure:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

## Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
2-Phenylethanol	60-12-8	200-456-2	500	Not available	iinot avallable	Not available
Allyl heptanoate	142-19-8	205-527-1	100	300	1:3	Not available
Allyl hexanoate	123-68-2	204-642-4	100	300	IINOT AVAIIANIE	Not available
Amyl salicylate	2050-08-0	218-080-2	500	Not available	INOT available	Not available
Benzyl Alcohol	100-51-6	202-859-9	500	2500	9	Dust/mist

Refer to Sections 2 and 3 for additional information.

#### Section 12. Ecological information

#### 12.1 Toxicity:

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available12.3 Bioaccumulative potential: Not available

**12.4 Mobility in soil:** Not available



Version: 2 (21/06/2017)

#### SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

PRODUCT: PEACH BLOSSOM FRAGRANT OIL

Version: 2

#### 12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

#### 12.6 Other adverse effects:

This material contains \*% Volatile Organic 24.05004 %

Compounds.:

#### Section 13. Disposal considerations

#### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

#### **Section 14. Transport information**

**14.1 UN number:** UN3082

**14.2 UN Proper Shipping Name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Limonene, Amyl salicylate)

**14.3** Transport hazard class(es): 9

Sub Risk: -

14.4. Packing Group:

**14.5 Environmental hazards:** This is an environmentally hazardous substance.

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

#### Section 15. Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EFFA Restricted ingredients: 0 entries

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

#### **Section 16. Other information**

**Concentration % Limits:** EH C2=19.64% EH C3=1.94% EH C4=57.30% EDI 2=76.92% SS 1=7.

14%

**Total Fractional Values:** EH C2=5.09 EH C3=51.65 EH C4=1.75 EDI 2=1.30 SS 1=14.00

Key to revisions:

Classification under Regulation (EC) No 1272/2008 SECTION 3: Composition/information on ingredients



Version: 2 (21/06/2017)

## **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**PRODUCT:** PEACH BLOSSOM FRAGRANT OIL

Version: 2

## Key to abbreviations:

AH 1 Aspiration Hazard Category 1 ATD 3 Acute Toxicity - Dermal Category 3 ATI 3 Acute Toxicity - Inhalation Category 3 ATI 4 Acute Toxicity - Inhalation Category 4 ATO 3 Acute Toxicity - Oral Category 4 ATO 3 Acute Toxicity - Oral Category 3 ATO 4 Acute Toxicity - Oral Category 4 ATO 3 Acute Toxicity - Oral Category 4 ATO 3 Acute Toxicity - Oral Category 4 ATO 4 Acute Toxicity - Oral Category 4 ATO 4 Acute Toxicity - Oral Category 2 EH A1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EH C2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 FL 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 FL 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 FL 4 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 5	Abbreviation	Meaning
ATI 3 Acute Toxicity - Inhalation Category 3 ATI 4 Acute Toxicity - Oral Category 4 ATO 3 Acute Toxicity - Oral Category 4 ATO 3 Acute Toxicity - Oral Category 3 ATO 4 Acute Toxicity - Oral Category 4 EDI 2 Eye Damage / Irritation Category 2 EH At1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EH C2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 EH C3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 FL 3 Flammable Liquid and vapour. Ha301 Toxic if swallowed. Hamful if swallowed and enters sirways. Toxic in contact with skin. Haiti Causes skin irritation. Haiti Causes skin irritation. Toxic if inhaled. Hamful inhaled. Hamf	AH 1	Aspiration Hazard Category 1
ATI 4 Acute Toxicity - Inhalation Category 4 ATO 3 Acute Toxicity - Oral Category 3 ATO 4 Acute Toxicity - Oral Category 4 EDI 2 Eye Damage / Irritation Category 4 EDI 2 EYE Damage / Irritation Category 2 EH A1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EH C2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 EH C3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 Hazard Environment - Long-term Hazard Category 3 FL 3 Hammul if swallowed. H301 Toxic if swallowed. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. Causes serious eye irritation. H331 Toxic if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H411 Harmful to aquatic life with long lasting effects. P240 Groundbond container sightly closed. Groundbond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product.	ATD 3	Acute Toxicity - Dermal Category 3
ATO 3 Acute Toxicity - Oral Category 3 ATO 4 Acute Toxicity - Oral Category 2 EDI 2 Eye Damage / Irritation Category 2 EH A1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EH C2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 EH C3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 4 Flammable Liquid, Hazard Category 4 Flammable Liquid, Hazard Category 3 Flammable Liquid, Hazard Category 4 Flammable Liquid, Hazard Category 4 Flammable Liquid	ATI 3	Acute Toxicity - Inhalation Category 3
ATO 4  Acute Toxicity - Oral Category 4  EDI 2  Eye Damage / Irritation Category 2  EH A1  Hazardous to the Aquatic Environment - Acute Hazard Category 1  EH C1  Hazardous to the Aquatic Environment - Long-term Hazard Category 1  EH C2  Hazardous to the Aquatic Environment - Long-term Hazard Category 2  EH C3  Hazardous to the Aquatic Environment - Long-term Hazard Category 3  FL 3  Flammable Liquid, Hazard Category 4  Flammal Liquid, Hazard Category 4  Flammal Liquid, Hazard Category 4	ATI 4	Acute Toxicity - Inhalation Category 4
EDI 2 Eye Damage / Irritation Category 2 EH At1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EH C2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 EH C3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 FL 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 FL 3 Hazardous Category 3 FL 3 Flammable Liquid, Hazard Category 2 Flammable Liquid, Hazard Category 3 Flammable Liquid L	ATO 3	Acute Toxicity - Oral Category 3
EH A1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 EH C2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 EH C3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL3 Flammable Liquid, Hazard Category 3 HAZE6 Flammable Liquid, Hazard Category 3 HAZE6 Flammable May 1 HAZE7 Flammable Liquid, Hazard Category 3 HAZE8 Flammable May 1 H	ATO 4	Acute Toxicity - Oral Category 4
EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EH C2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 EH C3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 H226 Flammable Liquid And vapour. H301 Toxic if swallowed. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes skin irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H332 Harmful if inhaled. H410 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H240 Ground/bond container and receiving equipment. P233 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace.	EDI 2	Eye Damage / Irritation Category 2
EH C2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 EH C3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 H226 Flammable Liquid, Hazard Category 3 H226 Flammable liquid and vapour. H301 Toxic if swallowed. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H220 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace.	EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
EH C3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 H226 Flammable liquid and vapour. H301 Toxic if swallowed. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H332 Harmful if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H210 Keep away from heat, sparks, open flames and hot surfaces No smoking. H233 Keep container tightly closed. H240 Ground/bond container and receiving equipment. H241 Use explosion-proof electrical, ventilating and lighting equipment. H242 Use only non-sparking tools. H243 Take precautionary measures against static discharge. H244 Wash hands and other contacted skin thoroughly after handling. H264 Wash hands and other contacted skin thoroughly after handling. H270 Do not eat, drink or smoke when using this product. H271 Use only outdoors or in a well-ventilated area. H272 Contaminated work clothing should not be allowed out of the workplace.	EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
FL 3 Flammable Liquid, Hazard Category 3 H226 Flammable liquid and vapour. H301 Toxic if swallowed. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P240 Wash hands and other contacted skin thoroughly after handling. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace.	EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
H226 Flammable liquid and vapour. H301 Toxic if swallowed. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H210 Keep away from heat, sparks, open flames and hot surfaces No smoking. H233 Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. H242 Use explosion-proof electrical, ventilating and lighting equipment. H243 Take precautionary measures against static discharge. H244 Wash hands and other contacted skin thoroughly after handling. H250 Do not eat, drink or smoke when using this product. H275 Contaminated work clothing should not be allowed out of the workplace.	EH C3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
H301 Toxic if swallowed. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H210 Keep away from heat, sparks, open flames and hot surfaces No smoking. H233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace.	FL 3	Flammable Liquid, Hazard Category 3
Hamful if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Hamful if inhaled. H4400 Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Hamful to aquatic life with long lasting effects. H412 Hamful to aquatic life with long lasting effects. H412 Hamful to apuatic life with long lasting effects. H233 Keep away from heat, sparks, open flames and hot surfaces No smoking. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace.	H226	Flammable liquid and vapour.
H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace.	H301	Toxic if swallowed.
H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. F210 Keep away from heat, sparks, open flames and hot surfaces No smoking. F233 Keep container tightly closed. F240 Ground/bond container and receiving equipment. F241 Use explosion-proof electrical, ventilating and lighting equipment. F242 Use only non-sparking tools. F243 Take precautionary measures against static discharge. F264 Wash hands and other contacted skin thoroughly after handling. F270 Do not eat, drink or smoke when using this product. F271 Use only outdoors or in a well-ventilated area. F272 Contaminated work clothing should not be allowed out of the workplace.	H302	Harmful if swallowed.
H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Keep away from heat, sparks, open flames and hot surfaces No smoking. H233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace.	H304	May be fatal if swallowed and enters airways.
H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace.	H311	Toxic in contact with skin.
H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H210 Keep away from heat, sparks, open flames and hot surfaces No smoking. H233 Keep container tightly closed. H240 Ground/bond container and receiving equipment. H241 Use explosion-proof electrical, ventilating and lighting equipment. H242 Use only non-sparking tools. H243 Take precautionary measures against static discharge. H264 Wash hands and other contacted skin thoroughly after handling. H270 Do not eat, drink or smoke when using this product. H271 Use only outdoors or in a well-ventilated area. H272 Contaminated work clothing should not be allowed out of the workplace.	H315	Causes skin irritation.
H331 Toxic if inhaled. H332 Harmful if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace.	H317	May cause an allergic skin reaction.
Harmful if inhaled.  Very toxic to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  H411 Toxic to aquatic life with long lasting effects.  H412 Harmful to aquatic life with long lasting effects.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.	H319	Causes serious eye irritation.
H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H210 Keep away from heat, sparks, open flames and hot surfaces No smoking. H233 Keep container tightly closed. H240 Ground/bond container and receiving equipment. H241 Use explosion-proof electrical, ventilating and lighting equipment. H242 Use only non-sparking tools. H243 Take precautionary measures against static discharge. H261 Avoid breathing vapour or dust. H264 Wash hands and other contacted skin thoroughly after handling. H270 Do not eat, drink or smoke when using this product. H271 Use only outdoors or in a well-ventilated area. H272 Contaminated work clothing should not be allowed out of the workplace.	H331	Toxic if inhaled.
H410 Very toxic to aquatic life with long lasting effects.  H411 Toxic to aquatic life with long lasting effects.  H412 Harmful to aquatic life with long lasting effects.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.	H332	Harmful if inhaled.
H411 Toxic to aquatic life with long lasting effects.  H412 Harmful to aquatic life with long lasting effects.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.	H400	Very toxic to aquatic life.
H412 Harmful to aquatic life with long lasting effects.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.	H410	Very toxic to aquatic life with long lasting effects.
P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace.	H411	Toxic to aquatic life with long lasting effects.
P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace.	H412	Harmful to aquatic life with long lasting effects.
P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.	P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.	P233	Keep container tightly closed.
P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.	P240	Ground/bond container and receiving equipment.
P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.	P241	Use explosion-proof electrical, ventilating and lighting equipment.
P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.	P242	Use only non-sparking tools.
P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.	P243	Take precautionary measures against static discharge.
P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.	P261	Avoid breathing vapour or dust.
P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace.	P264	Wash hands and other contacted skin thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.	P270	Do not eat, drink or smoke when using this product.
	P271	Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.	P272	Contaminated work clothing should not be allowed out of the workplace.
	P273	Avoid release to the environment.
P280 Wear protective gloves/eye protection/face protection.	P280	Wear protective gloves/eye protection/face protection.



Version: 2 (21/06/2017)

## **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**PRODUCT:** PEACH BLOSSOM FRAGRANT OIL

Version: 2

P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P311	Call a POISON CENTRE or doctor/physician.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P361	Remove/Take off immediately all contaminated clothing.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
SCI 2	Skin Corrosion / Irritation Category 2
SS 1	Sensitization - Skin Category 1
SS 1B	Sensitization - Skin Category 1B
į	

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.



Issue Date: 23/06/2017

Version: 1 (23/06/2017)

## **SPECIFICATION**

**PRODUCT:** PEACH BLOSSOM FRAGRANT OIL

**GENERAL DATA** 

Odour: Characteristic

Appearance: Colourless To Very Pale Yellow Liquid

**ANALYTICAL DATA** 

Flash Point: > 61 °C

Flash Point (Fahrenheit): > 142 °F

Specific Gravity @ 20°C: 1.0240 - 1.0360 Refractive Index @ 20°C: 1.4860 - 1.4980

## **STORAGE AND HANDLING**

STORAGE: Store in well-sealed containers in cool, dry, dark place. Ideal temperature between 15-25°C (59-77°F). It is not recommended to store this material below 10°C or above 25°C.

Prepared by: Quality Control Department

This specification was processed automatically and therefore has no signature