



CERTIFICATE OF ANALYSIS
BENZOIN TINCTURE

Product: Benzoin Tincture
Batch Number: 4317307
Best Before End: March 2021

Appearance: A yellow to brown mobile liquid
Odour: Characteristic

TEST	SPECIFICATION	ANALYSIS
Specific Gravity @ 20°C	0.851 – 0.881	0.863
Refractive Index @ 20°C	1.381 – 1.411	1.398

Date of Packing: September 2017
Date of Re-test: September 2019



ALLERGENS DECLARATION

Product Name	Benzoin Tincture				
INCI Name	Styrax Benzoin Resin Extract				
Date	11/05/2017	Product Code	RMBENZTINC	Revision	1

Material	Cas Number	Cosmetic Allergens Inclusion (%)
AMYL CINNAMAL	122-40-7	-
BENZYL ALCOHOL	100-51-6	-
CINNAMYL ALCOHOL	104-54-1	-
CITRAL	5392-40-5	-
EUGENOL	97-53-0	-
HYDROXYCITRONELLAL	107-75-5	-
ISO EUGENOL	97-54-1	-
AMYL CINNAMYL ALCOHOL	101-85-9	-
BENZYL SALICYLATE	118-58-1	-
CINNAMAL	104-55-2	-
COUMARIN	91-64-5	-
GERANIOL	106-24-1	-
HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXALDEHYDE	31906-04-4	-
ANISE ALCOHOL	105-13-5	-
BENZYL CINNAMATE	103-41-3	0.200
FARNESOL	4602-84-0	-
BUTYLPHENYL METHYLPROPIONAL	80-54-6	-
LINALOOL	78-70-6	-
BENZYL BENZOATE	120-51-4	0.200
CITRONELLOL	106-22-9	-
HEXYL CINNAMAL	101-86-0	-
LIMONENE	5989-27-5	-
METHYL 2-OCTYNOATE	111-12-6	-
ALPHA-ISOMETHYLIONONE	127-51-5	-
EVERNIA PRUNASTRI EXTRACT	90028-68-5	-
EVERNIA FURFURACEA EXTRACT	90028-67-4	-

DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

IFRA Conformity Certificate

Product Name	Benzoin Tincture		
INCI Name	Styrax Benzoin Resin Extract		
Product Code	RMBENZTINC		
Revision No	1	Date	11.05.17

We certify that the above compound is in compliance with the Standards of the INTERNATIONAL FRAGRANCE ASSOCIATION (IFRA 48th Amendment / published June 2015), provided it is used in the following class(es) at a maximum concentration level of:

IFRA class(es) [see annex for details]	Max level of use (%)
Class 1.A	50.00 (see Note 1)
Class 1.B	50.00
Class 2	100.00
Class 3.A	100.00
Class 3.B	100.00
Class 3.C	100.00
Class 3.D	100.00
Class 4.A	100.00
Class 4.B	100.00
Class 4.C	100.00
Class 4.D	100.00
Class 5	100.00
Class 6	See Note 1
Class 7.A	100.00
Class 7.B	100.00
Class 8.A	100.00
Class 8.B	100.00
Class 9.A	100.00
Class 9.B	100.00
Class 9.C	100.00
Class 10.A	100.00
Class 10.B	100.00
Class 11.A	100.00 (See Note 2)
Class 11 B	100.00 (See Note 2)

For other kinds of application or use at higher concentration levels, a new evaluation may be needed.

The IFRA Standards regarding use restrictions are based on safety assessments by the Panel of Experts of the RESEARCH INSTITUTE FOR FRAGRANCE MATERIALS (RIFM) and are enforced by the IFRA Scientific Committee.



IFRA Conformity Certificate

Evaluation of individual Fragrance ingredients is made according to the safety standards contained in the relevant section of the IFRA Code of Practice.

This certificate serves only as a guide to the maximum level of use. It is the ultimate responsibility of the customer to ensure safe formulating principles are utilised and the safety of the final product (containing this fragrance), by further testing if need be.

Note 1: It is recommended that any material used to impart perfume or flavour in products intended for human ingestion should consist of ingredients that are in compliance with appropriate regulations for foods and food flavourings in the countries of planned distribution.

Note 2: Trials must be performed to satisfy suitability for specified application.

DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

IFRA Conformity Certificate

ANNEX: Definition of IFRA Classes

Finished product types	IFRA class
Lip Products of all types (solid and liquid lipsticks, balms, clear or coloured, etc.) Children's Toys.	Class 1.A
Waxes for mechanical hair removal	Class 1.B
Deodorant and Antiperspirant Products of all types, including any product with intended or reasonably foreseeable use on the underarm or labelled as such (spray, stick, roll-on, under-arm, deo-cologne and body spray, etc.) Fragranced bracelets. Nose Pore Strips.	Class 2
Hydroalcoholic Products Applied To Recently Shaved Skin. (includes aftershave) (Edt range)	Class 3.A
Hydroalcoholic Products Applied To Recently Shaved Skin. (includes aftershave) (Fine fragrance range)	Class 3.B
Eye Products of all types (eye shadow, mascara, eyeliner, eye make-up, etc.) Men's Facial Creams, Balms. Baby Creams, Lotions, Oils. Body Paint for Children.	Class 3.C
Tampons	Class 3.D
Hydroalcoholic Products Applied To Unshaved Skin (includes aqueous based, alcoholic based and hydroalcoholic) like cologne, eau de cologne, eau de parfum or parfum. (EdT Range) Ingredients of perfume kits, scent strips for hydroalcoholic products. Scent pads, foil packs.	Class 4.A
Hydroalcoholic Products Applied To Unshaved Skin (includes aqueous based, alcoholic based and hydroalcoholic) like cologne, eau de cologne, eau de parfum or parfum (Fine fragrance Range)	Class 4.B
Hair Styling Aids, Hair Sprays of all types (pumps, aerosol sprays, etc.) Hair deodourant. Body Creams, Oils, Lotions, Fragrancing Creams of all types (except baby creams, lotions and oils) Fragrance Compounds for Cosmetic Kits, Foot care products, hair deodourant. Body paint except those for children. Body sprays (including body mist) with no intended or reasonably foreseeable use on the underarm.	Class 4.C
Fragrancing creams, Solid perfumes.	Class 4.D
Women's Facial Creams/Facial Make-up. Hand cream. Hand sanitizers. Facial masks.* Baby Powder & Talc. Hair Permanent and Other Hair Chemical Treatments (e.g. relaxers) but not hair dyes. Wipes or Refreshing Tissues for Face, Neck, Hands, Body. Dry Shampoo or Waterless Shampoo.	Class 5



IFRA Conformity Certificate

Mouthwash, including Breath sprays. Toothpaste.	Class 6
Intimate Wipes, Baby Wipes.	Class 7.A
Insect Repellent (intended to be applied to the skin).	Class 7.B
Make-up Removers of all types (not including face cleansers) Hair Styling Aids Non-Spray of all types (mousse, gels, leave-in conditioners, etc.). Nail care. Powders and talcs (not including baby powders and talcs)	Class 8.A
Hair Dyes	Class 8.B
Liquid soap, Bar Soap (Toilet Soap) All Depilatories Conditioner (Rinse-Off). Shampoos of all types (including baby shampoos) Face Cleansers of all types (washes, gels, scrubs, etc.) Shaving Creams of all types (stick, gels, foams, etc.) Body Washes of all types (including baby washes) and Shower Gels of all types. Bath Gels, Foams, Mousses, Salts, Oils and Other Products Added To Bathwater.	Class 9.A
Feminine Hygiene – Pads Feminine Hygiene – Liners Toilet Paper Wheat Bags.	Class 9.B
Facial tissues. Napkins. Paper towels. Other Aerosols (including air fresheners, sprays but not including deodorant/ antiperspirant, hair styling aids.) Fragranced Face masks (not intended to be used as medical device)	Class 9.C
Handwash Laundry Detergents of all types including concentrates Machine wash Laundry Detergents of all types including concentrates (liquid, powder, tablet etc.) including laundry bleaches and concentrates. Fabric softeners of all types including fabric softener sheets. Other Household Cleaning Products (fabric cleaners, soft surface cleaners, carpet cleaners) Dry cleaning kits. Hard Surface Cleaners of all types (bathroom and kitchen cleansers, furniture polish etc) Shampoos for pets. Hand dishwashing detergent including concentrates. Scented gloves, socks, tights with moisturisers.	Class 10.A
Nappies Toilet seat wipes.	Class 10.B
All non-skin contact, Including: Air Fresheners and Fragrancing of all types (excluding aerosol products): concentrated aerosol air fresheners, plug-ins, solid substrate, membrane delivery; Toilet blocks, Joss sticks, incense; Insecticides (mosquito coil, paper, electrical, etc. excluding aerosols); Plastic articles (excluding toys); Candles; Fuels ; Paints. Fragranced lamp ring. Scent pack. Floor wax.	Class 11.A

IFRA Conformity Certificate

Scent Delivery System using a dry air technology that releases a fragrance without sprays, aerosols or heated oils (technology of nebulization).
Air delivery systems.

All incidental skin contact, including:

Machine Dishwash Detergent and Deodorizers, Machine Only Laundry Detergent (e.g. liquitabs)**
Deodorizers/Maskers (e.g.fabric drying machine deodorizers, carpet powders)
Pot pourri, fragrancing sachets, liquid refills for air fresheners, etc.
Shoe Polishes; Cat litter; animal sprays (excluding aerosols); Treated textiles; Odored distilled water.
Scratch and sniff (sampling technology)
Infused socks

11.B

* Class 5, Facial masks: There are several types of masks: peel off (similar to rinse-off, rinse-off and leave-on (you only remove the excess with a facial tissue). To ease the split the most restrictive, i.e. leave-on is applied for all.

** Liquitabs corresponds to a dose of liquids wrapped in a film: no contact with hands is expected under normal conditions of use

The table was prepared with the intention to cover the vast majority of the products; however it may not cover some specific applications. In this case other classes may be attributed based on a specific risk assessment.



INCI LISTINGS

Product Name	Benzoin Tincture		
Product Code	RMBENZTINC		
Revision No	1	Date	11.05.17

INCI LISTING

INCI Name	Banding
Alcohol Denat.	>75.0 to ≤100.0
Styrax benzoin Resin Extract	>10.0 to ≤25.0
Aqua	>1.0 to ≤5.0
Benzyl Cinnamate	>0.1 to ≤1
Benzyl Benzoate	>0.1 to ≤1




**INCI names listed have been sourced from the CosIng European Commission database
The INCI listing is to the best of our knowledge, based on the information supplied, correct
at the time of sending.**

MATERIAL SAFETY DATA SHEET

01. IDENTIFICATION OF THE SUBSTANCE/PREPARATION & THE COMPANY/UNDERTAKING

Product Name	Benzoin Tincture				
Biological Definition	A concentrated material for manufacturing purposes only.				
INCI Name	Styrax Benzoin Resin Extract				
Synonyms & Trade Names	-				
Supplier	MADAR Corporation Limited, 19-20 Sandleheath Industrial Estate, Fordingbridge, Hampshire, SP6 1PA Approved Sellers: Cosmetic Butters, Mystic Moments, New Directions, World of Moulds				
Reach Registration Number <small>(According to EU Reg 1907/2006)</small>	See section 3				
FEMA No.	-	FDA No.	-	CoE No.	-
CAS-No	See section 3	EC No.	See section 3	EINECS No.	-

02. HAZARDS IDENTIFICATION

Classification (1999/45)	Xn; R48/20/21/22. Xi; R41. R10
Classification (EC 1272/2008)	Flam. Liq. 3 - H226 Eye Dam. 1 - H318 STOT RE 2 - H373
Label in accordance with (EC) No 1272/2008	  
Signal Word	Danger
Contains	BENZOIC ACID
Hazard Statements	H373 May cause damage to organs through prolonged or repeated exposure. H226 Flammable liquid and vapour. H318 Causes serious eye damage.
Precautionary Statements	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P260 Do not breathe vapour/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor
Supplementary Precautionary Statements	P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical equipment. P242 Use only non-sparking tools.

MATERIAL SAFETY DATA SHEET

	P243 Take precautionary measures against static discharge. P314 Get medical advice/attention if you feel unwell. P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with national regulations.
PBT or vPvB according to Annex XIII	Enter Text
Adverse physio-chemical properties	Enter Text
Adverse effects on human health	Enter Text

03. COMPOSITION/INFORMATION ON INGREDIENTS

ALCOHOL		60-100%
CAS number: 64-17-5	EC number: 200-578-6	REACH registration number: 01-2119457610-43-XXXX
Classification Flam. Liq. 2 - H225	Classification (67/548/EEC or 1999/45/EC) F; R11	
BENZOIC ACID		1-5%
CAS number: 65-85-0	EC number: 200-618-2	
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT RE 1 - H372	Classification (67/548/EEC or 1999/45/EC) T; R48/23. Xi; R41, R38	
VANILLIN		1-5%
CAS number: 121-33-5	EC number: 204-465-2	
Classification Eye Irrit. 2 - H319	Classification (67/548/EEC or 1999/45/EC) Xi; R36	
BENZYL BENZOATE		<1%
CAS number: 120-51-4	EC number: 204-402-9	
M factor (Acute) = 1 Classification Acute Tox. 4 - H302 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411	Classification (67/548/EEC or 1999/45/EC) Xn; R22. N; R50, R51/53	
NEROLIDOL ISOMERS		<1%
CAS number: 7212-44-4	EC number: 230-597-5	
M factor (Acute) = 1 Classification Eye Irrit. 2 - H319 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	Classification (67/548/EEC or 1999/45/EC) Xi; R36. N; R50/53	
T-BUTYL ALCOHOL		<1%
CAS number: 75-65-0	EC number: 200-889-7	REACH registration number: 01-2119444321-51-XXXX



MATERIAL SAFETY DATA SHEET

Classification

Flam. Liq. 2 - H225

Acute Tox. 4 - H332

Eye Irrit. 2 - H319

STOT SE 3 - H335

STOT SE 3 - H335

Classification (67/548/EEC or 1999/45/EC)

F; R11. Xn; R20. Xi; R36/37

04. FIRST AID MEASURES

General Information	Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. See Section 11 for additional information on health hazards.
Inhalation	Move affected person to fresh air at once. Get medical attention if any discomfort continues
Ingestion	Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention immediately.
Skin Contact	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if symptoms are severe or persist after washing.
Eye Contact	Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

05. FIRE-FIGHTING MEASURES

Extinguishing Media	Foam, carbon dioxide or dry powder
Unsuitable extinguishing media	Water
Special Fire Fighting Procedures	Containers close to fire should be removed or cooled with water.
Specific Hazards	Toxic gases or vapours
Protective Measures in Fire	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

06. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage.
Environmental Precautions	Do not discharge into drains or watercourses or onto the ground




MATERIAL SAFETY DATA SHEET

Spill Clean Up Methods	Keep combustible materials away from spillage. Eliminate all sources of ignition. Provide adequate ventilation. Contain and absorb spillage with sand, earth or other non-combustible material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Wash thoroughly after dealing with a spillage.
------------------------	---

07. HANDLING AND STORAGE

Usage Precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin, eyes and clothing.
Storage Precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep away from heat, sparks and open flame. Protect from freezing and direct sunlight.

08. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits	ALCOHOL Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m ³ T-BUTYL ALCOHOL Long-term exposure limit (8-hour TWA): WEL 100 ppm 308 mg/m ³ Short-term exposure limit (15-minute): WEL 150 ppm 462 mg/m ³ WEL = Workplace Exposure Limit
Protective Equipment	  
Engineering Measures	Provide adequate ventilation.
Respiratory Equipment	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.
Hand Protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible
Eye Protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.
Other Protection	Wear appropriate clothing to prevent any possibility of skin contact. Wear apron or protective clothing in case of contact.
Hygiene Measures	No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products.

09. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Liquid.
Colour	Yellow to Brown



MATERIAL SAFETY DATA SHEET

Odour	Characteristic.
Relative Density	~ 0.866 @ 20°C
Flash Point (°C)	29°C
Refractive Index	~ 1.396 @ 20°C
Melting Point (°C)	No additional data
Boiling Point (°C)	No additional data
Vapour Pressure	No additional data
Solubility in Water @20°C	No additional data
Auto-ignition temperature (°C)	No additional data

10. STABILITY AND REACTIVITY

Stability	Stable at normal ambient temperatures.
Conditions to Avoid	Avoid heat, flames and other sources of ignition.
Materials to Avoid	Strong oxidising agents. Strong acids. Strong alkalis
Hazardous Decomposition Products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

11. TOXOLOGICAL INFORMATION

Acute Toxicity	May cause damage to organs through prolonged or repeated exposure.
Skin corrosion / irritation	No additional data
Serious eye damage / irritation	Causes serious eye damage.
Respiratory or skin sensitisation	No additional data
Germ Cell Mutagenicity	No additional data
Carcinogenicity	No additional data
Reproductive toxicity	No additional data

MATERIAL SAFETY DATA SHEET

STOT-single exposure	No additional data
STOT-repeated exposure	No additional data
Aspiration hazard	No additional data
Photo-toxicity	No additional data
Other Information	No additional data


12. ECOLOGICAL INFORMATION

Ecotoxicity	The product is not expected to be hazardous to the environment.
Mobility	The product is partly miscible with water and may spread in the aquatic environment
Persistence & Biodegradability	The product contains substances which are not expected to be biodegradable
Bioaccumulation Potential	The product does not contain any substances expected to be bioaccumulating
PBT Assessment Results	This product does not contain any substances classified as PBT or vPvB.
Precautions	-

13. DISPOSAL CONSIDERATIONS

Disposal Methods	Dispose of waste product or used containers in accordance with local regulations
------------------	--

14. TRANSPORT INFORMATION

Warning Icon	
Proper Shipping Name	EXTRACTS, AROMATIC, LIQUID
UN No. Road	1169



MATERIAL SAFETY DATA SHEET

ADR Class	III
Hazard No (ADR)	30
Hazchem Code	-
UN No. SEA	1169
IMDG Class	III
IMDG Pack Gr.	III
EMS	F-E, S-D
UN No. AIR	1169
Air Class	III
Air Pack Gr.	III

15. REGULATORY INFORMATION

EU Directives	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Statutory Instruments	-
Approved Code of Practice	-
Guidance Notes	Workplace Exposure Limits EH40.

MATERIAL SAFETY DATA SHEET

16. OTHER INFORMATION

Revision Date	11.05.2017
Rev No/Repl, SDS Generated	1
Risk Phrases in Full	<p>R10 Flammable. R11 Highly flammable. R20 Harmful by inhalation. R22 Harmful if swallowed. R36 Irritating to eyes. R36/37 Irritating to eyes and respiratory system. R38 Irritating to skin. R41 Risk of serious damage to eyes. R48/20/21/22 Harmful: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed. R48/23 Toxic: danger of serious damage to health by prolonged exposure through inhalation. R50 Very toxic to aquatic organisms. R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</p>
Hazard Statements in Full	<p>H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H302 Harmful if swallowed. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H372 Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.</p>
Other Information	-

DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.



PRODUCT SPECIFICATION

Product Name		Benzoin Tincture			
Date	11/05/2017	Product Code	RMBENZTINC	Rev	1
Description	Concentrated material for manufacturing purposes only.				
Appearance	Mobile Liquid				
Odour	Characteristic				
Customs Tariff Number	13021970				
Origin	UK				
Application	Manufacturing				
Function	-				
INCI Name	-				
CAS Number	See MSDS	EC Number	See MSDS		

TEST SPECIFICATION

Analytical Test	Specification Range
Specific Gravity at 20°C	0.851 – 0.881
Refractive Index at 20°C	1.381 – 1.411
Flash Point	29°C

STORAGE

Store product in full, tightly closed containers in a cool dry place away from heat and sunlight.

STABILITY

Shelf life must be considered as subjective; the shelf life given here is based on the best of our knowledge and experience with this material when stored under the recommended conditions.

DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

Please note as this is a wholly natural material some parameters, in particular, appearance, colour and odour, may change due to natural variation and climate change. This in no way affects the quality and efficacy of the product.