

MYSTIC MOMENTS

CERTIFICATE OF ANALYSIS

PRODUCT NAME: BENZOIN (ALCOHOL), TINCTURE

BATCH NUMBER: 4569206

PRODUCT INCI: ALCOHOL DENAT. & STYRAX BENZOIN RESIN EXTRACT

CAS NUMBER: NOT LISTED

EINECS NUMBER: NOT LISTED.

BEST BEFORE END: FEBRUARY 2028

ANALYTICAL DETAILS	RANGE	RESULTS
APPEARANCE	LIQUID	-
COLOUR	AMBER YELLOW – ORANGE BROWN – BROWN.	-
ODOUR	CHARACTERISTIC	-
SPECIFIC GRAVITY @ 20°C	0.820 - 0.870	0.845
REFRACTIVE INDEX @ 20°C	1.300 - 1.500	1.388
OPTICAL ROTATION @ 20°C	-10.0 TO +10.0	+0.52

MYSTIC MOMENTS

ALLERGEN STATEMENT

PRODUCT NAME: **BENZOIN (ALCOHOL), TINCTURE**

COSMETIC ALLERGENS

Annex IIIa Reference:		CAS NUMBER:	TOTAL ALLERGEN INCLUSION (%):
67	AMYL CINNAMAL	122-40-7	0.000
68	BENZYL ALCOHOL	100-51-6	0.000
69	CINNAMYL ALCOHOL	104-54-1	0.000
70	CITRAL	5392-40-5	0.000
71	EUGENOL	97-53-0	0.000
72	HYDROXY-CITRONELLAL	107-75-5	0.000
73	ISO EUGENOL	97-54-1	0.000
74	AMYL CINNAMYL ALCOHOL	101-85-9	0.000
75	BENZYL SALICYLATE	118-58-1	0.000
76	CINNAMAL	104-55-2	0.000
77	COUMARIN	91-64-5	0.000
78	GERANIOL	106-24-1	0.000
79	HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXALDEHYDE	31906-04-4	0.000
80	ANISE ALCOHOL	105-13-5	0.000
81	BENZYL CINNAMATE	103-41-3	≤ 0.38
82	FARNESOL	4602-84-0	0.000
83	BUTYLPHENYL METHYLPROPIONAL	80-54-6	0.000
84	LINALOOL	78-70-6	0.000
85	BENZYL BENZOATE	120-51-4	≤ 0.11
86	CITRONELLOL	106-22-9	0.000
87	HEXYL CINNAM-ALDEHYDE	101-86-0	0.000
88	LIMONENE	5989-27-5	0.000
89	METHYL 2-OCTYNOATE	111-12-6	0.000
90	ALPHA-ISOMETHYL IONONE	127-51-5	0.000
91	EVERNIA PRUNASTRI EXTRACT	90028-68-5	0.000
92	EVERNIA FURFURACEA EXTRACT	90028-67-4	0.000

MYSTIC MOMENTS

FOOD ALLERGENS

Annex IIIa Reference:		PRESENT IN PRODUCT:	CONTAMINATION PRESENCE:	FACTORY PRESENCE:
1	CEREALS (<i>CONTAINING GLUTEN</i>)	NO	NO	YES
2	CRUSTACEANS	NO	NO	NO
3	EGGS	NO	NO	NO
4	FISH	NO	NO	NO
5	PEANUTS	NO	NO	YES
6	SOYA	NO	NO	YES
7	MILK	NO	NO	YES
8	NUTS	NO	NO	YES
9	CELERY & CELERIAC	NO	NO	YES
10	MUSTARD	NO	NO	YES
11	SESAME	NO	NO	YES
12	SULPHUR DIOXIDE & SULPHITES	NO	NO	NO
13	LUPIN	NO	NO	NO
14	MOLLUSC	NO	NO	NO

MYSTIC MOMENTS

17/01/2025

GMO STATEMENT

We hereby state and certify that the Benzoin Tincture sold by us is not derived/ produced from a raw material that has been genetically modified.

MYSTIC MOMENTS

MANUFACTURING FLOW & INCI STATEMENT

PRODUCT NAME: **BENZOIN (ALCOHOL), TINCTURE**


INCI STATEMENT

We can hereby confirm the following composition breakdown & manufacturing process flow.

INCI Name	% Inclusion	CAS Number
Alcohol Denat.	Approx. 85	64-17-5
Styrax Benzoin Resin Extract	Approx. 15	84929-79-3

MYSTIC MOMENTS

MANUFACTURING FLOW



MYSTIC MOMENTS




Material Safety Data Sheet

EU Regulation: 2020/878

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 PRODUCT IDENTIFICATION					
PRODUCT NAME	BENZOIN (ALCOHOL), TINCTURE				
BIOLOGICAL DEFINITION	A MIXTURE OF BENZOIN STYRAX IN ALCOHOL.				
INCI NAME	ALCOHOL DENAT. & STYRAX BENZOIN RESIN EXTRACT				
SYNONYMS & TRADE NAMES	N/A				
INTERNAL PRODUCT CODE	K1012				
CAS-No	NOT LISTED	EC No.	NOT LISTED	EINECS No.	NOT LISTED
1.2 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET					
COMPANY ADDRESS	Madar Corporation Limited 19 - 20 Sandleheath Industrial Estate, Fordingbridge, SP6 1PA				
EMAIL	technical@madarcorporation.co.uk				
1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET					
EMERGENCY CONTACTS	01425 655 555				

MYSTIC MOMENTS

SECTION 2: HAZARDS IDENTIFICATION	
2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE	
CLASSIFICATION (67/548/EEC)	THE FULL TEXT FOR ALL HAZARD STATEMENTS ARE DISPLAYED IN SECTION 16.
CLASSIFICATION (EU1272/2008)	PHYSICAL HAZARDS: FLAM. LIQ. 2 - H225 HEALTH HAZARDS: EYE IRRIT. 2 - H319, STOT RE 2 - H373 ENVIRONMENTAL HAZARDS: NOT CLASSIFIED
2.2 LABEL ELEMENTS	LABEL IN ACCORDANCE WITH REGULATION (EC) No 1272/2008.
GHS LABEL	  
SIGNAL WORD	DANGER
CONTAINS	ETHANOL, BENZOIC ACID.
HAZARDS STATEMENT	H225 HIGHLY FLAMMABLE LIQUID AND VAPOUR. H319 CAUSES SERIOUS EYE IRRITATION. H373 MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE. EUH208: CONTAINS: (BENZYL CINNAMATE, NEROLIDOL, MIXED ISOMERS) MAY PRODUCE AN ALLERGIC REACTION.
SIGNAL WORD	NONE.
PRECAUTIONARY STATEMENTS	P210 KEEP AWAY FROM HEAT, HOT SURFACES, SPARKS, OPEN FLAMES AND OTHER IGNITION SOURCES. NO SMOKING. P241 USE EXPLOSION-PROOF ELECTRICAL/VENTILATING/LIGHTING/EQUIPMENT. P242 USE NON-SPARKING TOOLS. P243 TAKE ACTION TO PREVENT STATIC DISCHARGES. P261 AVOID BREATHING VAPOURS/SPRAY. P280 WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION P305+P351+P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. P314 GET MEDICAL ADVICE/ATTENTION IF YOU FEEL UNWELL. P337+P313 IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION P501 DISPOSE OF CONTENTS IN ACCORDANCE WITH LOCAL, STATE OR NATIONAL LEGISLATION
SUPPLEMENTARY PRECAUTIONARY STATEMENTS	P264 WASH HANDS AND EXPOSED SKIN THOROUGHLY AFTER HANDLING.
SECTION 16 (OTHER INFORMATION): RISK & SAFETY PHRASES IN FULL.	
2.3 OTHER HAZARDS	
ADVERSE PHYSIO-CHEMICAL PROPERTIES	NO ADDITIONAL DATA AVAILABLE.
ADVERSE EFFECTS ON HUMAN HEALTH	NO ADDITIONAL DATA AVAILABLE.
PBT OR VPVB ACCORDING TO ANNEX XIII	NO ADDITIONAL DATA AVAILABLE.
SECTION 3: COMPOSITION OF INGREDIENTS	
3.1 SUBSTANCES	85% ALCOHOL DENAT. CAS No: 64-17-5 EC No: 200-578-6 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 2 - H225, EYE IRRIT. 2 - H319 ≤ 2.9% BENZOIC ACID CAS No: 65-85-0 EC No: 200-618-2 CLASSIFICATION (EC 1272/2008) SKIN IRRIT. 2 - H315, EYE DAM. 1 - H318, STOT RE 1 - H372 ≤ 0.75% VANILLIN CAS No: 121-33-5 EC No: 204-465-2 CLASSIFICATION (EC 1272/2008) EYE IRRIT. 2 - H319

MYSTIC MOMENTS

	<p>≤ 0.38% BENZYL CINNAMATE CAS No: 103-41-3 EC No: 203-109-3 CLASSIFICATION (EC 1272/2008) SKIN SENS. 1B - H317, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 2 - H411</p> <p>≤ 0.15% NEROLIDOL, MIXED ISOMERS CAS No: 7212-44-4 EC No: 230-597-5 CLASSIFICATION (EC 1272/2008) SKIN SENS. 1B - H317, EYE IRRIT. 2 - H319, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 1 - H410</p> <p>≤ 0.11% BENZYL BENZOATE CAS No: 120-51-4 EC No: 204-402-9 CLASSIFICATION (EC 1272/2008) ACUTE TOX. 4 - H302, AQUATIC CHRONIC 2 - H411</p>
3.2 MIXTURES	NOT APPLICABLE.

SECTION 4: FIRST AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES	
GENERAL INFORMATION	ALWAYS REMOVE CONTAMINATED CLOTHING IMMEDIATELY.
INHALATION	REMOVE FROM EXPOSURE SITE TO FRESH AIR, KEEP AT REST, AND OBTAIN MEDICAL ATTENTION.
INGESTION	DO NOT INDUCE VOMITING. INGESTION MAY CAUSE NAUSEA AND VOMITING. IMMEDIATELY RINSE MOUTH AND PROVIDE FRESH AIR. GET MEDICAL ADVICE/ATTENTION.
SKIN CONTACT	REMOVE CONTAMINATED CLOTHES. WASH THOROUGHLY WITH SOAP AND WATER. CONTACT PHYSICIAN IF IRRITATION PERSISTS.
EYE CONTACT	IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR UP TO 15 MINUTES. REMOVE ANY CONTACT LENSES AND OPEN EYES WIDE APART. GET MEDICAL ADVICE/ATTENTION. CONTINUE TO RINSE.
4.2 MOST IMPORTANT SYMPTOMS & EFFECTS (ACUTE & DELAYED)	NONE EXPECTED, SEE SECTION 4.1 FOR FURTHER INFORMATION.
4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION OR SPECIAL TREATMENT REQUIRED	TREAT SYMPTOMATICALLY.

SECTION 5: FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MATERIAL	FOAM, CO ₂ , DRY CHEMICAL POWDER.
5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	A FIRE WILL OFTEN PRODUCE A THICK BLACK SMOKE. EXPOSURE TO DECOMPOSITION PRODUCTS MAY BE HAZARDOUS TO HEALTH. DO NOT BREATHE IN SMOKE. THERMAL DECOMPOSITION OR COMBUSTION PRODUCTS MAY INCLUDE THE FOLLOWING SUBSTANCES: CARBON DIOXIDE (CO ₂), CARBON MONOXIDE (CO), OTHER TOXIC GASES. CONTAINERS CLOSE TO FIRE SHOULD BE REMOVED OR COOLED WITH WATER.
5.3 ADVICE FOR FIRE-FIGHTERS	AVOID INHALATION OF GENERATED FUMES OR VAPOURS. WEAR SELF-CONTAINED BREATHING APPARATUS AND APPROPRIATE PROTECTIVE CLOTHING.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS	WEAR PROTECTIVE CLOTHING AS DESCRIBED IN SECTION 8 OF THIS SAFETY DATA SHEET. HANDLE THE PRODUCT USING PROTECTIVE GLOVES RESISTANT TO THE CHEMICALS EXPOSED. AVOID CONTACT WITH SKIN AND INHALATION OF ITS VAPOURS. MAINTAIN ADEQUATE VENTILATION IN THE WORKING AREA AFTER SPILLING.
6.2 ENVIRONMENTAL PRECAUTIONS	DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY GUIDELINES.
6.3 METHODS & MATERIAL FOR CONTAINMENT AND CLEANING UP	REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN SPILLAGE IMMEDIATELY BY USE OF SAND OR INERT POWDER. DISPOSE OF ACCORDING TO LOCAL REGULATIONS.
6.4 REFERENCES TO OTHER SECTIONS	REFER & CONSIDER SECTIONS 4, 7, 8 & 13.

SECTION 7: HANDLING & STORAGE

MYSTIC MOMENTS

7.1 PRECAUTIONS FOR SAFE-HANDLING	<p>HANDLE IN ACCORDANCE WITH GOOD HYGIENE AND SAFETY PRACTICE. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND HOT SURFACES. - NO SMOKING. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. USE IN ACCORDANCE WITH GOOD MANUFACTURING AND INDUSTRIAL HYGIENE PRACTICES. USE IN AREAS WITH ADEQUATE VENTILATION DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.</p>
7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	<p>KEEP THE PRODUCT CONTAINER TIGHTLY CLOSED, IN A DRY, VENTILATED AREA. KEEP AWAY FROM POTENTIAL SOURCES OF IGNITION AND PROTECTED FROM LIGHT. MAINTAIN LIMITED CONTACT WITH OXYGEN.</p>
7.3 SPECIFIC END USE(S)	<p>SUITABLE FOR USE IN COSMETICS, FRAGRANCES AND PROFESSIONAL APPLICATIONS ONLY.</p>
SECTION 8: EXPOSURE CONTROLS & PERSONAL PROTECTION	
8.1 CONTROL PARAMETERS	<p>OCCUPATIONAL EXPOSURE LIMITS ETHANOL CAS NO: 64-17-5 LTEL (8 HR TWA) 1000PPM LTEL (8 HR TWA) 1920MG/M³ LTEL – LONG TERM EXPOSURE LIMIT SOURCE UK WORKPLACE EXPOSURE LIMITS EH40/2005 (FOURTH EDITION, PUBLISHED 2020)</p>
8.2 EXPOSURE CONTROLS 	
EYE PROTECTION	<p>WEAR PROTECTIVE GOGGLES TO PREVENT EYE CONTACT.</p>
HAND PROTECTION	<p>AVOID SKIN CONTACT. WEAR PROTECTIVE GLOVES.</p>
RESPIRATORY EQUIPMENT	<p>UNDER NORMAL CONDITIONS OF USE AND WHERE ADEQUATE VENTILATION IS AVAILABLE TO PREVENT BUILD UP OF EXCESSIVE VAPOUR, THIS MATERIAL SHOULD NOT REQUIRE SPECIAL ENGINEERING CONTROLS. HOWEVER, IN CONDITIONS OF HIGH OR PROLONGED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS WHICH INCREASE EXPOSURE, THE FOLLOWING ENGINEERING CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUST VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS MATERIAL. ALSO REFER TO SECTIONS 2 AND 7.</p>
HYGIENE MEASURES	<p>GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.</p>
ENGINEERING MEASURES	<p>PROVIDE ADEQUATE VENTILATION OR RESPIRATORY PROTECTION.</p>
SKIN PROTECTION	<p>WEAR APPROPRIATE PROTECTIVE CLOTHING TO PREVENT SKIN CONTACT. WORK CLOTHING WORN BY PERSONNEL SHOULD BE LAUNDERED REGULARLY. AFTER CONTACT WITH THE PRODUCT, ALL PARTS OF THE BODY THAT HAVE BEEN EXPOSED MUST BE WASHED THOROUGHLY.</p>
PERSONAL PROTECTION	<p>AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES.</p>
OTHER PROTECTION	<p>SLIP PROOF SHOES MAY BE WORN IN EVENT OF SPILLAGES. WEAR APPROPRIATE CLOTHING TO PREVENT ANY POSSIBILITY OF SKIN CONTACT.</p>
PROCESS CONDITIONS	<p>ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION.</p>
ENVIROMENTAL EXPOSURE CONTROLS	<p>AVOID DISCHARGING INTO DRAINAGE WATER. ONLY ELIMINATE BY AUTHORISED COMPANIES.</p>
SECTION 9: PHYSICAL & CHEMICAL PROPERTIES	

MYSTIC MOMENTS


9.1 PHYSICAL & CHEMICAL PROPERTIES	
APPEARANCE	LIQUID
COLOUR	AMBER YELLOW – ORANGE BROWN – BROWN.
ODOUR	CHARACTERISTIC.
RELATIVE DENSITY @ 20°C	APPROX. 0.845 @ 20°C
FLASH POINT (°C)	19°C.
REFRACTIVE INDEX @ 20 °C	APPROX. 1.400 @ 20°C
SOLUBILITY IN WATER @ 20 °C	INSOLUBLE IN WATER.
9.2 OTHER INFORMATION	NO DATA.
9.2.1 INFORMATION WITH REGARD TO PHYSICAL HAZARD CLASSES	NO DATA.
9.2.2 OTHER SAFETY CHARACTERISTICS	NO DATA.
SECTION 10: STABILITY & REACTIVITY	
10.1 REACTIVITY	IT PRESENTS NO SIGNIFICANT REACTIVITY HAZARDS, BY ITSELF OR IN CONTACT WITH WATER.
10.2 CHEMICAL STABILITY	STABLE UNDER SUGGESTED STORAGE CONDITIONS.
10.3 POSSIBILITY OF HAZARDOUS REACTIONS	NOT EXPECTED UNDER NORMAL CONDITIONS OF USE.
10.4 CONDITIONS TO AVOID	KEEP AWAY FROM HEAT, HOT SURFACES, SPARKS, OPEN FLAMES AND OTHER IGNITION SOURCES. PREVENT STORING THE PRODUCT IN OPEN CONTAINERS FOR LONG PERIODS TO PREVENT PRODUCT DETERIORATION.
10.5 INCOMPATIBLE MATERIALS	AVOID CONCENTRATED ACIDS, ALKALIS & OXIDISING AGENTS.
10.6 HAZARDOUS DECOMPOSITION PRODUCTS	THIS PRODUCT DOES NOT DECOMPOSE UNDER NORMAL CONDITIONS. UNDER FIRE CONDITIONS THE PRODUCT WILL PRODUCE A MIXTURE OF IRRITATING FUMES & SMOKE (CARBON MONOXIDE & CARBON DIOXIDE).

SECTION 11: TOXICOLOGICAL INFORMATION	
11.1 TOXICOLOGICAL EFFECTS	
ACUTE TOXICITY	NOT CLASSIFIED.
SKIN IRRITATION	CAUSES MILD SKIN IRRITATION.
EYE DAMAGE OR IRRITATION	CAUSES SERIOUS EYE IRRITATION.
RESPIRATORY OR SKIN SENSITIVITY	NOT CLASSIFIED.
GERM CELL MUTAGENICITY	NOT CLASSIFIED.
CARCINOGENICITY	NOT CLASSIFIED.
REPRODUCTIVE TOXICITY	NOT CLASSIFIED.
STOT – SINGLE EXPOSURE	NOT CLASSIFIED.
STOT – REPEATED EXPOSURE	MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE.
ASPIRATION HAZARD	NOT CLASSIFIED.
11.2 INFORMATION ON OTHER HAZARDS	NO DATA.

MYSTIC MOMENTS

SECTION 12: ECOLOGICAL INFORMATION	
12.1 TOXICITY	NOT CLASSIFIED.
12.2 PERSISTENCE & DEGRADABILITY	NO ADDITIONAL DATA AVAILABLE.
12.3 BIO- ACCUMULATIVE POTENTIAL	NO ADDITIONAL DATA AVAILABLE.
12.4 MOBILITY IN SOIL	PREVENT CONTAMINATION OF SOIL, GROUND AND SURFACE WATER.
12.5 RESULTS OF PBT & VPVB ASSESSMENT	NO ADDITIONAL DATA AVAILABLE.
12.6 ENDOCRINE DISRUPTING PROPERTIES	NO DATA.
12.7 OTHER ADVERSE EFFECTS	DO NOT ALLOW PRODUCT TO ENTER STREAMS, SEWERS OR OTHER WATERWAYS.
SECTION 13: DISPOSAL INFORMATION	
13.1 WASTE TREATMENT METHODS	<p>DO NOT ALLOW ENTRY INTO DRAINS OR WATERWAYS.</p> <p>WASTE: WASTE MANAGEMENT IS CARRIED OUT WITHOUT ENDANGERING HUMAN HEALTH, WITHOUT HARMING THE ENVIRONMENT AND, IN PARTICULAR WITHOUT RISK TO WATER, AIR, SOIL, PLANTS OR ANIMALS. RECYCLE OR DISPOSE OF WASTE IN COMPLIANCE WITH CURRENT LEGISLATION, PREFERABLY VIA A CERTIFIED COLLECTOR OR COMPANY. DO NOT CONTAMINATE THE GROUND OR WATER WITH WASTE. DO NOT DISPOSE OF WASTE INTO THE ENVIRONMENT.</p> <p>SOILED PACKAGING: EMPTY CONTAINER COMPLETELY. KEEP LABEL(S) ON CONTAINER. DISPOSE OF VIA A CERTIFIED DISPOSAL CONTRACTOR.</p>
SECTION 14: TRANSPORT INFORMATION	
14.1 TRANSPORT INFORMATION	
UN NUMBER	<p>ROAD: 1170</p> <p>SEA: 1170</p> <p>AIR: 1170</p>
14.2 UN SHIPPING NAME	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
14.3 TRANSPORT HAZARD CLASS(ES)	<p>ADR/RID ADR/RID— CLASS 3 ADR CLASSIFICATION CODE — F1 SPECIAL PROVISIONS — 144 601 LIMITED QUANTITIES — 1L EXPECTED QUANTITIES — E2 EMERGENCY ACTION CODE — *2YE TUNNEL RESTRICTION CODE — D/E</p> <p>IMDG IMDG — CLASS 3 SPECIAL PROVISIONS — 144 601 LIMITED QUANTITIES — 1L</p>

MYSTIC MOMENTS

	<p>EXPECTED QUANTITIES – E2</p> <p>IMDG EMS – F-E, S-D</p> <p>STOWAGE AND HANDLING – CATEGORY A</p> <p>TRANSPORT LABELS:</p> 
14.4 PACKING GROUP	<p>ADR/RID PACKING GROUP II</p> <p>IMDG PACKING GROUP II</p> <p>ICAO PACKING GROUP II</p>
14.5 ENVIROMENTAL HAZARDS	NOT AN ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT.
14.6 SPECIAL PRECAUTIONS FOR USER	SEE SECTIONS 6-8.
14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 & THE IBC CODE.	NOT APPLICABLE.
SECTION 15: REGULATORY INFORMATION	
15.1 PRODUCT SPECIFIC SAFETY, HEALTH & ENVIRONMENTAL REGULATIONS & LEGISLATION	
EU DIRECTIVES	REGULATION (EC) NO 2020/878 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 18 TH DECEMBER 2006. CONCERNING THE REGISTRATION, EVALUATION, AUTHORIZATION & RESTRICTION OF CHEMICALS (REACH), ESTABLISHING A EUROPEAN CHEMICALS AGENCY, AMENDING DIRECTIVE 1999/45/EC AND REPEALING COUNCIL REGULATION (EEC) NO793/93 & COMMISSION REGULATION (EC) NO 1488/94 AS WELL AS COUNCIL DIRECTIVE 76/769/EEC & COMMISSION DIRECTIVE 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (INCLUDING AMENDMENTS).
STATUTORY INSTRUMENTS	THE CHEMICALS (HAZARD INFORMATION & PACKAGING FOR SUPPLY REGULATIONS 2009 (S.I.2009 NO 716).
APPROVED CODE OF PRACTICE	CLASSIFICATION & LABELLING OF SUBSTANCES & PREPARATIONS DANGEROUS FOR SUPPLY. SAFETY DATA SHEETS FOR SUBSTANCES & PREPARATIONS.
GUIDANCE NOTES	WORKPLACE EXPOSURE LIMITS EH40. CHIP FOR EVERYONE HSG 108.
15.2 CHEMICAL SAFETY ASSESSMENT	ASSESSMENT HAS NOT BEEN CARRIED OUT AS THIS IS A NON-HAZARDOUS MATERIAL ACCORDING TO ARTICLE 31 OF REACH 1907/2006.

SECTION 16: OTHER INFORMATION	
ENVIROMENTAL	<p>H225 HIGHLY FLAMMABLE LIQUID AND VAPOUR.</p> <p>H302 HARMFUL IF SWALLOWED.</p> <p>H315 CAUSES SKIN IRRITATION.</p> <p>H317 MAY CAUSE AN ALLERGIC SKIN REACTION.</p> <p>H319 CAUSES SERIOUS EYE IRRITATION.</p> <p>H372 CAUSES DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE.</p> <p>H373 MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE.</p> <p>H400 VERY TOXIC TO AQUATIC LIFE.</p>

MYSTIC MOMENTS

	H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
TRAINING INSTRUCTIONS: REFER TO POSSIBLE HAZARD BEFORE USE OF THIS PRODUCT.	
ABBREVIATIONS & ACRONYMS:	
MSDS	MATERIAL SAFETY DATA SHEET.
INCI	INTERNATIONAL NOMENCLATURE OF COSMETIC INGREDIENTS.
CAS	CHEMICAL ABSTRACT SERVICE.
IMDG	INTERNATIONAL MARITIME CODE FOR DANGEROUS GOODS.
ADR	ACCORD EUROPEAN SUR LE TRANSPORT DES MARCHANDISES DANGEREUSES PAR ROUTE (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD).
RID	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY RAIL.
ICAO	INTERNATIONAL CIVIL AVIATION ORGANIZATION.
ADN	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS.
GHS	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION & LABELLING OF CHEMICALS.
TREM CARD	TRANSPORT EMERGENCY CARD.
STOT	SPECIFIC TARGET ORGAN TOXICITY.

DOCUMENTATION REVISION

DATE	CHANGE DESCRIPTION
2021	DATA LAUNCH
14/10/2022	DOCUMENT REVIEW
JANUARY 2023	REVIEW

MYSTIC MOMENTS




Material Safety Data Sheet

EU Regulation: 2020/878

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 PRODUCT IDENTIFICATION					
PRODUCT NAME	BENZOIN (ALCOHOL), TINCTURE				
BIOLOGICAL DEFINITION	A MIXTURE OF BENZOIN STYRAX IN ALCOHOL.				
INCI NAME	ALCOHOL DENAT. & STYRAX BENZOIN RESIN EXTRACT				
SYNONYMS & TRADE NAMES	N/A				
INTERNAL PRODUCT CODE	K1012				
CAS-No	NOT LISTED	EC No.	NOT LISTED	EINECS No.	NOT LISTED
1.2 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET					
COMPANY ADDRESS	Madar Corporation Limited 19 - 20 Sandleheath Industrial Estate, Fordingbridge, SP6 1PA				
EMAIL	technical@madarcorporation.co.uk				
1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET					
EMERGENCY CONTACTS	01425 655 555				

MYSTIC MOMENTS

SECTION 2: HAZARDS IDENTIFICATION	
2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE	
CLASSIFICATION (67/548/EEC)	THE FULL TEXT FOR ALL HAZARD STATEMENTS ARE DISPLAYED IN SECTION 16.
CLASSIFICATION (EU1272/2008)	PHYSICAL HAZARDS: FLAM. LIQ. 2 - H225 HEALTH HAZARDS: EYE IRRIT. 2 - H319, STOT RE 2 - H373 ENVIRONMENTAL HAZARDS: NOT CLASSIFIED
2.2 LABEL ELEMENTS	LABEL IN ACCORDANCE WITH REGULATION (EC) No 1272/2008.
GHS LABEL	  
SIGNAL WORD	DANGER
CONTAINS	ETHANOL, BENZOIC ACID.
HAZARDS STATEMENT	H225 HIGHLY FLAMMABLE LIQUID AND VAPOUR. H319 CAUSES SERIOUS EYE IRRITATION. H373 MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE. EUH208: CONTAINS: (BENZYL CINNAMATE, NEROLIDOL, MIXED ISOMERS) MAY PRODUCE AN ALLERGIC REACTION.
SIGNAL WORD	NONE.
PRECAUTIONARY STATEMENTS	P210 KEEP AWAY FROM HEAT, HOT SURFACES, SPARKS, OPEN FLAMES AND OTHER IGNITION SOURCES. NO SMOKING. P241 USE EXPLOSION-PROOF ELECTRICAL/VENTILATING/LIGHTING/EQUIPMENT. P242 USE NON-SPARKING TOOLS. P243 TAKE ACTION TO PREVENT STATIC DISCHARGES. P261 AVOID BREATHING VAPOURS/SPRAY. P280 WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION P305+P351+P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. P314 GET MEDICAL ADVICE/ATTENTION IF YOU FEEL UNWELL. P337+P313 IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION P501 DISPOSE OF CONTENTS IN ACCORDANCE WITH LOCAL, STATE OR NATIONAL LEGISLATION
SUPPLEMENTARY PRECAUTIONARY STATEMENTS	P264 WASH HANDS AND EXPOSED SKIN THOROUGHLY AFTER HANDLING.
SECTION 16 (OTHER INFORMATION): RISK & SAFETY PHRASES IN FULL.	
2.3 OTHER HAZARDS	
ADVERSE PHYSIO-CHEMICAL PROPERTIES	NO ADDITIONAL DATA AVAILABLE.
ADVERSE EFFECTS ON HUMAN HEALTH	NO ADDITIONAL DATA AVAILABLE.
PBT OR VPVB ACCORDING TO ANNEX XIII	NO ADDITIONAL DATA AVAILABLE.
SECTION 3: COMPOSITION OF INGREDIENTS	
3.1 SUBSTANCES	85% ALCOHOL DENAT. CAS No: 64-17-5 EC No: 200-578-6 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 2 - H225, EYE IRRIT. 2 - H319 ≤ 2.9% BENZOIC ACID CAS No: 65-85-0 EC No: 200-618-2 CLASSIFICATION (EC 1272/2008) SKIN IRRIT. 2 - H315, EYE DAM. 1 - H318, STOT RE 1 - H372 ≤ 0.75% VANILLIN CAS No: 121-33-5 EC No: 204-465-2 CLASSIFICATION (EC 1272/2008) EYE IRRIT. 2 - H319

MYSTIC MOMENTS

	<p>≤ 0.38% BENZYL CINNAMATE CAS No: 103-41-3 EC No: 203-109-3 CLASSIFICATION (EC 1272/2008) SKIN SENS. 1B - H317, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 2 - H411</p> <p>≤ 0.15% NEROLIDOL, MIXED ISOMERS CAS No: 7212-44-4 EC No: 230-597-5 CLASSIFICATION (EC 1272/2008) SKIN SENS. 1B - H317, EYE IRRIT. 2 - H319, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 1 - H410</p> <p>≤ 0.11% BENZYL BENZOATE CAS No: 120-51-4 EC No: 204-402-9 CLASSIFICATION (EC 1272/2008) ACUTE TOX. 4 - H302, AQUATIC CHRONIC 2 - H411</p>
3.2 MIXTURES	NOT APPLICABLE.

SECTION 4: FIRST AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES	
GENERAL INFORMATION	ALWAYS REMOVE CONTAMINATED CLOTHING IMMEDIATELY.
INHALATION	REMOVE FROM EXPOSURE SITE TO FRESH AIR, KEEP AT REST, AND OBTAIN MEDICAL ATTENTION.
INGESTION	DO NOT INDUCE VOMITING. INGESTION MAY CAUSE NAUSEA AND VOMITING. IMMEDIATELY RINSE MOUTH AND PROVIDE FRESH AIR. GET MEDICAL ADVICE/ATTENTION.
SKIN CONTACT	REMOVE CONTAMINATED CLOTHES. WASH THOROUGHLY WITH SOAP AND WATER. CONTACT PHYSICIAN IF IRRITATION PERSISTS.
EYE CONTACT	IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR UP TO 15 MINUTES. REMOVE ANY CONTACT LENSES AND OPEN EYES WIDE APART. GET MEDICAL ADVICE/ATTENTION. CONTINUE TO RINSE.
4.2 MOST IMPORTANT SYMPTOMS & EFFECTS (ACUTE & DELAYED)	NONE EXPECTED, SEE SECTION 4.1 FOR FURTHER INFORMATION.
4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION OR SPECIAL TREATMENT REQUIRED	TREAT SYMPTOMATICALLY.

SECTION 5: FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MATERIAL	FOAM, CO ₂ , DRY CHEMICAL POWDER.
5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	A FIRE WILL OFTEN PRODUCE A THICK BLACK SMOKE. EXPOSURE TO DECOMPOSITION PRODUCTS MAY BE HAZARDOUS TO HEALTH. DO NOT BREATHE IN SMOKE. THERMAL DECOMPOSITION OR COMBUSTION PRODUCTS MAY INCLUDE THE FOLLOWING SUBSTANCES: CARBON DIOXIDE (CO ₂), CARBON MONOXIDE (CO), OTHER TOXIC GASES. CONTAINERS CLOSE TO FIRE SHOULD BE REMOVED OR COOLED WITH WATER.
5.3 ADVICE FOR FIRE-FIGHTERS	AVOID INHALATION OF GENERATED FUMES OR VAPOURS. WEAR SELF-CONTAINED BREATHING APPARATUS AND APPROPRIATE PROTECTIVE CLOTHING.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS	WEAR PROTECTIVE CLOTHING AS DESCRIBED IN SECTION 8 OF THIS SAFETY DATA SHEET. HANDLE THE PRODUCT USING PROTECTIVE GLOVES RESISTANT TO THE CHEMICALS EXPOSED. AVOID CONTACT WITH SKIN AND INHALATION OF ITS VAPOURS. MAINTAIN ADEQUATE VENTILATION IN THE WORKING AREA AFTER SPILLING.
6.2 ENVIRONMENTAL PRECAUTIONS	DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY GUIDELINES.
6.3 METHODS & MATERIAL FOR CONTAINMENT AND CLEANING UP	REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN SPILLAGE IMMEDIATELY BY USE OF SAND OR INERT POWDER. DISPOSE OF ACCORDING TO LOCAL REGULATIONS.
6.4 REFERENCES TO OTHER SECTIONS	REFER & CONSIDER SECTIONS 4, 7, 8 & 13.

SECTION 7: HANDLING & STORAGE

MYSTIC MOMENTS

7.1 PRECAUTIONS FOR SAFE-HANDLING	<p>HANDLE IN ACCORDANCE WITH GOOD HYGIENE AND SAFETY PRACTICE. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND HOT SURFACES. - NO SMOKING. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. USE IN ACCORDANCE WITH GOOD MANUFACTURING AND INDUSTRIAL HYGIENE PRACTICES. USE IN AREAS WITH ADEQUATE VENTILATION DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.</p>
7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	<p>KEEP THE PRODUCT CONTAINER TIGHTLY CLOSED, IN A DRY, VENTILATED AREA. KEEP AWAY FROM POTENTIAL SOURCES OF IGNITION AND PROTECTED FROM LIGHT. MAINTAIN LIMITED CONTACT WITH OXYGEN.</p>
7.3 SPECIFIC END USE(S)	<p>SUITABLE FOR USE IN COSMETICS, FRAGRANCES AND PROFESSIONAL APPLICATIONS ONLY.</p>
SECTION 8: EXPOSURE CONTROLS & PERSONAL PROTECTION	
8.1 CONTROL PARAMETERS	<p>OCCUPATIONAL EXPOSURE LIMITS ETHANOL CAS NO: 64-17-5 LTEL (8 HR TWA) 1000PPM LTEL (8 HR TWA) 1920MG/M³ LTEL – LONG TERM EXPOSURE LIMIT SOURCE UK WORKPLACE EXPOSURE LIMITS EH40/2005 (FOURTH EDITION, PUBLISHED 2020)</p>
8.2 EXPOSURE CONTROLS 	
EYE PROTECTION	<p>WEAR PROTECTIVE GOGGLES TO PREVENT EYE CONTACT.</p>
HAND PROTECTION	<p>AVOID SKIN CONTACT. WEAR PROTECTIVE GLOVES.</p>
RESPIRATORY EQUIPMENT	<p>UNDER NORMAL CONDITIONS OF USE AND WHERE ADEQUATE VENTILATION IS AVAILABLE TO PREVENT BUILD UP OF EXCESSIVE VAPOUR, THIS MATERIAL SHOULD NOT REQUIRE SPECIAL ENGINEERING CONTROLS. HOWEVER, IN CONDITIONS OF HIGH OR PROLONGED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS WHICH INCREASE EXPOSURE, THE FOLLOWING ENGINEERING CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUST VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS MATERIAL. ALSO REFER TO SECTIONS 2 AND 7.</p>
HYGIENE MEASURES	<p>GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.</p>
ENGINEERING MEASURES	<p>PROVIDE ADEQUATE VENTILATION OR RESPIRATORY PROTECTION.</p>
SKIN PROTECTION	<p>WEAR APPROPRIATE PROTECTIVE CLOTHING TO PREVENT SKIN CONTACT. WORK CLOTHING WORN BY PERSONNEL SHOULD BE LAUNDERED REGULARLY. AFTER CONTACT WITH THE PRODUCT, ALL PARTS OF THE BODY THAT HAVE BEEN EXPOSED MUST BE WASHED THOROUGHLY.</p>
PERSONAL PROTECTION	<p>AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES.</p>
OTHER PROTECTION	<p>SLIP PROOF SHOES MAY BE WORN IN EVENT OF SPILLAGES. WEAR APPROPRIATE CLOTHING TO PREVENT ANY POSSIBILITY OF SKIN CONTACT.</p>
PROCESS CONDITIONS	<p>ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION.</p>
ENVIROMENTAL EXPOSURE CONTROLS	<p>AVOID DISCHARGING INTO DRAINAGE WATER. ONLY ELIMINATE BY AUTHORISED COMPANIES.</p>
SECTION 9: PHYSICAL & CHEMICAL PROPERTIES	

MYSTIC MOMENTS


9.1 PHYSICAL & CHEMICAL PROPERTIES	
APPEARANCE	LIQUID
COLOUR	AMBER YELLOW – ORANGE BROWN – BROWN.
ODOUR	CHARACTERISTIC.
RELATIVE DENSITY @ 20°C	APPROX. 0.845 @ 20°C
FLASH POINT (°C)	19°C.
REFRACTIVE INDEX @ 20 °C	APPROX. 1.400 @ 20°C
SOLUBILITY IN WATER @ 20 °C	INSOLUBLE IN WATER.
9.2 OTHER INFORMATION	NO DATA.
9.2.1 INFORMATION WITH REGARD TO PHYSICAL HAZARD CLASSES	NO DATA.
9.2.2 OTHER SAFETY CHARACTERISTICS	NO DATA.
SECTION 10: STABILITY & REACTIVITY	
10.1 REACTIVITY	IT PRESENTS NO SIGNIFICANT REACTIVITY HAZARDS, BY ITSELF OR IN CONTACT WITH WATER.
10.2 CHEMICAL STABILITY	STABLE UNDER SUGGESTED STORAGE CONDITIONS.
10.3 POSSIBILITY OF HAZARDOUS REACTIONS	NOT EXPECTED UNDER NORMAL CONDITIONS OF USE.
10.4 CONDITIONS TO AVOID	KEEP AWAY FROM HEAT, HOT SURFACES, SPARKS, OPEN FLAMES AND OTHER IGNITION SOURCES. PREVENT STORING THE PRODUCT IN OPEN CONTAINERS FOR LONG PERIODS TO PREVENT PRODUCT DETERIORATION.
10.5 INCOMPATIBLE MATERIALS	AVOID CONCENTRATED ACIDS, ALKALIS & OXIDISING AGENTS.
10.6 HAZARDOUS DECOMPOSITION PRODUCTS	THIS PRODUCT DOES NOT DECOMPOSE UNDER NORMAL CONDITIONS. UNDER FIRE CONDITIONS THE PRODUCT WILL PRODUCE A MIXTURE OF IRRITATING FUMES & SMOKE (CARBON MONOXIDE & CARBON DIOXIDE).

SECTION 11: TOXICOLOGICAL INFORMATION	
11.1 TOXICOLOGICAL EFFECTS	
ACUTE TOXICITY	NOT CLASSIFIED.
SKIN IRRITATION	CAUSES MILD SKIN IRRITATION.
EYE DAMAGE OR IRRITATION	CAUSES SERIOUS EYE IRRITATION.
RESPIRATORY OR SKIN SENSITIVITY	NOT CLASSIFIED.
GERM CELL MUTAGENICITY	NOT CLASSIFIED.
CARCINOGENICITY	NOT CLASSIFIED.
REPRODUCTIVE TOXICITY	NOT CLASSIFIED.
STOT – SINGLE EXPOSURE	NOT CLASSIFIED.
STOT – REPEATED EXPOSURE	MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE.
ASPIRATION HAZARD	NOT CLASSIFIED.
11.2 INFORMATION ON OTHER HAZARDS	NO DATA.

MYSTIC MOMENTS

SECTION 12: ECOLOGICAL INFORMATION	
12.1 TOXICITY	NOT CLASSIFIED.
12.2 PERSISTENCE & DEGRADABILITY	NO ADDITIONAL DATA AVAILABLE.
12.3 BIO- ACCUMULATIVE POTENTIAL	NO ADDITIONAL DATA AVAILABLE.
12.4 MOBILITY IN SOIL	PREVENT CONTAMINATION OF SOIL, GROUND AND SURFACE WATER.
12.5 RESULTS OF PBT & VPVB ASSESSMENT	NO ADDITIONAL DATA AVAILABLE.
12.6 ENDOCRINE DISRUPTING PROPERTIES	NO DATA.
12.7 OTHER ADVERSE EFFECTS	DO NOT ALLOW PRODUCT TO ENTER STREAMS, SEWERS OR OTHER WATERWAYS.
SECTION 13: DISPOSAL INFORMATION	
13.1 WASTE TREATMENT METHODS	<p>DO NOT ALLOW ENTRY INTO DRAINS OR WATERWAYS.</p> <p>WASTE: WASTE MANAGEMENT IS CARRIED OUT WITHOUT ENDANGERING HUMAN HEALTH, WITHOUT HARMING THE ENVIRONMENT AND, IN PARTICULAR WITHOUT RISK TO WATER, AIR, SOIL, PLANTS OR ANIMALS. RECYCLE OR DISPOSE OF WASTE IN COMPLIANCE WITH CURRENT LEGISLATION, PREFERABLY VIA A CERTIFIED COLLECTOR OR COMPANY. DO NOT CONTAMINATE THE GROUND OR WATER WITH WASTE. DO NOT DISPOSE OF WASTE INTO THE ENVIRONMENT.</p> <p>SOILED PACKAGING: EMPTY CONTAINER COMPLETELY. KEEP LABEL(S) ON CONTAINER. DISPOSE OF VIA A CERTIFIED DISPOSAL CONTRACTOR.</p>
SECTION 14: TRANSPORT INFORMATION	
14.1 TRANSPORT INFORMATION	
UN NUMBER	<p>ROAD: 1170</p> <p>SEA: 1170</p> <p>AIR: 1170</p>
14.2 UN SHIPPING NAME	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
14.3 TRANSPORT HAZARD CLASS(ES)	<p>ADR/RID ADR/RID— CLASS 3 ADR CLASSIFICATION CODE — F1 SPECIAL PROVISIONS — 144 601 LIMITED QUANTITIES — 1L EXPECTED QUANTITIES — E2 EMERGENCY ACTION CODE — *2YE TUNNEL RESTRICTION CODE — D/E</p> <p>IMDG IMDG — CLASS 3 SPECIAL PROVISIONS — 144 601 LIMITED QUANTITIES — 1L</p>

MYSTIC MOMENTS

	<p>EXPECTED QUANTITIES – E2</p> <p>IMDG EMS – F-E, S-D</p> <p>STOWAGE AND HANDLING – CATEGORY A</p> <p>TRANSPORT LABELS:</p> 
14.4 PACKING GROUP	<p>ADR/RID PACKING GROUP II</p> <p>IMDG PACKING GROUP II</p> <p>ICAO PACKING GROUP II</p>
14.5 ENVIROMENTAL HAZARDS	NOT AN ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT.
14.6 SPECIAL PRECAUTIONS FOR USER	SEE SECTIONS 6-8.
14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 & THE IBC CODE.	NOT APPLICABLE.
SECTION 15: REGULATORY INFORMATION	
15.1 PRODUCT SPECIFIC SAFETY, HEALTH & ENVIRONMENTAL REGULATIONS & LEGISLATION	
EU DIRECTIVES	REGULATION (EC) NO 2020/878 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 18 TH DECEMBER 2006. CONCERNING THE REGISTRATION, EVALUATION, AUTHORIZATION & RESTRICTION OF CHEMICALS (REACH), ESTABLISHING A EUROPEAN CHEMICALS AGENCY, AMENDING DIRECTIVE 1999/45/EC AND REPEALING COUNCIL REGULATION (EEC) NO793/93 & COMMISSION REGULATION (EC) NO 1488/94 AS WELL AS COUNCIL DIRECTIVE 76/769/EEC & COMMISSION DIRECTIVE 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (INCLUDING AMENDMENTS).
STATUTORY INSTRUMENTS	THE CHEMICALS (HAZARD INFORMATION & PACKAGING FOR SUPPLY REGULATIONS 2009 (S.I.2009 NO 716).
APPROVED CODE OF PRACTICE	CLASSIFICATION & LABELLING OF SUBSTANCES & PREPARATIONS DANGEROUS FOR SUPPLY. SAFETY DATA SHEETS FOR SUBSTANCES & PREPARATIONS.
GUIDANCE NOTES	WORKPLACE EXPOSURE LIMITS EH40. CHIP FOR EVERYONE HSG 108.
15.2 CHEMICAL SAFETY ASSESSMENT	ASSESSMENT HAS NOT BEEN CARRIED OUT AS THIS IS A NON-HAZARDOUS MATERIAL ACCORDING TO ARTICLE 31 OF REACH 1907/2006.

SECTION 16: OTHER INFORMATION	
ENVIROMENTAL	<p>H225 HIGHLY FLAMMABLE LIQUID AND VAPOUR.</p> <p>H302 HARMFUL IF SWALLOWED.</p> <p>H315 CAUSES SKIN IRRITATION.</p> <p>H317 MAY CAUSE AN ALLERGIC SKIN REACTION.</p> <p>H319 CAUSES SERIOUS EYE IRRITATION.</p> <p>H372 CAUSES DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE.</p> <p>H373 MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE.</p> <p>H400 VERY TOXIC TO AQUATIC LIFE.</p>

MYSTIC MOMENTS

	H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
TRAINING INSTRUCTIONS: REFER TO POSSIBLE HAZARD BEFORE USE OF THIS PRODUCT.	
ABBREVIATIONS & ACRONYMS:	
MSDS	MATERIAL SAFETY DATA SHEET.
INCI	INTERNATIONAL NOMENCLATURE OF COSMETIC INGREDIENTS.
CAS	CHEMICAL ABSTRACT SERVICE.
IMDG	INTERNATIONAL MARITIME CODE FOR DANGEROUS GOODS.
ADR	ACCORD EUROPEAN SUR LE TRANSPORT DES MARCHANDISES DANGEREUSES PAR ROUTE (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD).
RID	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY RAIL.
ICAO	INTERNATIONAL CIVIL AVIATION ORGANIZATION.
ADN	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS.
GHS	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION & LABELLING OF CHEMICALS.
TREM CARD	TRANSPORT EMERGENCY CARD.
STOT	SPECIFIC TARGET ORGAN TOXICITY.

DOCUMENTATION REVISION

DATE	CHANGE DESCRIPTION
2021	DATA LAUNCH
14/10/2022	DOCUMENT REVIEW
JANUARY 2023	REVIEW

MYSTIC MOMENTS

Vegetarian & Vegan Suitability Statement

PRODUCT NAME: **Benzoin Tincture**

MADAR Corporation Limited can confirm that the above listed product does not contain dairy or any other animal product, by product or derivative and is therefore suitable for vegetarian and vegan use.

17-01-2025

MYSTIC MOMENTS

IFRA STATEMENT

PRODUCT NAME: **BENZOIN (ALCOHOL), TINCTURE**

PRODUCT INCI: ALCOHOL DENAT. & STYRAX BENZOIN RESIN EXTRACT

WE CERTIFY THAT THE ABOVE-MENTIONED MATERIAL CONFORMS TO THE IFRA 50 CODE OF PRACTICE AND CONTAINS THE FOLLOWING RESTRICTED COMPONENTS THAT ARE LISTED IN THE 50TH AMENDMENT OF THE IFRA CODE OF PRACTICE:

Restricted Component	Cas No:	% Level in Product	IFRA Standard
Benzyl Benzoate	120-51-4	≤ 0.11	Restriction
Benzyl Cinnamate	103-41-3	≤ 0.38	Restriction

Additional comments:

Flavour use consideration - Due to the possible ingestion of small amounts of fragrance ingredients from their use in products in Categories 1 and 6, materials must not only comply with IFRA Standards but must also be recognized as safe as a flavouring ingredient as defined by the IOFI Code of Practice (www.iofi.org). For more details see chapter 1 of the Guidance for the use of IFRA Standards.

IFRA Category	% Maximum Use Level
IFRA Category 1	94.00
IFRA Category 2	28.95
IFRA Category 3	Not restricted
IFRA Category 4	Not restricted
IFRA Category 5A	Not restricted
IFRA Category 5B	Not restricted
IFRA Category 5C	Not restricted
IFRA Category 5D	44.74
IFRA Category 6	Not restricted
IFRA Category 7A	Not restricted
IFRA Category 7B	Not restricted
IFRA Category 8	44.74
IFRA Category 9	Not restricted
IFRA Category 10A	Not restricted
IFRA Category 10B	Not restricted
IFRA Category 11A	44.74

MYSTIC MOMENTS

IFRA Category 11B	44.74
IFRA Category 12	Not restricted

IFRA Category	Product Type	Flavour Use	Phototoxicity
Category 1	Lip Products of all types (solid and liquid lipsticks, balms, clear or coloured, etc.). Children's toys.	Yes	Applicable (leave-on products)
Category 2	Deodorant and antiperspirant products of all types including any product with intended or reasonably foreseeable use on the axillae or labelled as such (spray, stick, roll-on, under-arm, deo-cologne, etc.). Body sprays (including body mist)	No	Applicable (leave-on products)
Category 3	Eye products of all types (eye shadow, mascara, eyeliner, eye make-up, eye masks, eye pillows, etc.) including eye care and moisturizer Facial make up and foundation. Make-up remover for face and eyes. Nose pore strips. Wipes or refreshing tissues for face, neck, hands, body. Body and face paint (for children and adults). Facial masks for face and around the eyes	No	Applicable (leave-on products)
Category 4	Hydro alcoholic and non-hydro alcoholic fine fragrance of all types (Eau de Toilette, Parfum, Cologne, solid perfume, fragrancing cream, aftershaves of all types, etc.). Fragranced bracelets. Ingredients of perfume kits and fragrance mixtures for cosmetic kits. Scent pads, foil packs. Scent strips for hydro alcoholic products	No	Applicable (leave-on products)
Category 5A	Body creams, oils, lotions of all types. Foot care products (creams and powders). Insect repellent (intended to be applied to the skin). All powders and talc (excluding baby powders and talc).	No	Applicable (leave-on products)
Category 5B	Facial toner. Facial moisturizers and creams	No	Applicable (leave-on products)
Category 5C	(women facial creams) Hand cream. Nail care products including cuticle creams, etc. Hand sanitizers	No	Applicable (leave-on products)
Category 5D	Baby cream/lotion, baby oil, baby powders and talc.	No	Applicable (leave-on products)
Category 6	Toothpaste. Mouthwash, including breath sprays. Toothpowder, strips, mouthwash tablets	Yes	Applicable (leave-on products)
Category 7A	Hair permanent or other hair chemical treatments (rinse-off) (e.g. relaxers), including rinse-off hair dyes	No	Applicable (leave-on products)
Category 7B	Hair sprays of all types (pumps, aerosol sprays, etc.). Hair styling aids non-sprays (mousse, gels, leave-on conditioners). Hair permanent or other hair chemical treatments (leave-on) (e.g. relaxers), including leave-on hair dyes. Shampoo - Dry (waterless shampoo). Hair deodorizer	No	Applicable (leave-on products)
Category 8	Intimate wipes. Tampons. Baby wipes. Toilet paper (wet).	No	Applicable (leave-on products)
Category 9	Bar soap. Shampoo of all type. Cleanser for face (rinse-off). Conditioner (rinse-off). Liquid soap. Body washes and shower gels of all types. Baby wash, bath, shampoo. Bath gels, foams, mousses, salts, oils and other products added to bathwater. Foot care products (feet are placed in a bath for soaking). Shaving creams of all types (stick, gels, foams, etc.). All depilatories (including facial) and waxes for mechanical hair removal. Shampoos for pets	NO	Applicable (rinse-off products)
Category 10A	Hand wash laundry detergent (including concentrates). Laundry pre-treatment of all types (e.g. paste, sprays, sticks). Hand dishwashing detergent (including concentrates). Hard surface cleaners of all types (bathroom and kitchen cleansers, furniture polish, etc.). Machine laundry detergents with skin contact (e.g. liquids, powders) including concentrates. Dry cleaning kits. Toilet seat wipes. Fabric softeners of all types including fabric softener sheets. Household cleaning products, other types including fabric cleaners, soft surface cleaners, carpet cleaners, furniture polishes sprays and wipes, leather cleaning wipes, stain removers, fabric enhancing sprays, treatment products for textiles (e.g. starch sprays, fabric treated with fragrances after wash, deodorizers for textiles or fabrics). Floor wax. Fragranced oil for lamp ring, reed diffusers, pot-pourri, liquid refills for air fresheners (non-cartridge systems), etc. Ironing water (Odorized distilled water).	NO	Applicable (rinse-off products)
Category 10B	Animal sprays – sprays applied to animals of all types. Air freshener sprays, manual, including aerosol and pump. Aerosol/spray insecticides	NO	Applicable (rinse-off products)
Category 11A	Feminine hygiene conventional pads, liners, interlabial pads. Diapers (baby and adult). Adult incontinence pant, pad. Toilet paper (dry).	NO	Not applicable (leave-on products without UV exposure)
Category 11B	Tights with moisturizers. Scented socks, gloves. Facial tissues (dry tissues). Napkins. Paper towels. Wheat bags. Facial masks (paper/protective) e.g. surgical masks not used as medical device. Fertilizers, solid (pellet or powder).	NO	Applicable (leave-on products)

MYSTIC MOMENTS

Category 12	Candles of all types (including encased). Laundry detergents for machine wash with minimal skin contact (e.g. Liquid tabs, pods). Automated air fresheners and fragrancing of all types (concentrated aerosol with metered doses (range 0.05-0.5mL/spray), plug-ins, closed systems, solid substrate, membrane delivery, electrical, powders, fragrancing sachets, incense, liquid refills (cartridge), air freshening crystals). Air delivery systems. Cat litter. Cell phone cases. Deodorizers/maskers not intended for skin contact (e.g. fabric drying machine deodorizers, carpet powders). Fuels. Insecticides (e.g. mosquito coil, paper, electrical, for clothing) excluding aerosols/sprays. Joss sticks or incense sticks. Dish wash detergent and deodorizers – for machine wash. Olfactive board games. Paints. Plastic articles (excluding toys). Scratch and sniff. Scent pack. Scent delivery system (using dry air technology). Shoe polishes. Rim blocks (Toilet).	NO	Not applicable (non-skin contact products)
-------------	--	----	--