


Certificate of Analysis

Product information Product name Botanical name Product code Material Origin Country of origin	Silk Powder / RMSILKPOWD Silk worm species Bombyx mor P.R.CHINA	Batch information Batch no. Best Before End ri Linnaeus	4465804 April 2025
Analysis item	Specification	Result	Analysis test method
Assay	14% Nitrogen	14.30%	
Organoleptic properties			
Appearance ¹	Fine White powder	Conform to specification Conform to specification	Visual
Taste	Typical to botanical	Conform to specification Conform to specification	Gustatory
Odor	Typical to botanical	Conform to specification	Olfactory
Physical properties			
Sieve analysis	200	Conform to specification	Mesh screen or equivalent
Moisture content	≤5%	4.90%	IR balance or equivalent
Ash	≤5%	3.40%	2g/525°C/5hrs or equivalent
Heavy metals ²			
Arsenic (As)	$\leq 1 \text{ ppm}$	Conform to specification	AA or equivalent
Cadmium (Cd)	$\leq 1 \text{ ppm}$	Conform to specification Conform to specification	AA or equivalent
Lead (Pb)	\leq 3 ppm	Conform to specification	AA or equivalent
Mercury (Hg)	$\leq 0.1 \text{ ppm}$	Conform to specification	AA or equivalent
Total heavy metals	$\leq 10 \text{ ppm}$	contorn to specification	Colorimetry or equivalent
Microbiology		Conform to modification	
Total plate count	≤10000cfu/g	Conform to specification Conform to specification	AOAC or equivalent
Yeasts & Molds	≤1000cfu/g	Conform to specification	AOAC or equivalent
Salmonella	Absent/10g	Conform to specification	AOAC or equivalent
E.Coli	Absent/1g	Conform to specification	AOAC or equivalent
Identification Additional information	Positive	Conform to specification	TLC
Storage Store product in tightly sealed conta Avoid exposure to air pollution, heat, sunshin I This is a natural product; color variations	in original packaging and qualified storage conditions. iners in dry and dark environment at room temperature. ne and moisture. Reclose containers tightly after use. may appear between extraction batches due to crop, harvest a ieng tested for each batch. Random analyses are being regular d EU food regulations.		
personnel and, to the best of our knowledge and	d belief, is true and accurate as of the date hereof. No warranty, re	presentation or guarantee, express or implied, can be made regarding accur	formation presented herein, while not guaranteed, was prepared and tested by techn acy, performance, stability, reliability or use. This information is not intended to be ermining the suitability of any material for a specific purpose and for adopting such

personnel and, to the best of our knowledge and belief, is true and accurate as of the date hereof. No warranty, representation or guarantee, express or implied, can's made regarding accuracy, performance, stability, reliability or use. This information is not intended to be a inclusive, because the manner and conditions of use, handling, storage and other factors may involve other or additional safety or additional safety are such safety precutions as may be required. Refer to material safety data sheets for specific and handling instructions. Product might be an irritiant. MADAR Corporation does not warrant the results to be obtained in using any material, and other factors may be required. Refer to material safety data sheets for specific and handling instructions. Product might be an irritiant. MADAR Corporation does not warrant the results to be obtained in using any material, and on suggestion for use is intended as, and nothing herein shall be construed as, a recommendation to infringe any existing patent, trademark or copyright or to violate any federal, state or local law or regulation. This document is the property of MADAR Corporation. Document must be returned by receiver upon request. The information classifies is confidential and may not be copied, shown, or otherwise disclosed, directly or indirectly, to any person not subject to a MADAR Corporation supply contract or confidentiality and nondisclosure agreement without the express, written consent of MADAR Corporation.



Production Flow Chart of Silk Powder



¹⁹⁻²⁰ Sandleheath Industrial Estate, Fordingbridge, Hampshire, SP6 1PA, UK Tel: 01425 655555 Email: technical@madarcorporation.co.uk Page 2 of 7



CONFIRMATION OF NON GMO STATUS

PRODUCT NAME: Silk Powder

This is to certify that the above-mentioned product is not manufactured from GM raw materials and is therefore not subject to labelling under regulations 1829/2003/EC and 1830/2003/EC. and European Directive 2001/18 and related amendments.

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product Name:Silk Extract	Company Name: Madar Corporation Limited
Emergency Contact:	Tel: + 44 (0)1425 655 555
Madar Corporation Limited	E-mail: technical@madarcorporation.co.uk

2. Composition/Information on Ingredients

Hazardous Components (Chemical Name)	Percentage	Cas Number	OSHA PEL	ACGIH TLV	Other Limits
Silk Extract	/	No data	No data.	No data.	No data.

3. Hazards Identification

Emergency Overview: No data available.

Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other: Injection

Potential Health Effects (Acute and Chronic): Material may be irritating to the mucous membranes and upper respiratory tract. May be harmful by inhalation, ingestion, or skin absorption. May cause eye, skin, or respiratory system irritation. The toxicological properties of this compound have not been fully evaluated.

Signs and Symptoms Of Exposure: No data available.

4. First Aid Measures

Emergency and First Aid Procedures: If inhaled remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention. If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel. In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water. After initial flushings, remove any contact lenses and continue flushing for at least 20 minutes. Have eyes examined and tested by medical personnel. In case of skin contact, immediately wash skin with soap and plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

5. Fire Fighting Measures

Flash Pt: No data.

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus ressure-demand (MSHA/NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

Flammable Properties and Hazards: Emits toxic fumes under fire conditions.

Extinguishing Media: Use alcohol foam, carbon dioxide, or water spray when fighting fires involving this material.

Unsuitable Extinguishing Media: No data available.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Wear a NIOSH/MSHA approved self-contained breathing apparatus

Released Or Spilled: and appropriate personal Wear a NIOSH/MSHA approved self-contained breathing apparatus and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves). Vacuum or sweep up material and place in disposal container. Avoid raising dust. After removal, ventilate contaminated area and flush thoroughly with water.

7. Handling and Storage

Hazard Label Information: Avoid contact with skin and eyes. Do not reuse this container		ion. Wash thoroughly
after handling.		
Precautions To Be Taken in Handling:	Ċ	

Avoid breathing (dust, vapor, mist, gas).	Avoid contact with eyes, skin, and clothin	Ŭ
Avoid prolonged or repeated exposure.	Do not reuse this container.	
Use with adequate ventilation.	Wash thoroughly after handling.	

Precautions To Be Taken in Storing: Keep tightly closed. Store at correct temperature.

8. Exposure Controls/Personal Protection

Protective Equipment Summary – Hazard Eye wash station in work area Lab coat Latex dispo 🕷 📽 gloves

Label Information: Safety glasses Safety shower in work area Vent Hood **Respiratory Equip**

Eve Protection: Safety glasses

Other Protective Clothing: Lab coat

Engineering Controls (Ventilation etc.): Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

Work/Hygienic/Maintenance Practices: Do not take internally. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Wash thoroughly after handling.

Protective Gloves: Latex disposable gloves

9. Physical and Chemical Properties

19-20 Sandleheath Industrial Estate, Fordingbridge, Hampshire, SP6 1PA, UK Tel: 01425 655555 Email: technical@madarcorporation.co.uk

Physical States: Powder Melting Point: No data. Boiling Point: No data. Autoignition Pt: No data. Flash Pt: No data. Method: Explosive Limits: LEL: No data. UEL: No data. Specific Gravity (Water = 1): No data. Vapor Pressure (vs. Air or mm Hg): No data. Vapor Density (vs. Air = 1): No data. Evaporation Rate (vs Butyl Acetate=1): No data. Solubility in Water: No data Percent Volatile: N.A. Corrosion Rate: No data. Formula: No data. Molecular Weight: No data. pH: No data. Color: No data Appearance and Odor: Fine powder

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

monoxide

Conditions To Avoid - Instability: protect from moisture Incompatibility - Materials To Avoid: strong oxidizing agents Hazardous Decomposition Or Byproducts: carbon dioxide carbon

Hazardous Polymerization: Will occur [] Will not occur [X] Conditions To Avoid - Hazardous No data available. Polymerization:

11. Toxicological Information

Toxicological Information: The toxicological effects of this compound have not been thoroughly studied Carcinogenicity/Other Information: No data available.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

Ecological Information: Run off from fire control or dilution water may cause pollution.

13. Disposal Considerations

Waste Disposal Method: Dispose in accordance with local, state and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT)

DOT Proper Shipping Name: No data available.

Additional Transport Information: Transport in accordance with local, state, and federal regulations.

15. Regulatory Information

US EPA SARA Title III

Hazardous Components (Chemical Name)	CAS #	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.110
Silk Extract	No	No	No	No	No
US EPA CAA, CWA, TSCA					

Hazardous Components (Chemical Name)	CAS#	EPA CAA	EPA CWA NPDES	EPA TSCA	CA PROP65
Silk Extract	No	No	No	No	No

SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

Reauthorization Act of 1986) Lists :

Sec.302 EPA SARA Title III Section 302 Extremely Hazardous Chemical with TPQ indicates 10000 LB TPQ if not volatile . Sec.304 EPA SARA Title III Section 304:Cercla Reportable + Sec.302 with Reportable Quantity . Indicates statutory RQ. EPA SARA Title III Section 313 Toxic Release Inventory. Note:-Cat indicates a member of a chemical category. Sec.313: Sec.110: EPA SARA 110 Superfund Site Priority Contaminant List

TSCA (Toxic Substances Control

Act) Lists:

5A(2): Chemical Subject to Significant New Rules (SNURS) 8A: Toxic Substances Subject To Information Rules on Production

8A PAIR: Preliminary Assessment Information Rules - (PAIR) 8D: Health and Safety Data Reporting Rules

Other Important Lists:

CWA NPDES: EPA Clean Water Act NPDES Permit Chemical CAA ODC: EPA Clean Air Act Ozone Depleting Chemical (1=CFC, 2=HCFC)

6A: Commercial Chemical Control Rules

8A CAIR: Comprehensive Assessment Information Rules - (CAIR) 8C: Records of Allegations of Significant Adverse Reactions 8D TERM: Health and Safety Data Reporting Rule Terminations

> CAA HAP: EPA Clean Air Act Hazardous Air Pollutant CA PROP 65: California Proposition 65

16. Other Information

Additional Information About This Product: References: Not available. Other Special Considerations: Not available.

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall ScienceLab.com be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if ScienceLab.com has been advised of the possibility of such damages

> 19-20 Sandleheath Industrial Estate, Fordingbridge, Hampshire, SP6 1PA, UK Tel: 01425 655555 Email: technical@madarcorporation.co.uk

Page 5 of 7



Silk Powder Product data

Product Name

Silk Extract

Botanical name Plant part

Country of origin

P.R.CHINA

Physical and O	Chemical Properties		Microbiology		
Appearancel	White, FINE POWDER	Visual	Total plate count	≤10000clu/g	AOAC
Taste	Typical to botanical	Gustatory	Yeasts & Molds	≤1000ciu/g	AOAC
Odor	Typical to botanical	Oltactory	Salmonelła	Absent/10g	AOAC
Sieve analysis	200	Mesh screen	E.Coli	Absent/lg	AOAC
Moisture		IR balance	Sterilization method	High Temperature &	High Pressure
Ash		2g/525°C/5hrs		Short time (5" - 10")	
Packaging St	torage3		Heavy metals ²		
Packaging	Carton drum inner double layer plastic	bag	Arsenic (As)	≤l ppm	A.A or equivalent
Storage	Cool, dry, dark, airtight environment.		Cadmium (Cd)	≤l ppm	AA or equivalent
	Storage of products at room temperature		Lead (Pb)	≤ 3 ppm	AA or equivalent
	Keep away from sunshine and moisture		Mercury (Hg)	≤0.1 ppm	AA or equivalent
	Reclose packaging tightly after use		Total heavy metals	≤ 10 ppm	Colorimetry or eq
Re-test date 24 months after manufacture date in original packaging and advised storage condition					
			Identification	Positive	TLC
Additional pro	oduct information		Composition		
-			Assay	14%	Nitrogen
			-		



CONFIRMATION OF BSE/TSE FREE STATUS

PRODUCT NAME: Silk Powder

This is to certify that the above-mentioned does not contain or derive from any hazardous material identified in EU resolution 99/742/EC and 97/534/EC.

This is also to certify that, during the course of their manufacture, the above-mentioned product did not come into contact with any materials, which could be derived from TSE/BSE risk materials.