

# **Certificate of Analysis**

**Product** Zinc Oxide Pure Grade **Batch Number** 4355110

Best Before End March 2022

Assay 99.9 % min Complies

Pb 0.0024 % typical Complies

Cd 0.001 % typical Complies



ALLERGENS	Product Free From YES/NO	Listed Item on Site at Manufacturer YES/NO	Where applicable, is there risk of cross- contamination? YES/NO or N/A
Free from Peanuts and Peanut Derivatives (including possible cross contamination)	Yes	Yes	Yes
Free from other Nut and Nut Derivatives	Yes	Yes	Yes
Almond (Amygdalus communis L.), Hazelnut (Corylus avellana), Walnut (Juglans regia), Cashew (Anacardium occidentale), Pecan nut (Carya illinoiesis (Wangenh.) K. Koch), Brazil nut (Bertholletia excelsa), Pistachio nut (Pistacia vera), Macadamia nut and Queensland nut (Macadamia ternifolia)			
Free from Sesame Seeds and Sesame Seed Derivatives	Yes	Yes	Yes
Free from other Seeds and Seed Derivatives (Poppy Seeds, Cotton Seeds, Sunflower Seeds)	Yes	Yes	Yes
Free from Milk and Milk Derivatives (including lactose)	Yes	Yes	Yes
Free from Egg and Egg Derivatives	Yes	Yes	Yes
Free from Cereals and Derivatives containing OR POTENTIALLY CONTAMINATED WITH Gluten (wheat, wheatgrass, faro, freekeh, spelt, kamut, rye, oats, barley, barley grass)	Yes	Yes	Yes
Free from Soya and Soya Derivatives	Yes	Yes	Yes
Free from Lupin and Lupin Derivatives	Yes	Yes	Yes
Free from Mustard and Mustard Derivatives	Yes	Yes	Yes
Free from Celery or Celery Derivatives (including Celeriac)	Yes	Yes	Yes
Free from Fish and Fish Derivatives	Yes	Yes	Yes
Free from Molluscs and their Derivatives	Yes	Yes	Yes
Free from Crustaceans and their Derivatives	Yes	Yes	Yes
Free from Sulphur Dioxide and Sulphites (E220, E228) at levels > 10mg/kg or 10mg/litre	Yes	Yes	Yes


QM07/FOR09 Version 11



ADDITIVES / CONTAMINANTS / DIETARY REQUIREMENTS	Product Free From YES/NO	Listed Item on Site at Manufacturer YES/NO	Where applicable, is there risk of cross- contamination? YES/NO or N/A
Free from Additives	Yes	Yes	Yes
Free from Antioxidants	Yes	Yes	Yes
Free from Ethylene Oxide	Yes	Yes	Yes
Free from Gelatine	Yes	Yes	Yes
Free from Flavourings (Artificial / Nature Identical / Natural / Smoked)	Yes	Yes	Yes
Free from Maize / Corn and any Derivatives	Yes	Yes	Yes
Free from Legumes / Pulses	Yes	Yes	Yes
Free from Rice and Rice Derivatives	Yes	Yes	Yes
Free from Added Salt	Yes	Yes	Yes
Free from Added Sugar / artificial or natural sweeteners	Yes	Yes	Yes
Free from Aspartame	Yes	Yes	Yes
Free from BHA / BHT (E320 / E321)	Yes	Yes	Yes
Free from Caffeine	Yes	Yes	Yes
Free from Colours (Artificial / Nature Identical / Natural / Smoked)	Yes	Yes	Yes
Free from Dextrose	Yes	Yes	Yes
Free from Dioxins	Yes	Yes	Yes
Free from MSG (Added and Naturally Occurring E621) or Glutamates (E620 to E625)	Yes	Yes	Yes
Free from Nucleotides (E627, E630, E631, E635)	Yes	Yes	Yes
Free from Polyols (sugar alcohols)	Yes	Yes	Yes
Free from Benzoates (E210 / E219)	Yes	Yes	Yes
Free from Sorbic Acid (E200, E203)	Yes	Yes	Yes
Free from any other Preservatives	Yes	Yes	Yes
Free from Ethanol	Yes	Yes	Yes
Free from Honey	Yes	Yes	Yes
Free from Lactose	Yes	Yes	Yes
Free from Yeast and Yeast Derivatives	Yes	Yes	Yes
Free from All Animal Products (Beef, Pork, Poultry or other) and Derivatives (which may include growth/yield hormones, antibiotics etc.)	Yes	Yes	Yes
Free from Bovine Products or Derivatives (which may include growth/yield hormones, antibiotics etc.)	Yes	Yes	Yes
Suitable for Ovo-Lacto Vegetarians	Yes	XXX	
Suitable for Vegans	Yes	XXX	
Kosher Certified	Yes	XXX	
Halal Certified	No	XXX	



### FLOW CHART FOR ZINC OXIDE PRODUCTION





: 2

: 15/10/2014

# SAFETY DATA SHEET

#### **Zinc Oxide**

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name : Zinc Oxide

**REACH Registration number** 

Registration number	Legal entity
01-2119463881-32-0065	-

Product code : Not available.

Product description : Not available.

Product type : Solid.

Other means of : Zinc white and Chinese white

identification

**CAS number** : 1314-13-2 **EC number** : 215-222-5

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Rubber products, chemical products, ceramics, paints & coatings, pharmaceuticals and many others. See attached Material Uses and Codes in this PDF (Clips icon on left end side of this page).

#### 1.3 Details of the supplier of the safety data sheet

**Supplier's details**: MADAR Corporation Limited

19-20 Sandleheath Industrial Estate, Fordingbridge, Hampshire, SP6 1PA

Approved sellers : Cosmetic Butters, Mystic Moments, New Directions, World of Moulds

1.4 Emergency telephone number

National advisory body/Poison Centre

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Product definition : Substance

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Classification according to Directive 1999/45/EC [DPD]

The product is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification : N; R50/53

**Environmental hazards**: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

See Section 16 for the full text of the R phrases or H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

#### 2.2 Label elements

Hazard pictograms :



Signal word : Warning

**Hazard statements**: H410 - Very toxic to aquatic life with long lasting effects.

**Precautionary statements** 

General : Not applicable.

**Prevention**: P273 - Avoid release to the environment.

Response : P391 - Collect spillage.

Storage : Not applicable.

Disposal : P501 - Dispose of contents and container in accordance with all local, regional,

national and international regulations.

Hazard symbol or symbols :



Indication of danger : Dangerous for the environment

Risk phrases : R50/53- Very toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 453/2010 - United Kingdom (UK)

Zinc Oxide

#### SECTION 2: Hazards identification

Safety phrases

: S61- Avoid release to the environment. Refer to special instructions/safety data sheet.

Supplemental label

elements

: Not applicable.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and : Not applicable.

articles

**Special packaging requirements** 

Containers to be fitted with child-resistant

: Not applicable.

fastenings

Tactile warning of danger : Not applicable.

2.3 Other hazards

Other hazards which do not result in classification

: None known.

## **SECTION 3: Composition/information on ingredients**

3.2 Mixtures : Substance

			<u>Classification</u>		
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Type
Zinc oxide	EC: 215-222-5 CAS: 1314-13-2 Index: 030-013-00-7	>=90	N; R50/53	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	[1] [2]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

#### <u>Type</u>

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

See Section 16 for the full text of the R-phrases declared above.

See Section 16 for the full text of the H statements declared above.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

**Eye contact** 

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention if irritation occurs.

#### **SECTION 4: First aid measures**

#### Inhalation

: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### **Skin contact**

: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

#### Ingestion

: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### **Protection of first-aiders**

: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

#### 4.2 Most important symptoms and effects, both acute and delayed

#### Potential acute health effects

**Eye contact**: Can cause irritation, tearing and mild temporary pain.

Inhalation : Zinc oxide dust is non- toxic if inhaled, except of a few reported cases of metal fume

fever. Some workers develop a tolerance after repeated daily exposure to zinc oxide

fume. This tolerance is lost after short periods away from work.

**Skin contact**: May cause skin irritation.

Ingestion : May cause vomiting, nausea, thirst, diarrhea and abdominal pain.

#### Over-exposure signs/symptoms

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 Inpestion
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

**Specific treatments**: No specific treatment.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media

: None known.

#### 5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

: No specific fire or explosion hazard.

Hazardous thermal decomposition products

 Decomposition products may include the following materials: metal oxide/oxides

#### 5.3 Advice for firefighters

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. This material is very toxic to aquatic organisms. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also Section 8 for additional information on hygiene measures.

# 6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

#### 6.3 Methods and material for containment and cleaning up

**Small spill** 

: Move containers from spill area. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.

Large spill

: Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.

#### **SECTION 6: Accidental release measures**

6.4 Reference to other sections

: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

# **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

**Protective measures** 

: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid release to the environment. Refer to special instructions/safety data sheet. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

Zinc oxide gradually absorbs carbon dioxide upon exposure to air. Keep container tightly closed when not in use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

#### Seveso II Directive - Reporting thresholds (in tonnes)

#### Danger criteria

Category	Notification and MAPP threshold	Safety report threshold
E1: Hazardous to the aquatic environment - Acute 1 or Chronic 1	100	200
C9i: Very toxic for the environment	100	200

#### 7.3 Specific end use(s)

Recommendations : Not available.

Industrial sector specific : Not available.

solutions

# **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker or exposure or environmental releases.

#### 8.1 Control parameters

#### **Occupational exposure limits**

Product/ingredient name	Exposure limit values
Zinc oxide	EH40/2005 WELs (United Kingdom (UK)). TWA: 5 mg/m³ Form: Dust and fumes STEL: 10 mg/m³ Form: Dust and fumes

# Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### **DNELs/DMELs**

No DNELs/DMELs available.

#### **PNECs**

No PNECs available

#### 8.2 Exposure controls

# Appropriate engineering controls

 Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### Individual protection measures

#### **Hygiene measures**

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

#### Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Recommended: Safety glasses.

## Skin protection Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

## **SECTION 8: Exposure controls/personal protection**

< 1 hour (breakthrough time): Natural rubber (latex).

**Body protection** Personal protective equipment for the body should be selected based on the task

being performed and the risks involved and should be approved by a specialist

before handling this product. Recommended: Lab coat.

: Appropriate footwear and any additional skin protection measures should be Other skin protection

selected based on the task being performed and the risks involved and should be

approved by a specialist before handling this product.

: Use a properly fitted, particulate filter respirator complying with an approved **Respiratory protection** 

> standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and

the safe working limits of the selected respirator.

**Environmental exposure** 

controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some

cases, fume scrubbers, filters or engineering modifications to the process equipment

will be necessary to reduce emissions to acceptable levels.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

**Appearance** 

**Physical state** : Solid. [Fine powder.]

Colour White. Odour : Odourless. **Odour threshold**  Not available. pН Not available.

Melting point/freezing point : Sublimation temperature: 1975°C

Initial boiling point and boiling

range

: Not available.

Flash point : Not available. **Evaporation rate** : Not available. Flammability (solid, gas) : Not flammable. **Upper/lower flammability or** : Not available.

explosive limits

: Not available. Vapour pressure Vapour density : Not available.

**Relative density** 5.61

Solubility(ies) : Very slightly soluble in the following materials: cold water and hot water.

Partition coefficient: n-octanol/ : Not available.

**Auto-ignition temperature** : Not available. **Decomposition temperature**  Not available. **Viscosity** : Not available. : Not available. **Explosive properties** : Not available. **Oxidising properties** 

#### 9.2 Other information

No additional information.

# **SECTION 10: Stability and reactivity**

10.1 Reactivity

: No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

: The product is stable.

10.3 Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid

: Avoid release into the environment.

10.5 Incompatible materials

: Reactive or incompatible with the following materials: oxidising materials. Zinc oxide and chlorinated rubber reacts violently at 215 deg C. Contact with magnesium and linseed oil can cause violent reaction. Contact with strong acids may cause vigorous reaction. Contact with strong bases will form water and soluble zincates. Contact between zinc oxide and hydrogen fluoride, aluminum, hexachloroethane, zinc chloride or phosphoric acid, and water should be avoided.

10.6 Hazardous decomposition products

 Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

There is no data available.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Zinc oxide	Eyes - Mild irritant Skin - Mild irritant	Rabbit Rabbit		24 hours 500 mg 24 hours 500 mg	

#### **Sensitisation**

There is no data available.

#### Carcinogenicity

There is no data available.

#### Specific target organ toxicity (single exposure)

There is no data available.

#### Specific target organ toxicity (repeated exposure)

There is no data available.

#### **Aspiration hazard**

There is no data available.

Information on the likely routes of exposure

: Routes of entry anticipated: Oral, Dermal, Inhalation.

#### Potential acute health effects

**Eye contact** : Can cause irritation, tearing and mild temporary pain.

## **SECTION 11: Toxicological information**

**Inhalation** : Zinc oxide dust is non- toxic if inhaled, except of a few reported cases of metal fume

fever. Some workers develop a tolerance after repeated daily exposure to zinc oxide

fume. This tolerance is lost after short periods away from work.

**Skin contact**: May cause skin irritation.

**Ingestion**: May cause vomiting, nausea, thirst, diarrhea and abdominal pain.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact
 Inhalation
 Skin contact
 Ingestion
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

**Short term exposure** 

Potential immediate : No known significant effects or critical hazards.

effects

Potential delayed effects : No known significant effects or critical hazards.

Long term exposure

Potential immediate : No known significant effects or critical hazards.

effects

Potential delayed effects : No known significant effects or critical hazards.

Potential chronic health effects

General : No known significant effects or critical hazards.
 Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Teratogenicity : No known significant effects or critical hazards.
 Developmental effects : No known significant effects or critical hazards.
 Fertility effects : No known significant effects or critical hazards.

Other information : Not available.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
Zinc oxide	Acute EC50 0.042 mg/L Fresh water	Algae - Pseudokirchneriella subcapitata - Exponential growth phase	72 hours
	Acute LC50 98 μg/L Fresh water Acute LC50 1.1 ppm Fresh water Chronic NOEC 0.017 mg/L Fresh water	Daphnia - Daphnia magna - Neonate Fish - Oncorhynchus mykiss Algae - Pseudokirchneriella subcapitata -	48 hours 96 hours 72 hours
		Exponential growth phase	

#### 12.2 Persistence and degradability

There is no data available.

# **SECTION 12: Ecological information**

#### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Zinc oxide	-	60960	high

#### 12.4 Mobility in soil

Soil/water partition coefficient (Koc)

: There is no data available.

**Mobility** : There is no data available.

#### 12.5 Results of PBT and vPvB assessment

PBT : Persistent.

vPvB : Not applicable.

**12.6 Other adverse effects**: No known significant effects or critical hazards.

## **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 13.1 Waste treatment methods

#### **Product**

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste

: The classification of the product may meet the criteria for a hazardous waste.

<u>Packaging</u>

**Methods of disposal** 

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions** 

: This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	IATA
14.1 UN number	UN3077	UN3077	UN3077	UN3077
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O. S. (Zinc oxide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O. S. (Zinc oxide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O. S. (Zinc oxide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O. S. (Zinc oxide)
14.3 Transport hazard class(es)	9	9	9	9
14.4 Packing group	III	III	III	III
14.5 Environmental hazards	Yes.	Yes.	Yes.	Yes.
Additional information	The environmentally hazardous substance mark is not required when transported in sizes of ≤5 L or ≤5 kg.  Tunnel code (E)	The environmentally hazardous substance mark is not required when transported in sizes of ≤5 L or ≤5 kg.	The marine pollutant mark is not required when transported in sizes of ≤5 L or ≤5 kg.  Emergency schedules (EmS) F-A, S-F	The environmentally hazardous substance mark is not required when transported in sizes of ≤5 L or ≤5 kg.

14.6 Special precautions for user

: **Transport within user's premises**: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not available.

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

**Annex XIV - List of substances subject to authorisation** 

**Annex XIV** 

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

**Other EU regulations** 

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 453/2010 - United Kingdom (UK)

Zinc Oxide

# **SECTION 15: Regulatory information**

**Europe inventory** : All components are listed or exempted.

**Seveso II Directive** 

This product is controlled under the Seveso II Directive.

#### **Danger criteria**

#### Category

E1: Hazardous to the aquatic environment - Acute 1 or Chronic 1

C9i: Very toxic for the environment

# 15.2 Chemical Safety Assessment

: This product contains substances for which Chemical Safety Assessments are still required.

### **SECTION 16: Other information**

**Abbreviations and acronyms**: ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

vPvB = Very Persistent and Very Bioaccumulative

#### Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Aquatic Acute 1, H400 Aquatic Chronic 1, H410

### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classifica	tion	Justification	
Aquatic Acute 1, H400 Aquatic Chronic 1, H410		Calculation method Calculation method	
		Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.	
Full text of classifications : [CLP/GHS]	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	ACUTE AQUATIC HAZARD - Category 1 LONG-TERM AQUATIC HAZARD - Category 1	

Full text of abbreviated R phrases

: R50- Very toxic to aquatic organisms.

R50/53- Very toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

Full text of classifications

[DSD/DPD]

: N - Dangerous for the environment

**History** 

Date of issue (dd/mm/yyyy) : 15/10/2014

Date of previous issue : 15/02/2010

Version : 2

Revised Section(s) : Not applicable.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



EP/BP - STANDARD ZINC OXIDE

#### FRENCH PROCESS ZINC OXIDE - PRODUCED FROM PRIMARY GRADE ZINC

#### DESCRIPTION

EP/BP is a zinc oxide extremely high in quality and purity to meet with all current EP/BP Pharmacopoeia standards as per EP 7.0 Edition and BP 2011 Edition.

#### USES

**Specifications** 

All pharmaceutical applications; salves, creams, lotions, ointments.

#### **TYPICAL TECHNICAL VALUES\*\***

	MAXIMIIM	MINIMIM	TYPICAL
A very fine, amorphous, white or yellowish white powder free from gritty	N/A	Passes	N/A
a) When strongly heated, it assumes a yellow color that disappears on cooling.			
b. When 0.10g dissolved in 1.50 ml of dilute hydrochloric acid R and diluted to 5 ml with water R, the addition of 0.20 ml of strong sodium hydroxide R solution will form a white precipitate. When more sodium hydroxide is added the precipitate dissolves. Adding 10 ml of ammonium chloride solution R, the solution remains clear. Adding 0.10 ml of sodium sulphide R will form a white precipitate.	N/A	Passes	N/A
If a red color is produced, no more than 0.30 ml of 0.10 N hydrochloric acid is required to discharge the color of the indicator.	N/A	Passes	N/A
Maximum 1.0 percent, determined on 1 g by ignition to constant mass at 500 +/-50°C	1.0 %	N/A	N/A
No effervescence occurs and the resulting solution is clear and colorless. The solution is not more opalescent than the reference suspension.	N/A	Passes	N/A
Maximum 5 ppm, determined on 0.20g	5ppm	n/a	< 1 ppm
Any pink color in the test solution is not more intense than the iron standard solution ( $\mbox{1ppm}\mbox{Fe})$ R	N/A	Passes	N/A
Atomic Absorption Spectrometry	50 ppm	N/A	15 ppm
Atomic Absorption spectrometry	10 ppm	N/A	3 ppm
Dissolve 1.5g Zinc Oxide in 10 ml of dilute acetic acid R. Carry out the complexmetric titration of zinc(2.5.11), 1ml of 0.10M sodium edetate is equivalent to 81.40 mg of ZnO	100.5	99.0	99.9
S			
nt)	MAXIMUM	MINIMUM	TYPICAL
	6.00	3.00	4.50
	0.36	0.18	0.24
			50
			18
sh (%)		99.99	99.995
	particles.  a) When strongly heated, it assumes a yellow color that disappears on cooling.  b. When 0.10g dissolved in 1.50 ml of dilute hydrochloric acid R and diluted to 5 ml with water R, the addition of 0.20 ml of strong sodium hydroxide R solution will form a white precipitate. When more sodium hydroxide is added the precipitate dissolves. Adding 10 ml of ammonium chloride solution R, the solution remains clear. Adding 0.10 ml of sodium sulphide R will form a white precipitate. If a red color is produced, no more than 0.30 ml of 0.10 N hydrochloric acid is required to discharge the color of the indicator.  Maximum 1.0 percent, determined on 1 g by ignition to constant mass at 500 +/-50°C  No effervescence occurs and the resulting solution is clear and colorless. The solution is not more opalescent than the reference suspension.  Maximum 5 ppm, determined on 0.20g  Any pink color in the test solution is not more intense than the iron standard solution (1ppm Fe) R  Atomic Absorption Spectrometry  Atomic Absorption Spectrometry  Dissolve 1.5g Zinc Oxide in 10 ml of dilute acetic acid R. Carry out the complexmetric titration of zinc(2.5.11), 1ml of 0.10M sodium edetate is equivalent to 81.40 mg of ZnO	A very fine, amorphous, white or yellowish white powder free from gritty particles.  a) When strongly heated, it assumes a yellow color that disappears on cooling.  b. When 0.10g dissolved in 1.50 ml of dilute hydrochloric acid R and diluted to 5 ml with water R, the addition of 0.20 ml of strong sodium hydroxide R solution will form a white precipitate. When more sodium hydroxide is added the precipitate dissolves. Adding 10 ml of ammonium chloride solution R, the solution remains clear. Adding 0.10 ml of sodium sulphide R will form a white precipitate.  If a red color is produced, no more than 0.30 ml of 0.10 N hydrochloric acid is required to discharge the color of the indicator.  Maximum 1.0 percent, determined on 1 g by ignition to constant mass at 500 +/-50°C  No effervescence occurs and the resulting solution is clear and colorless. The solution is not more opalescent than the reference suspension.  Maximum 5 ppm, determined on 0.20g  Any pink color in the test solution is not more intense than the iron standard solution (1ppm Fe) R  Atomic Absorption Spectrometry  Atomic Absorption spectrometry  Dissolve 1.5g Zinc Oxide in 10 ml of dilute acetic acid R. Carry out the complexmetric titration of zinc(2.5.11), 1ml of 0.10M sodium edetate is equivalent to 81.40 mg of ZnO  S  maximum  6.00  0.36	A very fine, amorphous, white or yellowish white powder free from gritty particles.  a) When strongly heated, it assumes a yellow color that disappears on cooling.  b. When 0.10g dissolved in 1.50 ml of dilute hydrochloric acid R and diluted to 5 ml with water R, the addition of 0.20 ml of strong sodium hydroxide R solution will form a white precipitate. When more sodium hydroxide is added the precipitate dissolves. Adding 0.10 ml of ammonium chloride solution R, the solution remains clear. Adding 0.10 ml of sodium sulphide R will form a white precipitate.  If a red color is produced, no more than 0.30 ml of 0.10 N hydrochloric acid is required to discharge the color of the indicator.  Maximum 1.0 percent, determined on 1 g by ignition to constant mass at 500 +/-50°C  No effervescence occurs and the resulting solution is clear and colorless. The solution is not more opalescent than the reference suspension.  Maximum 5 ppm, determined on 0.20g  Any pink color in the test solution is not more intense than the iron standard solution (1ppm Fe) R  Atomic Absorption Spectrometry  Atomic Absorption Spectrometry  Dissolve 1.5g Zinc Oxide in 10 ml of dilute acetic acid R. Carry out the complexmetric titration of zinc(2.5.11), 1ml of 0.10M sodium edetate is equivalent to 81.40 mg of ZnO  MAXIMUM MINIMUM 6.00  0.36  0.18

ASTM D-79



ALLERGENS	Product Free From YES/NO	Listed Item on Site at Manufacturer YES/NO	Where applicable, is there risk of cross- contamination? YES/NO or N/A
Free from Peanuts and Peanut Derivatives (including possible cross contamination)	Yes	Yes	Yes
Free from other Nut and Nut Derivatives	Yes	Yes	Yes
Almond (Amygdalus communis L.), Hazelnut (Corylus avellana), Walnut (Juglans regia), Cashew (Anacardium occidentale), Pecan nut (Carya illinoiesis (Wangenh.) K. Koch), Brazil nut (Bertholletia excelsa), Pistachio nut (Pistacia vera), Macadamia nut and Queensland nut (Macadamia ternifolia)			
Free from Sesame Seeds and Sesame Seed Derivatives	Yes	Yes	Yes
Free from other Seeds and Seed Derivatives (Poppy Seeds, Cotton Seeds, Sunflower Seeds)	Yes	Yes	Yes
Free from Milk and Milk Derivatives (including lactose)	Yes	Yes	Yes
Free from Egg and Egg Derivatives	Yes	Yes	Yes
Free from Cereals and Derivatives containing OR POTENTIALLY CONTAMINATED WITH Gluten (wheat, wheatgrass, faro, freekeh, spelt, kamut, rye, oats, barley, barley grass)	Yes	Yes	Yes
Free from Soya and Soya Derivatives	Yes	Yes	Yes
Free from Lupin and Lupin Derivatives	Yes	Yes	Yes
Free from Mustard and Mustard Derivatives	Yes	Yes	Yes
Free from Celery or Celery Derivatives (including Celeriac)	Yes	Yes	Yes
Free from Fish and Fish Derivatives	Yes	Yes	Yes
Free from Molluscs and their Derivatives	Yes	Yes	Yes
Free from Crustaceans and their Derivatives	Yes	Yes	Yes
Free from Sulphur Dioxide and Sulphites (E220, E228) at levels > 10mg/kg or 10mg/litre	Yes	Yes	Yes

QM07/FOR09 Version 11



ADDITIVES / CONTAMINANTS / DIETARY REQUIREMENTS	Product Free From YES/NO	Listed Item on Site at Manufacturer YES/NO	Where applicable, is there risk of cross- contamination? YES/NO or N/A
Free from Additives	Yes	Yes	Yes
Free from Antioxidants	Yes	Yes	Yes
Free from Ethylene Oxide	Yes	Yes	Yes
Free from Gelatine	Yes	Yes	Yes
Free from Flavourings (Artificial / Nature Identical / Natural / Smoked)	Yes	Yes	Yes
Free from Maize / Corn and any Derivatives	Yes	Yes	Yes
Free from Legumes / Pulses	Yes	Yes	Yes
Free from Rice and Rice Derivatives	Yes	Yes	Yes
Free from Added Salt	Yes	Yes	Yes
Free from Added Sugar / artificial or natural sweeteners	Yes	Yes	Yes
Free from Aspartame	Yes	Yes	Yes
Free from BHA / BHT (E320 / E321)	Yes	Yes	Yes
Free from Caffeine	Yes	Yes	Yes
Free from Colours (Artificial / Nature Identical / Natural / Smoked)	Yes	Yes	Yes
Free from Dextrose	Yes	Yes	Yes
Free from Dioxins	Yes	Yes	Yes
Free from MSG (Added and Naturally Occurring E621) or Glutamates (E620 to E625)	Yes	Yes	Yes
Free from Nucleotides (E627, E630, E631, E635)	Yes	Yes	Yes
Free from Polyols (sugar alcohols)	Yes	Yes	Yes
Free from Benzoates (E210 / E219)	Yes	Yes	Yes
Free from Sorbic Acid (E200, E203)	Yes	Yes	Yes
Free from any other Preservatives	Yes	Yes	Yes
Free from Ethanol	Yes	Yes	Yes
Free from Honey	Yes	Yes	Yes
Free from Lactose	Yes	Yes	Yes
Free from Yeast and Yeast Derivatives	Yes	Yes	Yes
Free from All Animal Products (Beef, Pork, Poultry or other) and Derivatives (which may include growth/yield hormones, antibiotics etc.)	Yes	Yes	Yes
Free from Bovine Products or Derivatives (which may include growth/yield hormones, antibiotics etc.)	Yes	Yes	Yes
Suitable for Ovo-Lacto Vegetarians	Yes	XXX	
Suitable for Vegans	Yes	XXX	
Kosher Certified	Yes	XXX	
Halal Certified	No	XXX	