

CERTIFICATE OF ANALYSIS

LOTION BASE

Batch No.: 4389307

Best Before End: March 2022

Analysis Description	Minimum Value	Maximum Value	Result	Compliance
Appearance			Mobile lotion	Pass
Colour			White	Pass
Odour			Virtually none	Pass
pH @ 20 Degrees C	6.0	7.0	6.68	Pass
Specific Gravity at 20°C	0.935	1.035	0.999	Pass
Viscosity RVT 20C SpindleB 4RPM	12000	25000	24000	Pass
Total Viable Count cfu/g		100	<100	Pass
Gram Negative Bacteria			Absent	Pass

Shelf life of this product depends very much on storage conditions, particularly temperature and exposure to light and air.

Expiry date must be considered as subjective; the expiry date given here is based on the best of our knowledge and experience of the material when stored under recommended conditions in original unopened containers.

Due to the natural ingredients contained in many of our products, there may be a slight batch to batch variation in the colour, odour or consistency. However, we ensure that this does not affect the quality and efficacy of the products in any way.

We hereby certify that the above material meets the required specification and is released for free sale.



CPNP INCI BANDING

LOTION BASE

	Banding	INCI Name
INCI Listing	>75.0 to ≤100.0	Aqua
•	>5.0 to ≤10.0	Prunus amygdalus dulcis Oil
	>1.0 to ≤5.0	Stearic Acid
	>1.0 to ≤5.0	Glycerin
	>1.0 to ≤5.0	Cetearyl Alcohol
	>0.1 to ≤1	Ceteareth-20
	>0.1 to ≤1	Dimethicone
	≤0.1	Lavandula angustifolia Flower Extract
	≤0.1	Symphytum officinale Leaf Extract
	≤0.1	Panax ginseng Root Extract
	≤0.1	Chamomilla recutita Flower Extract
	>0.1 to ≤1	Triethanolamine
	>0.1 to ≤1	Caprylyl Glycol
	>0.1 to ≤1	Sodium PCA
	≤0.1	Disodium EDTA
	≤0.1	Tocopheryl Acetate
	≤0.1	Carbomer
	≤0.1	Decylene Glycol
	≤0.1	Alcohol Denat.
	≤0.1	Lactic Acid
	>0.1 to ≤1	Phenoxyethanol

Allergens Nil	
----------------------	--

Ingredients in grey area are below 1% and can be listed in any order INCI names listed have been sourced from the CosIng European Commission database

The INCI listing is to the best of our knowledge, based on the information supplied, correct at the time of sending

Issue Date: 11/02/2015 BOM: 2 Revision: 0



SAFETY DATA SHEET LOTION BASE S&P FREE

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name LOTION BASE S&P FREE

Product number TBLOTIBASE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cosmetics

1.3. Details of the supplier of the safety data sheet

Supplier MADAR Corporation Limited

19-20 Sandleheath Industrial Estate

Fordingbridge Hampshire SP6 1PA

+44 (1425) 655555

Approved sellers Mystic Moments, New Directions, World of Moulds

1.4. Emergency telephone number

Emergency telephone +44 (0) 1425 655555 Office Hours are 09:00 - 16:00 weekdays only

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards Not Classified

Health hazards Eye Irrit. 2 - H319

Environmental hazards Not Classified

Classification (67/548/EEC or Xi; R36

1999/45/EC)

2.2. Label elements

Pictogram



Signal word Warning

Hazard statements H319 Causes serious eye irritation.

LOTION BASE S&P FREE

Precautionary statements P264 Wash contaminated skin thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

GLYCERIN 1-5%

Classification
Not Classified

CETEARETH-20 1-5%

CAS number: 68439-49-6

Classification (67/548/EEC or 1999/45/EC)

Acute Tox. 4 - H302 Xn; R22. Xi; R41. N; R51/53

Eye Dam. 1 - H318 Aquatic Chronic 2 - H411

ALCOHOL <1%

CAS number: 64-17-5 EC number: 200-578-6 REACH registration number: 01-

2119457610-43-XXXX

Classification Classification (67/548/EEC or 1999/45/EC)

Flam. Liq. 2 - H225 F; R11

CYCLOHEXANE <1%

CAS number: 110-82-7 EC number: 203-806-2

M factor (Acute) = 1 M factor (Chronic) = 1

Classification Classification (67/548/EEC or 1999/45/EC)

Flam. Liq. 2 - H225 F; R11. Xn; R65. Xi; R38. N; R50/53. R67

Skin Irrit. 2 - H315 STOT SE 3 - H336 Asp. Tox. 1 - H304 STOT SE 3 - H336 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

LOTION BASE S&P FREE

T-BUTYL ALCOHOL <1%

CAS number: 75-65-0 EC number: 200-889-7 REACH registration number: 01-

2119444321-51-XXXX

Classification Classification (67/548/EEC or 1999/45/EC)

Flam. Liq. 2 - H225 F; R11. Xn; R20. Xi; R36/37

Acute Tox. 4 - H332 Eye Irrit. 2 - H319 STOT SE 3 - H335 STOT SE 3 - H335

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Move affected person to fresh air at once. Get medical attention if any discomfort continues.

Ingestion Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention

immediately.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. Get medical

attention if symptoms are severe or persist after washing.

Eye contact Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of

water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort

continues.

4.2. Most important symptoms and effects, both acute and delayed

General information Persons suffering from asthma, eczema or skin problems should avoid contact, including

dermal contact, with this product. See Section 11 for additional information on health hazards.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with the following media: Foam, carbon dioxide or dry powder.

Unsuitable extinguishing

Water.

media

5.2. Special hazards arising from the substance or mixture

Specific hazards Toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during

firefighting

Containers close to fire should be removed or cooled with water.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

LOTION BASE S&P FREE

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots,

clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near

spillage.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Keep combustible materials away from spillage. Eliminate all sources of ignition. Provide

> adequate ventilation. Contain and absorb spillage with sand, earth or other non-combustible material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon

as possible. Wash thoroughly after dealing with a spillage.

6.4. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with

skin, eyes and clothing.

Advice on general occupational hygiene Do not eat, drink or smoke when using this product. Wash at the end of each work shift and

before eating, smoking and using the toilet.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep away

from heat, sparks and open flame. Protect from freezing and direct sunlight.

7.3. Specific end use(s)

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

GLYCERIN

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³

CYCLOHEXANE

Long-term exposure limit (8-hour TWA): WEL 100 ppm 350 mg/m³ Short-term exposure limit (15-minute): WEL 300 ppm 1050 mg/m³

T-BUTYL ALCOHOL

Long-term exposure limit (8-hour TWA): WEL 100 ppm 308 mg/m³ Short-term exposure limit (15-minute): WEL 150 ppm 462 mg/m³

WEL = Workplace Exposure Limit

LOTION BASE S&P FREE

8.2. Exposure controls

Protective equipment







Appropriate engineering

controls

Provide adequate ventilation.

Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. The following protection should be worn: Chemical splash goggles or

face shield.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if

a risk assessment indicates skin contact is possible.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact. Wear apron or protective

clothing in case of contact.

Hygiene measures No specific hygiene procedures recommended but good personal hygiene practices should

always be observed when working with chemical products.

Respiratory protection No specific recommendations. Respiratory protection may be required if excessive airborne

contamination occurs.

Environmental exposure

controls

Residues and empty containers should be taken care of as hazardous waste according to

local and national provisions.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Viscous liquid. **Appearance**

Colour White.

Odour Almost odourless.

Ηq pH (concentrated solution): ~6.5

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous

Will not polymerise.

reactions

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents. Strong acids. Strong alkalis.

LOTION BASE S&P FREE

10.6. Hazardous decomposition products

Hazardous decomposition

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

products

vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg) 126,000.0

Eye contact Causes serious eye irritation.

SECTION 12: Ecological Information

Ecotoxicity The product is not expected to be hazardous to the environment.

12.1. Toxicity

12.2. Persistence and degradability

Persistence and degradability The product contains substances which are not expected to be biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methodsDispose of waste product or used containers in accordance with local regulations

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

LOTION BASE S&P FREE

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures (as

amended)

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Guidance Workplace Exposure Limits EH40.

15.2. Chemical safety assessment

SECTION 16: Other information

Key literature references and

sources for data

European Chemicals Agency, http://echa.europa.eu/

Issued by Regulatory Manager

Revision date 26/05/2015

Revision 0

Risk phrases in full R11 Highly flammable.

R20 Harmful by inhalation. R22 Harmful if swallowed.

R36/37 Irritating to eyes and respiratory system.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R65 Harmful: may cause lung damage if swallowed. R67 Vapours may cause drowsiness and dizziness.

Hazard statements in full H302 Harmful if swallowed.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.