

Certificate of Analysis Chitosan Herbal Extract

Product information

Product name Botanical name Chitosan 1

Plant part Country of origin

P.R.CHINA

Analysis item

Assay

Specification

90% Deacetylation

Best Before End:

Batch information

Result 90.62%

Batch no

Analysis test method

Volumetry Titrator

4373103

September 2022

Organoleptic properties Appearance¹ Taste Odor

Physical properties Sieve analysis Moisture content Ash

Heavy metals² Arsenic (As) Cadmium (Cd) Lead (Pb) Mercury (Hg) Total heavy metals

Microbiology Total plate count Yeasts & Molds Salmonella E.Coli

Identification Additional information Bulk Density Molecular Formula Molecular Weight

Fine White powder Typical to botanical Typical to botanical

90% pass 80 mesh ≤10% ≤5%

≤1 ppm $\leq 1 \text{ ppm}$ \leq 3 ppm $\leq 0.1 \text{ ppm}$ ≤ 10 ppm

≤10000cfu/g ≤1000cfu/g Absent/10g Absent/1g

Positive

0.3g/ml (C6H11O4N)n (161)n

Conform to specification Conform to specification Conform to specification

Conform to specification 9.47% 0.83%

Conform to specification Conform to specification Conform to specification Conform to specification Conform to specification

Conform to specification Conform to specification Conform to specification Conform to specification

Conform to specification

Visual Gustatory Olfactory

Mesh screen or equivalent IR balance or equivalent 2g/525°C/5hrs or equivalent

AA or equivalent AA or equivalent AA or equivalent AA or equivalent Colorimetry or equivalent

AOAC or equivalent AOAC or equivalent AOAC or equivalent AOAC or equivalent

TLC



Allergen Declaration Chitosan Powder


Allergen Information

Component	Present in the product	Present in other products manufactured on the same line	Present in the same manufacturing plant
Peanut (and/or its derivatives,) e.g., protein oil	No	No	No
Tree Nuts (and derivatives)	No	No	No
Sesame Seeds (and derivatives)	No	No	No
Dairy Products (Lactose, Milk, Casein, Whey)	No	No	No
Coconut / Palm Fruit	No	No	No
Eggs	No	No	No
Fish	No	No	No
Shellfish	Yes	Yes	Yes
Soy (and derivatives)	No	No	No
Wheat	No	No	No
Corn	No	No	No
Sulphites (ppm level)	No	No	No
Gluten	No	No	No
Tartrazine			

If an allergen is present on the same line or in the same manufacturing plant but not in the product, please include a description of the procedures in place to prevent cross contamination.



Process Flow Chart of Chitosan Powder



Chitosan Powder (Warehouse)



bíOrígins Material Safety Data Sheet

1. IDENTIFICATION OF SUBSTANCE/COMPANY

Product Name:	Chitosan
Company Name:	MADAR Corporation Limited
	19-20 Sandleheath Industrial Estate
	Fordingbridge, Hampshire
	SP6 1PA
Telephone Number:	01425 653574
Approved Sellers:	Mystic Moments, New Directions, World of Moulds

2. HAZARDS IDENTIFICATION:

No hazards identified under regulation 67/548/EEC.

Reach Registration: Exempt as per Annex VI and V according to EU Regulation 1907/2006 This product does not belong to any list of substances supposedly hazardous to human or animal health according to EU Regulation 1272/2008 and further amendments, not to those having recognised exposition limits. Care should be taken when handling hot oil as it may constitue a burn hazard. Spills constitute a slippage hazard.

3. COMPOSITION/ INFORMATION ON INGREDIENTS

Inci Name:CHITOSANChemical Composition:Chitosan is produced by deacetylation of chitinCAS No:9012-76-4EINECS No:222-311-2Function:Anti-Hypolipidemic	
--	--

4. FIRST-AID MEASURES

Inhalation:	Not expected, but in case of need remove from exposure site to fresh air. Keep at rest. Seek medical advice.
Skin Contact:	No measures, being a non-toxic product, in case any symptoms appear, remove contaminated clothes. Cover wash with water and soap; cover the irritated skin with emollient – may need to seek medical advice.
Eye Contact:	Check for and remove lenses. Flush with water for at least 15 minutes. Contact a doctor if symptoms persist.
Ingestion:	Generally, first aid is not necessary. Seek medical attention in case of any adverse effects.
Other:	When assessing action take Risk & Safety Phrases into account (Section 15).

5. FIRE FIGHTING MEASURES

Extinguishing Media:	
	Use CO2, Dry Powder or Foam type Extinguishers,
Spraying Recommended:	Extinguishing media to base of flames. Do not use direct water jet on burning material.
Special Measures:	Avoid vapour inhalation. Keep away from sources of ignition. Do not smoke. Wear positive pressure self-contained breathing apparatus & protective clothing.
Extinguishing Procedures:	Closed containers may build up pressure when exposed to heat and should be cooled with water spray.

6. ACCIDENTAL RELEASE MEASURES:		
Personal Precautions: Environment Precautions:	No special precautions required. No special precautions required.	
Cleaning Up Methods:	Remove all potential ignition sources. Contain spilled material with an inert or non- combustible inorganic absorbent material, sweep up and remove to an approved disposal container. Observe state, federal & local disposal regulations.	
7. HANDLING AND STORAGE		
Precautions in Handling:	Apply good manufacturing practice & industrial hygiene practices, ensuring proper ventilation. Observe good personal hygiene, and do not eat, drink or smoke whilst handling.	
Storage Conditions:	In well filled and closed container protected from light at a temperature not exceeding 25°C.	

Fire Protection:	Keep away from ignition sources & naked flames. Take precautions to avoid static
	discharges in working area.

8. E	EXPOSURE	CONTROLS	AND PERS	SONAL PRO	TECTION:
------	----------	----------	----------	-----------	----------

Respiratory Protection:	No special measures under normal conditions.
Ventilation:	No special measures under normal conditions.
Hand Protection:	No special measures under normal conditions.
Eye Protection:	Use safety glasses.
Work/ Hygiene Practices:	Wash hands with soap and water after handling.

9. PHYSICAL DATA AND CHEMICAL PROPERTIES:

Appearance:	Fine powder
Colour:	White
Odour:	Faint vegetable odor
Oxidizing Properties:	Avoid exposure to air.
Flash Point °C:	> 600
Flammability:	Avoid open flame.
Melting Point/ Range °C:	30-36
Specific Gravity @ 50°C:	0.89

10. STABILITY AND REACTIVITIY:

Reactivity:	It presents no significant reactivity hazards, by itself or in contact with water. Avoid contact with strong alkali, acid or oxidising agents.
Decomposition:	Liable to cause smoke and acrid fumes during combustion; carbon monoxide, carbon dioxide and non-identified organic compounds may be formed.

11. TOXICOLOGICAL INFORMATION:

Vegetable powder of natural origin. Non-toxic product.

12. ECOLOGICAL INFORMATION:	
Biodegradability:	> 90% (OECD) This product is unlikely to accumulate in the environment and environmental problems under normal use conditions are not expected
Precautions:	Prevent surface contamination of soil, ground and surface water.
13. DISPOSAL CONSIDERATIONS:	

When possible recover spilled product. When product must be discarded, do so into an authorised dump or recycling service station. Act in accordance with local and national regulations

14. TRANSPORT INFORMATION

Road (ADR/ RID):	N/a
Air (IATA):	N/a
Sea (IMDG):	N/a
CHIP:	See section 15
NDPA Ratings:	Health: 0, Flammability: 1, Reactivity: 0, Personal protection: A

15. REGULATORY INFORMATION:

Hozarda	N/a
Hazards:	N/a
Symbols:	N/a
Risk Phrases:	N/a
Safefy Phrases:	S25 Avoid contact with eyes
	S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical attention
	S 39 Wear eye protection

16. OTHER INFORMATION

Cosmetics Directive 7th Amendment: Not restricted

PACKAGING:

Туре	Suitability	
Glass	Yes	
Lacquered lined steel/ tin	Yes	
Aluminium	Yes	
HPPE	Yes	
F/HDPE	Yes	
Other Plastic	Yes	

Revision date 19-Jan-16

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Product						
Name	Chitosan			Chitosan		
Botanical name /						
OHI product co	de					
Plant part						
Country of orig	in P.R.CHINA					
Physical and C	Chemical Properties		Microbiology			
Appearance 1	White, FINE POWDER	Visual	Total plate count	$\leq 100000 \text{cfu/g}$		AOAC
Taste	Typical to botanical	Gustatory	Yeasts & Molds	≤10000cfu/g		AOAC
Odor	Typical to botanical	Olfactory	Salmonella	Absent/10g		AOAC
Sieve analysis	90% pass 80 mesh	Mesh screen	E.Coli	Absent/1g		AOAC
Moisture	≤10%	IR balance	Sterilization method	High Temperature & High Pressure		
Ash	≪5%	2g/525°C/5hrs		Short time (5" - 10")		
Packaging St	orage3		Heavy metals ²			
Packaging			Arsenic (As)	$\leq 1 \text{ ppm}$	A	A or equivalent
Storage			Cadmium (Cd)	≤ 1 ppm	A	A or equivalent
	Storage of products at room temperature	е	Lead (Pb)	\leq 3 ppm	A	A or equivalent
	Keep away from sunshine and moisture	2	Mercury (Hg)	$\leq 0.1 \text{ ppm}$	A	A or equivalent
	Reclose packaging tightly after use		Total heavy metals	$\leq 10 \text{ ppm}$	Col	orimetry or eq.
Re-test date	24 months after manufacture date in or	iginal packaging and advised stor	age condition			
			Identification	Positive	TLC	2
Additional pro	oduct information		Composition			
Bulk Density	0.3g/ml		Assay	90% Deacetylation Volu		Volumetry
Molecular Form	nula (C6H11O4N)n		-		-	·
Molecular Weig	ght (161)n					



Product						
Name	Chitosan				Chitosan	
Botanical name /					Chillosun	
Product code	HECHIT					
Plant part						
Country of orig	gin P.R.CHINA					
Physical and C	Chemical Properties		Microbiology			
Appearance1	White, FINE POWDER	Visual	Total plate count	≤10000cfu/g	AOAC	
Taste	Typical to botanical	Gustatory	Yeasts & Molds	≤1000cfu/g	AOAC	
Odor	Typical to botanical	Olfactory	Salmonella	Absent/10g	AOAC	
Sieve analysis	80	Mesh screen	E.Coli	Absent/1g	AOAC	
Moisture	≤5%	IR balance	Sterilization method	High Temperature & High Pressure		
Ash	≪5%	2g/525°C/5hrs		Short time (5" - 10")		
Packaging St	orage3		Heavy metals ²			
Packaging	Carton drum inner double layer plasti	c bag	Arsenic (As)	$\leq 1 \text{ ppm}$	AA or equivalent	
Storage			Cadmium (Cd)	$\leq 1 \text{ ppm}$	AA or equivalent	
	Storage of products at room temperature	e	Lead (Pb)	\leq 3 ppm	AA or equivalent	
	Keep away from sunshine and moisture	2	Mercury (Hg)	$\leq 0.1 \text{ ppm}$	AA or equivalent	
	Reclose packaging tightly after use		Total heavy metals	$\leq 10 \text{ ppm}$	Colorimetry or eq.	
Re-test date	24 months after manufacture date in or	iginal packaging and advised stor	age condition			
			Identification	Positive	TLC	
Additional pro	oduct information		Composition			
Bulk Density	0.3g/ml		Assay	90% Dea	etylation Volumetry	
Molecular Form	nula (C6H11O4N)n					
Molecular Wei	ght (161)n					
	- , ,					

Product data

MADAR Corporation

Approved sellers: Mystic Moments, New Directions, World of Moulds

This datasheet is in compliance with USA and EU food regulations

1 This is a natural product; color variations may appear between extraction batches due to crop, harvest and seasonal fluctuations. 2 Individual and total heavy metals are not being tested for each batch. Random analyses are being regularly performed minimum once a year. 3 Packaging, storage and Re-test date can differ upon customer or quantify requirements or special product features

Analysis methods indicated in this product datasheet are generally used methods. Equivalent methods can be applied to determine the product specifications.

Disclaimer

Before using, read, understand and comply with the information and precautions in the technical data sheets, material safety data sheets, corporate label and other product literature. The information presented herein, while not guaranteed, was prepared and tested by technical personnel and, to the best of our knowledge and belief, is true and accurate as of the date hereof. No warranty, representation or guarantee, express or implied, can be made regarding accuracy, performance, stability, reliability or use. This information is not intended to be all-inclusive, because the mamer and conditions of use, handling, storage and other factors may involve other or additional safety or performance considerations. The use is responsible for determining the suitability of any material for a specific purpose and for adopting such safety precautions as may be required. Refer to material safety datasheets for specific and handling instructions. Product might be an irritant. MADAR Corporation does not warrant the results to be obtained in using any material, and disclaims all liability with report of MADAR Corporation. Document must be returned by receiver upon request. The information contained herein is confidential and may not be copied, shown, or otherwise disclosed, directly or indirectly, to any person not subject to a MADAR Corporation supply contract or confidentiality and nondisclosure agreement without the express, written consent of MADAR Corporation.